FILE FOLDER

DESCRIPTION ON TAB:

11330.4A Flouride Analyses

☐ **Outside/inside of actual folder did not contain hand written information**

☑ **Outside/inside of actual folder did contain hand written information**
***Scanned as next image**

Confidential Records Management, Inc.
New Bern, NC
1-888-622-4425
9/08

11330.4 FLUORIDE ANALYSES (83)

OPEN

CLOSED

JANUARY - 1986 - DESTROY
SECNAVINST 5215.5B Part II
Chap 11, par. 11300(2) 2 years

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 1 OCT 83

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.09
TARAWA TERRACE	0.19	0.60
HOLCOMB BLVD.	0.20	1.05

TT TURBIDITY: 0.92 0.38
HB TURBIDITY: 0.62 0.24

ANALYST: Burns

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/31/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.95
TARAWA TERRACE	0.21	1.01
HOLCOMB BLVD.	0.21	1.03

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/30/84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.97
TARAWA TERRACE	0.21	1.02
HOLCOMB BLVD.	0.21	1.09

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: Hinegardt

HP 0.95

TT 1.01

HB 1.03

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 29 March 84

PLANT	RAW	TREATED
HADNOT POINT	0.13	0.94
TARAWA TERRACE	0.18	1.06
HOLCOMB BLVD.	0.18	1.21

TT TURBIDITY: / /
HB TURBIDITY: / /

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/28/84

PLANT	RAW	TREATED
HADNOT POINT	0.13	0.88
TARAWA TERRACE	0.20	0.94
HOLCOMB BLVD.	0.17	0.93

TT TURBIDITY: _____ _____
HB TURBIDITY: _____ _____

ANALYST: Henegrett

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 27 March 84

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.98
TARAWA TERRACE	0.17	1.07
HOLCOMB BLVD.	0.16	0.77

TT TURBIDITY: / /
HB TURBIDITY: / /

ANALYST: R J Lachapelle MT

1300

Reiff called in sick. - won't Beid Today

4-12 H.P.

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/26/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.84
TARAWA TERRACE	0.20	0.94
HOLCOMB BLVD.	0.18	0.75

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: Shingcutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/25/84

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.82
TARAWA TERRACE	0.20	0.91
HOLCOMB BLVD.	0.17	0.92

TT TURBIDITY: _____ _____
HB TURBIDITY: _____ _____

ANALYST: Henriquez

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/24/84

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.92
TARAWA TERRACE	0.22	1.02
HOLCOMB BLVD.	0.19	1.07

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: Hunegarth

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/23/84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.95
TARAWA TERRACE	0.21	0.94
HOLCOMB BLVD.	0.19	1.23

TT TURBIDITY: _____ _____
HB TURBIDITY: _____ _____

ANALYST: Huneycutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/22/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.00
TARAWA TERRACE	0.20	0.80
HOLCOMB BLVD.	0.18	1.26

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: Hunerquist

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 21 March 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.94
TARAWA TERRACE	0.19	0.82
HOLCOMB BLVD.	0.17	1.29

TT TURBIDITY: / /
HB TURBIDITY: / /

ANALYST: R Lachnelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3-20-84

PLANT	RAW	TREATED
HADNOT POINT	0.13	0.70
TARAWA TERRACE	0.19	1.06
HOLCOMB BLVD.	0.17	1.29

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: Burns

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/19/84

PLANT	RAW	TREATED
HADNOT POINT	0.13	0.81
TARAWA TERRACE	0.19	1.09
HOLCOMB BLVD.	0.15	1.27

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: B Vens

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/18/84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.84
TARAWA TERRACE	0.19	1.09
HOLCOMB BLVD.	0.16	1.19

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: Bvews

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/17/84

PLANT	RAW	TREATED
HADNOT POINT	0.13	0.74
TARAWA TERRACE	0.19	0.55
HOLCOMB BLVD.	0.17	0.46

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: Hunegatt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 16 March 84

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.92
TARAWA TERRACE	0.19	0.97
HOLCOMB BLVD.	0.16	0.54

TT TURBIDITY: / /
HB TURBIDITY: / /

ANALYST: R Lafayette

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY

TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/15/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.92
TARAWA TERRACE	0.22	0.90
HOLCOMB BLVD.	0.18	1.46

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: BVEWS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 14 Mar 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.70
TARAWA TERRACE	0.19	0.69
HOLCOMB BLVD.	0.18	2.28

TT TURBIDITY: /
HB TURBIDITY: /

ANALYST: R Lockwell

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/13/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.45
TARAWA TERRACE	0.20	0.37
HOLCOMB BLVD.	0.17	0.36

TT TURBIDITY: _____ _____
HB TURBIDITY: _____ _____

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/12/84

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.13
TARAWA TERRACE	0.13	0.19
HOLCOMB BLVD.	0.15	0.29

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: Buens

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/11/84

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.13
TARAWA TERRACE	0.31	0.20
HOLCOMB BLVD.	0.17	0.19

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: Bivens

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/10/84

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.11
TARAWA TERRACE	0.20	0.37
HOLCOMB BLVD.	0.19	0.23

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: Hunegnett

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/9/84

PLANT	RAW	TREATED
HADNOT POINT	0.18	0.16
TARAWA TERRACE	0.20	0.19
HOLCOMB BLVD.	0.17	0.24

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: _____

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/8/84

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.14
TARAWA TERRACE	0.21	0.53
HOLCOMB BLVD.	0.20	0.24

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: Hurrycutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 7 March 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.14
TARAWA TERRACE	0.21	0.65
HOLCOMB BLVD.	0.19	0.24

TT TURBIDITY: >5 <1
HB TURBIDITY: >5 <1

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/6/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.13
TARAWA TERRACE	0.21	0.63
HOLCOMB BLVD.	0.18	0.20

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: Burns

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/5/84

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.12
TARAWA TERRACE	0.19	0.68
HOLCOMB BLVD.	0.16	0.20

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: Buens

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3-4-84

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.12
TARAWA TERRACE	0.19	0.67
HOLCOMB BLVD.	0.16	0.19

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: Bvens

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3 MAR 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.14
TARAWA TERRACE	0.21	0.80
HOLCOMB BLVD.	0.20	0.22

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: Hinegarth

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3/2/84

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.14
TARAWA TERRACE	0.20	0.81
HOLCOMB BLVD.	0.19	0.22

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 1 Mar 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.14
TARAWA TERRACE	0.19	0.92
HOLCOMB BLVD.	0.18	0.22

TT TURBIDITY: 75 <1
HB TURBIDITY: 73 <1

ANALYST: P Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 29 Feb 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.14
TARAWA TERRACE	0.18	0.64
HOLCOMB BLVD.	0.17	0.20

TT TURBIDITY: >5 <1
HB TURBIDITY: >5 <1

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2/28/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.22
TARAWA TERRACE	0.19	0.70
HOLCOMB BLVD.	0.17	0.20

TT TURBIDITY: _____ _____
HB TURBIDITY: _____ _____

ANALYST: BVEWS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 27 Feb 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.13
TARAWA TERRACE	0.19	0.61
HOLCOMB BLVD.	0.17	0.23

TT TURBIDITY: >3 <1
HB TURBIDITY: >3 <1

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 26 Feb 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.13
TARAWA TERRACE	0.18	0.75
HOLCOMB BLVD.	0.17	0.25

TT TURBIDITY: 71 / 1

HB TURBIDITY: 71 / <1

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2/25/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.16
TARAWA TERRACE	0.20	0.75
HOLCOMB BLVD.	0.19	0.22

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2/24/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.13
TARAWA TERRACE	0.19	0.75
HOLCOMB BLVD.	0.17	0.23

TT TURBIDITY: _____ _____
HB TURBIDITY: _____ _____

ANALYST: Bvens

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 23 Feb 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.14
TARAWA TERRACE	0.20	0.73
HOLCOMB BLVD.	0.17	0.23

TT TURBIDITY: >5 <1
HB TURBIDITY: >5 <1

ANALYST: R J Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 22 Feb 84

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.12
TARAWA TERRACE	0.18	0.71
HOLCOMB BLVD.	0.15	0.30

TT TURBIDITY: >5 <1
HB TURBIDITY: <3 <1

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2/21/84

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.14
TARAWA TERRACE	0.19	0.83
HOLCOMB BLVD.	0.17	0.33

TT TURBIDITY: > 5.0 < 1.0
HB TURBIDITY: 1.0 < 1.0

ANALYST: Bovens

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2-20-84

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.18
TARAWA TERRACE	0.19	1.00
HOLCOMB BLVD.	0.17	0.80

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2-19-84

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.28
TARAWA TERRACE	0.20	1.01
HOLCOMB BLVD.	0.17	0.93

TT TURBIDITY: _____ _____
HB TURBIDITY: _____ _____

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2/18/84

PLANT	RAW	TREATED
HADNOT POINT	0.20	0.95
TARAWA TERRACE	0.27	1.21
HOLCOMB BLVD.	0.25.	1.18

TT TURBIDITY: _____ _____
HB TURBIDITY: Meter Down _____

ANALYST: [illegible]

8-4- Pa[illegible]



DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 17 Feb 84

PLANT	RAW	TREATED
HADNOT POINT	0.18	1.27
TARAWA TERRACE	0.26	0.73
HOLCOMB BLVD.	0.23	1.15

TT TURBIDITY: >5 -1>
HB TURBIDITY: 5 1>

ANALYST: Hunaycutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 16 FEB 84

PLANT	RAW	TREATED
HADNOT POINT	0.17	1.12
TARAWA TERRACE	0.25	1.02
HOLCOMB BLVD.	0.22	1.09

TT TURBIDITY: 0.22 0.18
HB TURBIDITY: 0.24 0.18

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2/15/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.01
TARAWA TERRACE	0.24	0.94
HOLCOMB BLVD.	0.22	1.02

TT TURBIDITY: 0.20 0.20
HB TURBIDITY: 0.21 0.16

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 14 FEB 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.89
TARAWA TERRACE	0.22	0.80
HOLCOMB BLVD.	0.19	0.88

TT TURBIDITY: 0.18 0.15
HB TURBIDITY: 0.19 0.15

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 13 Feb 84

PLANT	RAW	TREATED
HADNOT POINT	0.19	0.89
TARAWA TERRACE	0.21	0.79
HOLCOMB BLVD.	0.18	0.87

TT TURBIDITY: 0.18 0.15
HB TURBIDITY: 0.20 0.15

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 12 Feb 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.04
TARAWA TERRACE	0.21	0.80
HOLCOMB BLVD.	0.18	0.86

TT TURBIDITY: 0.17 0.15
HB TURBIDITY: 0.18 0.15

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2/11/84

PLANT	RAW	TREATED
HADNOT POINT	0.17	1.10
TARAWA TERRACE	0.25	0.84
HOLCOMB BLVD.	0.22	0.91

TT TURBIDITY: 0.22 0.19

HB TURBIDITY: 0.20 0.16

ANALYST: Hunezcutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10 Feb 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.00
TARAWA TERRACE	0.21	0.54
HOLCOMB BLVD.	0.19	0.93

TT TURBIDITY: 0.19 0.16
HB TURBIDITY: 0.19 0.15

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 9 Feb 84

PLANT	RAW	TREATED
HADNOT POINT		0.77
TARAWA TERRACE		0.74
HOLCOMB BLVD.		1.03

TT TURBIDITY: 0.19 0.18
HB TURBIDITY: 0.19 0.15

ANALYST: R Lachochoxelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 8 Feb 84

PLANT	RAW	TREATED
HADNOT POINT		0.87
TARAWA TERRACE		0.84
HOLCOMB BLVD.		1.18

TT TURBIDITY: 0.21 0.18
HB TURBIDITY: 0.18 0.16

ANALYST: R. Lachowski

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2/7/84

PLANT	RAW	TREATED
HADNOT POINT	—	0.87
TARAWA TERRACE	—	0.84
HOLCOMB BLVD.	—	1.02

TT TURBIDITY: 0.26 0.36

HB TURBIDITY: 0.22 0.18

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2/6/84

PLANT	RAW	TREATED
HADNOT POINT	—	0.90
TARAWA TERRACE	—	1.10
HOLCOMB BLVD.	—	1.23

TT TURBIDITY: 0.20 0.18
HB TURBIDITY: 0.18 0.16

ANALYST: Burns

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2/5/84

PLANT	RAW	TREATED
HADNOT POINT	—	1.10
TARAWA TERRACE	—	1.16
HOLCOMB BLVD.	—	1.13

TT TURBIDITY: 0.18 0.14
HB TURBIDITY: 0.6 0.12

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2/4/84

PLANT	RAW	TREATED
HADNOT POINT	—	1.39
TARAWA TERRACE	—	1.05
HOLCOMB BLVD.	—	1.05

pH 8.9

TT TURBIDITY: 0.16 0.18

HB TURBIDITY: 0.16 0.16

ANALYST: Hunequitt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3 FEB 84

PLANT	RAW	TREATED
HADNOT POINT	—	1.10
TARAWA TERRACE	—	1.10
HOLCOMB BLVD.	—	1.10

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: BIVENS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2 FEB 84

PLANT	RAW	TREATED
HADNOT POINT	—	1.05
TARAWA TERRACE	—	1.04
HOLCOMB BLVD.	—	0.97

TT TURBIDITY: 0.19 0.16
HB TURBIDITY: 0.22 0.18

ANALYST: Bvans

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY

TO: WATER TREATMENT PLANT FOREMAN

DATE: 2/1/84

PLANT	RAW	TREATED
HADNOT POINT	0.29	1.02
TARAWA TERRACE	0.37	1.36
HOLCOMB BLVD.	0.37	1.10

TT TURBIDITY: 0.21 0.18

HB TURBIDITY: 0.20 0.14

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 30 JAN 84

PLANT	RAW	TREATED
HADNOT POINT		0.95
TARAWA TERRACE		1.00
HOLCOMB BLVD.		1.04

TT TURBIDITY: 1.4 0.8
HB TURBIDITY: 1.3 0.6

ANALYST: R Tarbouelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 28 JAN 84

PLANT	RAW	TREATED
HADNOT POINT	—	1.06
TARAWA TERRACE	—	0.99
HOLCOMB BLVD.	—	1.13

TT TURBIDITY: 6.0 1.2
HB TURBIDITY: 1.4 0.8

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 27 JAN 84

PLANT	RAW	TREATED
HADNOT POINT	1.02	1.02
TARAWA TERRACE	1.00	1.00
HOLCOMB BLVD.		1.01

TT TURBIDITY: 1.2 0.7
HB TURBIDITY: 1.0 0.4

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 26 JAN 84

PLANT	RAW	TREATED
HADNOT POINT		1.00
TARAWA TERRACE		0.94
HOLCOMB BLVD.		1.01

TT TURBIDITY: 1.0 0.4
HB TURBIDITY: 1.1 0.4

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 1-25-84

PLANT	RAW	TREATED
HADNOT POINT	—	1.06
TARAWA TERRACE	—	0.99
HOLCOMB BLVD.	—	0.92

TT TURBIDITY: 1.0 1.4
HB TURBIDITY: 1.2 0.6

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 24 JAN 84

PLANT	RAW	TREATED
HADNOT POINT		1.03
TARAWA TERRACE		0.95
HOLCOMB BLVD.		0.92

TT TURBIDITY: 1.2 0.4
HB TURBIDITY: 1.4 0.6

ANALYST: R Labonville

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 23 JAN 84

PLANT	RAW	TREATED
HADNOT POINT		1.03
TARAWA TERRACE		0.96
HOLCOMB BLVD.		0.94

TT TURBIDITY: 0.9 0.3
HB TURBIDITY: 1.6 0.2

ANALYST: R. Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 21 JAN 84

PLANT	RAW	TREATED
HADNOT POINT		1.09
TARAWA TERRACE		0.79
HOLCOMB BLVD.		0.97

TT TURBIDITY:	1.2	0.2
HB TURBIDITY:	0.9	0.1

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 20 JAN 84

PLANT	RAW	TREATED
HADNOT POINT		1.00
TARAWA TERRACE		1.02
HOLCOMB BLVD.		0.91

TT TURBIDITY: 0.4 0.1
HB TURBIDITY: 0.8 0.1

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 19 Jan 84

PLANT	RAW	TREATED
HADNOT POINT		1.02
TARAWA TERRACE	NOT DONE	1.05
HOLCOMB BLVD.		0.92

TT TURBIDITY: 0.80 0.20
HB TURBIDITY: 2.0 0.2

ANALYST: MONAHAN.

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 18 JAN 84

PLANT	RAW	TREATED
HADNOT POINT		1.05
TARAWA TERRACE		0.95
HOLCOMB BLVD.		0.87

TT TURBIDITY: 0.7 0.2
HB TURBIDITY: 1.0 0.1

ANALYST: R Lachapelle MT

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 17 JAN 84

PLANT	RAW	TREATED
HADNOT POINT		0.99
TARAWA TERRACE		0.83
HOLCOMB BLVD.		0.88

TT TURBIDITY: 1.2 0.7
HB TURBIDITY: 2.0 0.4

ANALYST: A Lechapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 16 JAN 84

PLANT	RAW	TREATED
HADNOT POINT	—	0.89
TARAWA TERRACE	—	0.75
HOLCOMB BLVD.	—	0.96

TT TURBIDITY: 0.80 0.10
HB TURBIDITY: 1.2 0.20

ANALYST: BVENS.

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 15 JAN 84

PLANT	RAW	TREATED
HADNOT POINT	—	0.95
TARAWA TERRACE	—	0.80
HOLCOMB BLVD.	—	0.95

TT TURBIDITY: 0.60 0.12
HB TURBIDITY: 1.0 0.20

ANALYST: BVRNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 1-14-84

PLANT	RAW	TREATED
HADNOT POINT	—	1.02
TARAWA TERRACE	—	0.98
HOLCOMB BLVD.	—	0.96

TT TURBIDITY: 0.8 0.2

HB TURBIDITY: 1.0 0.2

ANALYST: Hunnicutt.

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 13 JAN 84

PLANT	RAW	TREATED
HADNOT POINT		1.05
TARAWA TERRACE		0.91
HOLCOMB BLVD.		0.93

TT TURBIDITY: 0.7 0.3

HB TURBIDITY: 1.1 0.2

ANALYST: R Lachopelle MT

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 12 JAN 84

PLANT	RAW	TREATED
HADNOT POINT	—	1.02
TARAWA TERRACE	—	0.92
HOLCOMB BLVD.	—	0.91

TT TURBIDITY: 1.2 0.4
HB TURBIDITY: 1.0 0.12

ANALYST: 13 vans

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 11 JAN 84

PLANT	RAW	TREATED
HADNOT POINT	X	1.08
TARAWA TERRACE	X	1.00
HOLCOMB BLVD.	X	0.88

TT TURBIDITY: 4.9 0.4
HB TURBIDITY: 1.4 0.6

ANALYST: Hunycutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10 Jan 84

PLANT	RAW	TREATED
HADNOT POINT		1.06
TARAWA TERRACE		0.95
HOLCOMB BLVD.		0.85

TT TURBIDITY: 1.0 0.4
HB TURBIDITY: 1.3 0.6

ANALYST: K Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY

TO: WATER TREATMENT PLANT FOREMAN

DATE: 9 Jan 64

PLANT	RAW	TREATED
HADNOT POINT	not done	0.94
TARAWA TERRACE		1.06
HOLCOMB BLVD.		0.84

TT TURBIDITY: Machine Unreliable

HB TURBIDITY:

ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 8 Jan 84

PLANT	RAW	TREATED
HADNOT POINT	not done	0.96
TARAWA TERRACE		1.06
HOLCOMB BLVD.		0.97

TT TURBIDITY: machine unstable
HB TURBIDITY:
ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 1-7-84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.00
TARAWA TERRACE	0.20	1.06
HOLCOMB BLVD.	0.19	1.06

TT TURBIDITY: 1.4 0.60
HB TURBIDITY: 1.2 0.40

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 1-6-84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.97
TARAWA TERRACE	0.20	0.83
HOLCOMB BLVD.	0.20	0.99

TT TURBIDITY: 0.60 0.14
HB TURBIDITY: 1.2 0.20

ANALYST: BRANS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5 JAN 1984

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.03
TARAWA TERRACE	0.20	1.00
HOLCOMB BLVD.	0.19	0.82

TT TURBIDITY: 1.0 0.2
HB TURBIDITY: 1.7 0.3

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 1-4-84

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.93
TARAWA TERRACE	0.20	0.97
HOLCOMB BLVD.	0.19	0.81

TT TURBIDITY: 0.90 0.40
HB TURBIDITY: 1.4 0.20

ANALYST: Henneycutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY

TO: WATER TREATMENT PLANT FOREMAN

DATE: 1-3-84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.02
TARAWA TERRACE	0.21	1.05
HOLCOMB BLVD.	0.22	0.98

TT TURBIDITY: 1.0 1.0

HB TURBIDITY: 1.1 0.20

ANALYST: Hunegarth

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2 JAN 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.01
TARAWA TERRACE	0.20	1.07
HOLCOMB BLVD.	0.21	1.07

TT TURBIDITY: 1.10 0.90
HB TURBIDITY: 1.10 0.30

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 1 JAN 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.01
TARAWA TERRACE	0.21	1.01
HOLCOMB BLVD.	0.21	1.14

TT TURBIDITY: 0.80 0.60

HB TURBIDITY: 0.50 0.20

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 12-31-83

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.01
TARAWA TERRACE	0.20	0.98
HOLCOMB BLVD.	0.20	1.10

TT TURBIDITY: 1.20 1.00
HB TURBIDITY: 1.60 0.40

ANALYST: R Lachapelle

1.14-S
1.07-M

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 12-30-67

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.12
TARAWA TERRACE	0.21	1.05
HOLCOMB BLVD.	0.21	1.11

TT TURBIDITY: 3.80 0.90
HB TURBIDITY: 1.70 0.60

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 12/29/83

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.14
TARAWA TERRACE	0.22	0.85
HOLCOMB BLVD.	0.22	Ph = 8.4 0.95

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: Byers

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 12/28/83

PLANT	RAW	TREATED
HADNOT POINT	0.17	1.08
TARAWA TERRACE	0.21	0.80
HOLCOMB BLVD.	0.20	1.02

TT TURBIDITY: Machine Down
HB TURBIDITY:
ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 21 Dec 83

PLANT	RAW	TREATED
HADNOT POINT	0.19	0.97
TARAWA TERRACE	0.24	1.02
HOLCOMB BLVD.	0.18	0.95

TT TURBIDITY: 0.98 0.60
HB TURBIDITY: 0.80 0.48

ANALYST: Hunegnett

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 20 Dec 83

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.00
TARAWA TERRACE	0.20	0.46
HOLCOMB BLVD.	0.17	pH 8.8 1.03

TT TURBIDITY: No Reading 0.58
HB TURBIDITY: 0.76 0.52

ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 19 Dec 83

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.93
TARAWA TERRACE	0.20	0.81
HOLCOMB BLVD.	0.17	1.02

TT TURBIDITY: 0.86 0.45
HB TURBIDITY: 0.87 0.38

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 18 Dec 83

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.97
TARAWA TERRACE	0.20	0.81
HOLCOMB BLVD.	0.17	1.00

TT TURBIDITY: 0.61 0.32
HB TURBIDITY: 0.84 0.31

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 12/12/83

PLANT	RAW	TREATED
HADNOT POINT	0.19	0.93
TARAWA TERRACE	0.19	0.91
HOLCOMB BLVD.	0.19	pH: 8.3 1.02

TT TURBIDITY: 0.80 1.20
HB TURBIDITY: 0.90 0.60

ANALYST: B Evens

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 16 Dec 83

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.88
TARAWA TERRACE	0.19	0.78
HOLCOMB BLVD.	0.16	pH = 8.8 0.93

TT TURBIDITY: 0.80 0.50
HB TURBIDITY: 0.58 0.42

ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 15 Dec 83

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.88
TARAWA TERRACE	0.21	0.72
HOLCOMB BLVD.	0.17	0.98

TT TURBIDITY: 1.00 0.50
HB TURBIDITY: 0.70 0.43

ANALYST: R Zachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY

TO: WATER TREATMENT PLANT FOREMAN

DATE: 12-14-83

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.91
TARAWA TERRACE	0.20	0.34
HOLCOMB BLVD.	0.17	1.05

TT TURBIDITY: 1.00 0.46

HB TURBIDITY: 0.83 0.34

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 13 Dec 83

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.82
TARAWA TERRACE	0.18	0.58
HOLCOMB BLVD.	0.15	pH 8.2 0.91

TT TURBIDITY: MACHINE DOWN
HB TURBIDITY:
ANALYST: Moxahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 12 Dec '83

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.83
TARAWA TERRACE	0.19	0.71
HOLCOMB BLVD.	0.16	pH 8.9 1.02

TT TURBIDITY: Machine Down
HB TURBIDITY: _____ _____

ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 11 Dec 83

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.88
TARAWA TERRACE	0.19	0.72
HOLCOMB BLVD.	0.16	pH 8.9 1.03

TT TURBIDITY:
HB TURBIDITY: MACHINE Down
ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10 Dec 83

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.93
TARAWA TERRACE	0.18	0.71
HOLCOMB BLVD.	0.14	0.99

pH
~~9.0~~

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 9 DEC 83

PLANT	RAW	TREATED
HADNOT POINT	0.14	1.08
TARAWA TERRACE	0.20	0.77
HOLCOMB BLVD.	0.16	0.97

PH
9.3

TT TURBIDITY:
HB TURBIDITY: METER BROKEN

ANALYST: Hunegnett

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 8 Dec '83

PLANT	RAW	TREATED
HADNOT POINT	0.14	1.03
TARAWA TERRACE	0.17	0.82
HOLCOMB BLVD.	0.15	pH 8.9 0.90

TT TURBIDITY: ~~MACHINE DOWN~~
HB TURBIDITY:

ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 7 Dec 83

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.83
TARAWA TERRACE	0.17	0.76
HOLCOMB BLVD.	0.17	pH 8.9 0.83

TT TURBIDITY: Instrument Down
HB TURBIDITY:
ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 6 Dec 83

PLANT	RAW	TREATED
HADNOT POINT	0.14	1.01
TARAWA TERRACE	0.18	0.83
HOLCOMB BLVD.	0.17	PH 8.4 0.91

TT TURBIDITY: MACHINE DOWN
HB TURBIDITY:

ANALYST: Monshan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5 DEC 83

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.94
TARAWA TERRACE	0.18	1.00
HOLCOMB BLVD.	0.19	Ph = 8.8 0.88

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4 Dec 83

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.10
TARAWA TERRACE	0.20	1.04
HOLCOMB BLVD.	0.19	Ph = 8.8 0.89

TT TURBIDITY: _____ _____
HB TURBIDITY: _____ _____

ANALYST: B VENS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3 Dec 83

PLANT	RAW	TREATED
HADNOT POINT	0.22	1.04
TARAWA TERRACE	0.21	1.04
HOLCOMB BLVD.	0.20	0.84

8.8

TT TURBIDITY: METER
HB TURBIDITY: OUT

ANALYST: Huneycutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2 Dec '83

PLANT	RAW	TREATED
HADNOT POINT	0.14	1.05
TARAWA TERRACE	0.18	0.95
HOLCOMB BLVD.	0.16	pH 8.8 0.92

TT TURBIDITY: —
HB TURBIDITY: MACHINE DOWN

ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 1 December '83

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.09
TARAWA TERRACE	0.20	1.02
HOLCOMB BLVD.	0.17	pH 8.8 1.10

TT TURBIDITY: Not Available
HB TURBIDITY:

ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 30 NOV 83

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.08
TARAWA TERRACE	0.23	1.06
HOLCOMB BLVD.	0.19	PH: 8.3 0.89

TT TURBIDITY: _____

HB TURBIDITY: _____

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 11/22/83

PLANT	RAW	TREATED
HADNOT POINT	0.13	0.85
TARAWA TERRACE	0.16	0.48
HOLCOMB BLVD.	0.16	0.76 PH = 9.0

TT TURBIDITY: 0.46 0.24
HB TURBIDITY: 1.8 0.28

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 21 NOV 83

PLANT	RAW	TREATED
HADNOT POINT	0.13	0.81
TARAWA TERRACE	0.17	0.65
HOLCOMB BLVD.	0.16	PH 9.0 0.72

TT TURBIDITY: 0.54 UNK
HB TURBIDITY: 0.74 0.29

ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 20 Nov 83
Sunday

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.85
TARAWA TERRACE	0.18	0.66
HOLCOMB BLVD.	0.17	pH 8.9 0.76

TT TURBIDITY: 0.53 1.40
HB TURBIDITY: 0.94 0.28

ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 19 Nov 83

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.66
TARAWA TERRACE	0.18	0.34
HOLCOMB BLVD.	0.17	0.53

pH = 8.9

TT TURBIDITY: 0.38 0.27
HB TURBIDITY: 0.72 0.18

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 17 Nov 83

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.12
TARAWA TERRACE	0.17	0.54
HOLCOMB BLVD.	0.17	0.14

pH 9.1

TT TURBIDITY: 0.38 0.32
HB TURBIDITY: 0.48 0.18

ANALYST: R Lockwood

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 16 Nov. 83

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.12
TARAWA TERRACE	0.17	0.98
HOLCOMB BLVD.	0.17	0.14

8.9

TT TURBIDITY: 0.50 0.38

HB TURBIDITY: 0.30 0.12

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 11/15/83

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.12
TARAWA TERRACE	0.19	0.82
HOLCOMB BLVD.	0.17	Ph = 9.0 0.18

TT TURBIDITY: 0.26 0.58
HB TURBIDITY: 0.32 0.12

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 11-14-83

PLANT	RAW	TREATED
HADNOT POINT	0.12	0.14
TARAWA TERRACE	0.15	0.83
HOLCOMB BLVD.	0.17	0.17 Ph: 9.3

TT TURBIDITY: 0.60 0.26
HB TURBIDITY: 0.36 0.18

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 11-13-83

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.13
TARAWA TERRACE	0.17	0.83
HOLCOMB BLVD.	0.17	0.27 Ph = 8.7

TT TURBIDITY: 0.40 0.26
HB TURBIDITY: 0.36 0.18

ANALYST: Burns

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 12 Nov 83

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.12
TARAWA TERRACE	0.15	0.83
HOLCOMB BLVD.	0.18	0.39

9.1

TT TURBIDITY: 0.34 1.4

HB TURBIDITY: 0.34 0.24

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 11 NOV 87

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.17
TARAWA TERRACE	0.16	1.00
HOLCOMB BLVD.	0.18	0.85

HP
8.9

TT TURBIDITY: 0.80 1.40
HB TURBIDITY: 0.40 0.22

ANALYST: R Tackett

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY

TO: WATER TREATMENT PLANT FOREMAN

DATE: 10 Nov 1983

PLANT	RAW	TREATED
HADNOT POINT	0.13	0.13
TARAWA TERRACE	0.17	1.04
HOLCOMB BLVD.	0.16	pH 8.7 0.85

TT TURBIDITY: 1.00 0.47

HB TURBIDITY: 0.39 0.18

ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 9 NOV 83

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.13
TARAWA TERRACE	0.17	0.93
HOLCOMB BLVD.	0.17	0.83

pH 9.0

TT TURBIDITY: 0.53 0.40

HB TURBIDITY: 0.42 0.22

ANALYST: K Lachoselle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 8 NOV 83

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.15
TARAWA TERRACE	0.19	0.61
HOLCOMB BLVD.	0.19	Ph: 8.9 0.95

TT TURBIDITY: 0.62 0.22

HB TURBIDITY: 0.28 0.12

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 7 NOV 83

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.16
TARAWA TERRACE	0.18	0.92
HOLCOMB BLVD.	0.17	Ph = 8.8 1.23

TT TURBIDITY: 0.34 0.30
HB TURBIDITY: 0.30 0.14

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 6 NOV 83

PLANT	RAW	TREATED
HADNOT POINT	0.19	0.17
TARAWA TERRACE	0.18	0.98
HOLCOMB BLVD.	0.18	Ph: 8.1 1.12

TT TURBIDITY: 0.34 0.40
HB TURBIDITY: 0.28 0.12

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5 NOV 83

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.37
TARAWA TERRACE	0.18	0.83
HOLCOMB BLVD.	0.18	Ph = 8.7 1.09

TT TURBIDITY: 0.62 0.30
HB TURBIDITY: 0.32 0.20

ANALYST: Bvens

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4 Nov 83

PLANT	RAW	TREATED
HADNOT POINT		0.99
TARAWA TERRACE	0.20	0.61
HOLCOMB BLVD.	0.19	0.96

8.6

TT TURBIDITY: 0.68 0.22
HB TURBIDITY: 0.38 0.22

ANALYST: Henegcutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3 Nov 83

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.03
TARAWA TERRACE	0.20	0.78
HOLCOMB BLVD.	0.18	(pH 8.7) 0.98

TT TURBIDITY: 0.50 12.0
HB TURBIDITY: 0.50 0.31

ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2 Nov. 83

PLANT	RAW	TREATED
HADNOT POINT	0.18	0.99
TARAWA TERRACE	0.21	0.77
HOLCOMB BLVD.	0.19	0.95

8.5

TT TURBIDITY: 0.38 0.24
HB TURBIDITY: 0.40 0.18

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 27 Oct 83

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.89
TARAWA TERRACE	0.09	1.10
HOLCOMB BLVD.	0.18	0.90

PH
8.8

TT TURBIDITY: 0.32 0.18
HB TURBIDITY: 0.64 0.18

ANALYST: R Lafayette

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 25 OCT 83

PLANT	RAW	TREATED
HADNOT POINT	0.17	1.02
TARAWA TERRACE	0.22	0.72
HOLCOMB BLVD.	0.20	1.04 x (pH = 9.0)

TT TURBIDITY: 0.47 0.23
HB TURBIDITY: 0.34 0.18

ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 22 OCT 83

PLANT	RAW	TREATED
HADNOT POINT	0.18	1.07
TARAWA TERRACE	0.21	0.90
HOLCOMB BLVD.	0.20	1.01

TT TURBIDITY: 0.20 0.22
HB TURBIDITY: 0.34 0.22

ANALYST: Heneycutt

PH for HB treated - 7.5

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 24 Oct 83

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.06
TARAWA TERRACE	0.20	1.20
HOLCOMB BLVD.	0.18	1.06

pH 9.0

TT TURBIDITY: 0.50 0.33
HB TURBIDITY: 0.47 0.18

ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 23 Oct 83
(Sunday)

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.09
TARAWA TERRACE	0.20	1.11
HOLCOMB BLVD.	0.18	1.12

8.9 pH

TT TURBIDITY: 0.46 12.0

HB TURBIDITY: 0.34 0.2

ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 20 Oct 83

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.01
TARAWA TERRACE	0.19	0.88
HOLCOMB BLVD.	0.19	1.01 (pH 8.8)

TT TURBIDITY: 0.92 0.40
HB TURBIDITY: 0.44 0.20

ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10-19-83

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.03
TARAWA TERRACE	0.19	1.13
HOLCOMB BLVD.	0.18	PH = 8.4 0.93

TT TURBIDITY: 0.60 0.30
HB TURBIDITY: 0.32 0.34

ANALYST: Burrus

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10-17-83

PLANT	RAW	TREATED
HADNOT POINT	0.19	1.03
TARAWA TERRACE	0.19	0.89
HOLCOMB BLVD.	0.18	0.93

pH
8.9

TT TURBIDITY: 0.33 0.22
HB TURBIDITY: 0.31 0.18

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10-16-83

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.06
TARAWA TERRACE	0.14	0.87
HOLCOMB BLVD.	0.18	0.94

pH " 8.9

TT TURBIDITY: 0.31 0.16

HB TURBIDITY: 0.27 0.13

ANALYST: R. Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10/15/83

PLANT	RAW	TREATED
HADNOT POINT	0.17	1.07
TARAWA TERRACE	0.21	1.24
HOLCOMB BLVD.	0.21	Ph: 8.962 0.94

TT TURBIDITY: 0.40 0.38

HB TURBIDITY: 0.48 0.20

ANALYST: Burr

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 14 Oct 83

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.08
TARAWA TERRACE	0.20	1.04
HOLCOMB BLVD.	0.20	0.91

pH " 8.8

TT TURBIDITY: 0.42 0.29
HB TURBIDITY: 0.68 0.22

ANALYST: R Lachapelle

DAILY · FLUORIDE REPORT

FROM: QUALITY CONTROL · LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10-13-83

PLANT	RAW	TREATED
HADNOT POINT	0.17	1.08
TARAWA TERRACE	0.21	1.18
HOLCOMB BLVD.	0.21	0.99

pH 8.8

TT TURBIDITY: 0.56 0.34
HB TURBIDITY: 0.92 0.33

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10-12-83

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.01
TARAWA TERRACE	0.19	0.58
HOLCOMB BLVD.	0.21	0.96

TT TURBIDITY: 0.54 0.52
HB TURBIDITY: 1.00 0.24

ANALYST: R Fachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10-11-83

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.02
TARAWA TERRACE	0.21	1.03
HOLCOMB BLVD.	0.21	0.96

TT TURBIDITY: 0.43 0.18
HB TURBIDITY: 1.10 0.19

ANALYST: R Lichapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10 OCT 83

PLANT	RAW	TREATED
HADNOT POINT	0.19	0.92
TARAWA TERRACE	0.21	0.82
HOLCOMB BLVD.	0.19	0.88

TT TURBIDITY: 0.39 0.24
HB TURBIDITY: 0.56 0.24

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 9 OCT 83

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.97
TARAWA TERRACE	0.22	0.83
HOLCOMB BLVD.	0.23	0.90

TT TURBIDITY: 0.46 0.20
HB TURBIDITY: 0.88 0.18

ANALYST: Huneycutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10-8-83

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.01
TARAWA TERRACE	0.20	1.04
HOLCOMB BLVD.	0.20	0.99

TT TURBIDITY: 0.92 0.23
HB TURBIDITY: 0.48 0.32

ANALYST: K Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10/7/83

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.01
TARAWA TERRACE	0.18	0.79
HOLCOMB BLVD.	0.19	1.00

TT TURBIDITY: 0.52 0.24
HB TURBIDITY: 0.50 0.40

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10-6-83

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.98
TARAWA TERRACE	0.20	0.91
HOLCOMB BLVD.	0.20	0.99

TT TURBIDITY: 0.50 0.29
HB TURBIDITY: 0.60 0.80

ANALYST: A Lafayette

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5 OCT 83

PLANT	RAW	TREATED
HADNOT POINT	0.18	1.03
TARAWA TERRACE	0.24	0.83
HOLCOMB BLVD.	0.24	1.17 (X)

(X) Fe <0.04

TT TURBIDITY: 0.60 0.39
HB TURBIDITY: 0.62 0.31

ANALYST: Monahan

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4 OCT 83

PLANT	RAW	TREATED
HADNOT POINT	0.17	1.04
TARAWA TERRACE	0.22	0.98
HOLCOMB BLVD.	NO Sample	0.99

TT TURBIDITY: 0.35 0.26
HB TURBIDITY: N/S 0.18

ANALYST: Karen Hennessett

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10/3/83

PLANT	RAW	TREATED
HADNOT POINT	0.17	1.06
TARAWA TERRACE	0.19	1.04
HOLCOMB BLVD.	0.21	1.04

TT TURBIDITY: 0.36 0.26
HB TURBIDITY: 0.70 0.20

ANALYST: Burns

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10/2/83

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.10
TARAWA TERRACE	0.29	1.12
HOLCOMB BLVD.	0.21	1.08

TT TURBIDITY: 0.32 0.22
HB TURBIDITY: 0.28 0.20

ANALYST: Burns

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 30 SEP 84

PLANT	RAW	TREATED
HADNOT POINT	0.18	0.87
TARAWA TERRACE	0.23	0.96
HOLCOMB BLVD.	0.18	0.99

HP TURBIDITY: 1.20 0.40
TT TURBIDITY: 0.70 0.40
HB TURBIDITY: 0.70 0.50

ANALYST: BVENS

5933 – High falcone
4005
WTP Butte

Mary Turpine

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 29 Sep 84

PLANT	RAW	TREATED
HADNOT POINT	0.19	0.93
TARAWA TERRACE	0.23	1.23
HOLCOMB BLVD.	0.19	0.85

HP TURBIDITY: 1.7 0.2
TT TURBIDITY: 1.1 1.1
HB TURBIDITY: 0.9 0.6

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 28 SEP 84

PLANT	RAW	TREATED
HADNOT POINT	0.20	1.01
TARAWA TERRACE	0.22	1.01
HOLCOMB BLVD.	0.19	1.01

HP TURBIDITY:	3.60	0.50
TT TURBIDITY:	1.80	0.60
HB TURBIDITY:	1.20	0.40

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 27 Sept 84

PLANT	RAW	TREATED
HADNOT POINT	0.18	1.11
TARAWA TERRACE	0.25	0.94
HOLCOMB BLVD.	0.21	1.02

HP TURBIDITY:	2.03	0.37
TT TURBIDITY:	0.54	0.55
HB TURBIDITY:	2.39	0.30

ANALYST: Hungcutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 26 SEPT 84

PLANT	RAW	TREATED
HADNOT POINT	0.18	1.07
TARAWA TERRACE	0.23	1.30
HOLCOMB BLVD.	0.20	1.01

HP TURBIDITY: 5.7 0.50
TT TURBIDITY: 0.80 0.90
HB TURBIDITY: 1.90 0.30

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 29 Sept 84

PLANT	RAW	TREATED
HADNOT POINT	0.18	1.03
TARAWA TERRACE	0.22	1.21
HOLCOMB BLVD.	0.19	0.97

HP TURBIDITY:	5.0	0.4
TT TURBIDITY:	0.6	0.4
HB TURBIDITY:	2.2	0.3

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 24 SEPT 84

PLANT	RAW	TREATED
HADNOT POINT	0.18	1.01
TARAWA TERRACE	0.20	1.17
HOLCOMB BLVD.	0.19	0.94

HP TURBIDITY: 1.80 0.30
TT TURBIDITY: 0.80 0.50
HB TURBIDITY: 1.60 0.30

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 23 SEPT 84

PLANT	RAW	TREATED
HADNOT POINT	0.20	0.93
TARAWA TERRACE	0.21	1.19
HOLCOMB BLVD.	0.18	0.94

HP TURBIDITY: 1.20 0.50
TT TURBIDITY: 0.90 0.50
HB TURBIDITY: 1.40 0.20

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 22 Sept 84

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.69
TARAWA TERRACE	0.21	0.97
HOLCOMB BLVD.	0.19	0.77

HP TURBIDITY: 1.2 0.2
TT TURBIDITY: 1.3 1.7
HB TURBIDITY: 1.7 0.3

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 21 Sep 84

PLANT	RAW	TREATED
HADNOT POINT	0.19	0.84
TARAWA TERRACE	0.21	0.78
HOLCOMB BLVD.	0.18	0.96

HP TURBIDITY: 0.9 0.3
TT TURBIDITY: 1.2 1.4
HB TURBIDITY: 2.3 0.2

ANALYST: R Lubrelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 20 SEP 84

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.82
TARAWA TERRACE	0.21	0.79
HOLCOMB BLVD.	0.17	0.98

HP TURBIDITY:	0.90	0.60
TT TURBIDITY:	1.30	2.70
HB TURBIDITY:	2.30	0.30

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 19 Sept 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.83
TARAWA TERRACE	0.22	0.86
HOLCOMB BLVD.	0.18	1.00

HP TURBIDITY:	2.5	0.2
TT TURBIDITY:	2.2	5.4
HB TURBIDITY:	1.5	0.3

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 9/18/84

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.78
TARAWA TERRACE	0.21	1.02
HOLCOMB BLVD.	0.18	0.97

HP TURBIDITY:	0.90	0.20
TT TURBIDITY:	1.50	0.70
HB TURBIDITY:	4.20	0.40

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 9-17-84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.87
TARAWA TERRACE	0.21	1.11
HOLCOMB BLVD.	0.17	0.97

HP TURBIDITY: 1.4 0.23
TT TURBIDITY: 1.0 0.77
HB TURBIDITY: 2.1 0.20

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 9-16-84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.99
TARAWA TERRACE	0.21	1.12
HOLCOMB BLVD.	0.18	0.95

HP TURBIDITY: 0.86 0.18
TT TURBIDITY: 0.53 0.59
HB TURBIDITY: 1.1 0.21

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 15 SEP 84

PLANT	RAW	TREATED
HADNOT POINT	0.18	0.90
TARAWA TERRACE	0.23	1.26
HOLCOMB BLVD.	0.19	1.01

HP TURBIDITY: 1.2 0.20
TT TURBIDITY: 1.2 0.60
HB TURBIDITY: 1.2 0.20

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 14 SEP 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.00
TARAWA TERRACE	0.21	1.13
HOLCOMB BLVD.	0.17	0.92

HP TURBIDITY: 0.7 0.2
TT TURBIDITY: 1.1 0.4
HB TURBIDITY: 1.3 0.2

ANALYST: TA Barber

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 13 SEP 84

PLANT	RAW	TREATED
HADNOT POINT	NO SAMPLE	NO SAMPLE
TARAWA TERRACE	0.23	1.01
HOLCOMB BLVD.	0.17	0.76

HP TURBIDITY: NO SAMPLE
TT TURBIDITY: NOT VALID
HB TURBIDITY: NOT VALID

ANALYST: Th Barbie

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 12 SEP 84

PLANT	RAW	TREATED
HADNOT POINT	NO SAMPLE	NO SAMPLE
TARAWA TERRACE	0.21	0.22
HOLCOMB BLVD.	0.17	0.22

HP TURBIDITY: NO SAMPLE
TT TURBIDITY: NOT VALID
HB TURBIDITY: NOT VALID

ANALYST: th Barbee

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 11 Sep 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.98
TARAWA TERRACE	0.20	0.18
HOLCOMB BLVD.	0.16	0.28

HP TURBIDITY: 1.5 — 0.8
TT TURBIDITY: 1.7 — 7.9
HB TURBIDITY: 7.8 — 0.2

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10 Sept 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.99
TARAWA TERRACE	0.21	0.93
HOLCOMB BLVD.	0.20	0.85

HP TURBIDITY: 1.1 1.0
TT TURBIDITY: 3.2 0.6
HB TURBIDITY: 0.9 0.2

ANALYST: [signature]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 9 Sept 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.02
TARAWA TERRACE	0.21	0.99
HOLCOMB BLVD.	0.18	0.83

HP TURBIDITY: 0.8 — 0.3
TT TURBIDITY: 0.5 — 0.3
HB TURBIDITY: 1.0 — 0.1

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 8 Sept 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.03
TARAWA TERRACE	0.20	1.00
HOLCOMB BLVD.	0.18	0.81

HP TURBIDITY: 1.1 — 0.6
TT TURBIDITY: 1.1 — 0.4
HB TURBIDITY: 1.6 — 0.1

ANALYST: R Lachnette

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 7 SEP 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.05
TARAWA TERRACE	0.20	1.08
HOLCOMB BLVD.	0.36	0.84

HP TURBIDITY:	1.1	0.4
TT TURBIDITY:	1.5	0.4
HB TURBIDITY:	1.0	0.2

ANALYST: H Barbee

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 6 SEP. 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.01
TARAWA TERRACE	0.18	1.06
HOLCOMB BLVD.	0.16	0.80

HP TURBIDITY: 1.6 — 0.3
TT TURBIDITY: 1.2 — 0.3
HB TURBIDITY: 1.0 — 0.2

ANALYST: Th Barker

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5 Sept 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.02
TARAWA TERRACE	0.21	1.02
HOLCOMB BLVD.	0.20	0.79

HP TURBIDITY:	1.8	0.3
TT TURBIDITY:	1.08	0.5
HB TURBIDITY:	1.5	0.2

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4 SEP 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.02
TARAWA TERRACE	0.20	0.90
HOLCOMB BLVD.	0.17	0.76

HP TURBIDITY: 2.0 0.40
TT TURBIDITY: 1.3 0.40
HB TURBIDITY: 1.60 0.30

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3 Sept 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.93
TARAWA TERRACE	0.21	0.89
HOLCOMB BLVD.	0.22	0.70

HP TURBIDITY: 1.2 0.3
TT TURBIDITY: 1.5 0.3
HB TURBIDITY: 1.5 0.1

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2 Sept 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.97
TARAWA TERRACE	0.22	0.91
HOLCOMB BLVD.	0.20	0.61

HP TURBIDITY: 0.8 0.4
TT TURBIDITY: 0.8 0.3
HB TURBIDITY: 0.8 0.2

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 1 Sept 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.04
TARAWA TERRACE	0.24	1.00
HOLCOMB BLVD.	0.20	0.69

HP TURBIDITY: 0.75 0.6
TT TURBIDITY: 1.4 0.8
HB TURBIDITY: 0.9 0.3

ANALYST: Huneycutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 31 Aug 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.09
TARAWA TERRACE	0.21	1.07
HOLCOMB BLVD.	0.19	0.99

HP TURBIDITY: 1.2 0.8
TT TURBIDITY: 0.7 0.4
HB TURBIDITY: 0.8 0.2

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 30 Aug 64

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.10
TARAWA TERRACE	0.21	1.09
HOLCOMB BLVD.	0.19	1.26

HP TURBIDITY: 2.5 0.3
TT TURBIDITY: 1.0 0.5
HB TURBIDITY: 0.7 0.2

ANALYST: R Lachapelle

80954
85542 HP
85534 AS
85538 670
85541 CHB
~~85542 80~~

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 29 Aug 64

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.05
TARAWA TERRACE	0.21	1.08
HOLCOMB BLVD.	0.19	1.55

HP TURBIDITY: 2.3 0.5
TT TURBIDITY: 0.6 0.3
HB TURBIDITY: 1.2 0.1

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 8-28-84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.09
TARAWA TERRACE	0.21	1.02
HOLCOMB BLVD.	0.19	0.67

HP TURBIDITY: 2.2 0.4
TT TURBIDITY: 1.2 0.2
HB TURBIDITY: 1.2 0.2

ANALYST: th Barbee

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 27 Aug 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.97
TARAWA TERRACE	0.20	0.80
HOLCOMB BLVD.	0.18	1.53

HP TURBIDITY: 2.1 0.6
TT TURBIDITY: 0.5 0.2
HB TURBIDITY: 1.2 0.1

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 26 Aug 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.98
TARAWA TERRACE	0.20	0.18
HOLCOMB BLVD.	0.18	1.04

HP TURBIDITY: 1.6 1.5
TT TURBIDITY: 1.0 3.0
HB TURBIDITY: 0.8 0.2

ANALYST: R Lafayette

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 25 AUG 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.01
TARAWA TERRACE	0.20	1.01
HOLCOMB BLVD.	0.19	1.01

HP TURBIDITY: 1.4 1.8
TT TURBIDITY: 2.6 3.4
HB TURBIDITY: 1.6 0.4

ANALYST: Brown

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 24 Aug 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.02
TARAWA TERRACE	0.21	1.01
HOLCOMB BLVD.	0.18	1.09

HP TURBIDITY: 0.9 0.8
TT TURBIDITY: 0.7 0.2
HB TURBIDITY: 2.3 0.2

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 23 Aug 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.00
TARAWA TERRACE	0.21	1.01
HOLCOMB BLVD.	0.18	1.22

HP TURBIDITY: 1.7 0.3
TT TURBIDITY: 0.8 0.3
HB TURBIDITY: 1.5 0.2

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 22 AUG 84

PLANT	RAW	TREATED
HADNOT POINT	0.18	1.03
TARAWA TERRACE	0.24	1.02
HOLCOMB BLVD.	0.22	1.18

HP TURBIDITY: 0.7 0.4
TT TURBIDITY: 0.4 0.4
HB TURBIDITY: 1.4 0.3

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 8-21-84

PLANT	RAW	TREATED
HADNOT POINT	0.18	1.08
TARAWA TERRACE	0.23	0.96
HOLCOMB BLVD.	0.19	1.11

HP TURBIDITY: 1.40 0.50
TT TURBIDITY: 0.60 0.30
HB TURBIDITY: 1.40 0.30

ANALYST: BVANS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 20 AUG 84

PLANT	RAW	TREATED
HADNOT POINT	0.18	1.01
TARAWA TERRACE	0.24	0.89
HOLCOMB BLVD.	0.19	1.08

HP TURBIDITY: 0.8 0.7
TT TURBIDITY: 0.8 0.2
HB TURBIDITY: 1.6 0.4

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 19 AUG 84

PLANT	RAW	TREATED
HADNOT POINT	0.18	1.03
TARAWA TERRACE	0.23	0.89
HOLCOMB BLVD.	0.20	1.01

HP TURBIDITY:	1.2	0.8
TT TURBIDITY:	1.0	0.3
HB TURBIDITY:	1.7	0.2

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 18 Aug 84

PLANT	RAW	TREATED
HADNOT POINT	0.18	1.04
TARAWA TERRACE	0.22	0.99
HOLCOMB BLVD.	0.19	0.99

HP TURBIDITY: 0.7 0.8
TT TURBIDITY: 0.8 0.2
HB TURBIDITY: 1.1 0.2

ANALYST: A Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 17 Aug 84

PLANT	RAW	TREATED
HADNOT POINT	0.17	1.03
TARAWA TERRACE	0.21	1.00
HOLCOMB BLVD.	0.19	0.96

HP TURBIDITY: 1.4 1.3
TT TURBIDITY: 0.5 0.1
HB TURBIDITY: 1.2 0.1

ANALYST: R Ladrelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 16 Aug 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.01
TARAWA TERRACE	0.22	1.02
HOLCOMB BLVD.	0.19	1.04

HP TURBIDITY: 0.9 1.0
TT TURBIDITY: 0.7 0.2
HB TURBIDITY: 2.0 0.2

ANALYST: F Lochmelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 8/14/84

PLANT	RAW	TREATED
HADNOT POINT	0.18	1.03
TARAWA TERRACE	0.25	1.00
HOLCOMB BLVD.	0.21	1.02

HP TURBIDITY:	1.08	0.49
TT TURBIDITY:	0.67	0.24
HB TURBIDITY:	0.82	0.41

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 14 Aug 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.02
TARAWA TERRACE	0.21	0.96
HOLCOMB BLVD.	0.19	0.95

HP TURBIDITY: 2.6 0.9
TT TURBIDITY: 0.8 0.2
HB TURBIDITY: 1.3 0.2

ANALYST: R Lafayette

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 13 AUG 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.98
TARAWA TERRACE	0.21	0.94
HOLCOMB BLVD.	0.18	0.87

HP TURBIDITY: 1.4 0.40
TT TURBIDITY: 4.30 0.30
HB TURBIDITY: 0.80 0.20

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 12 AUG 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.98
TARAWA TERRACE	0.21	0.91
HOLCOMB BLVD.	0.19	0.86

HP TURBIDITY: 1.3 0.60
TT TURBIDITY: 1.3 0.40
HB TURBIDITY: 1.6 0.20

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 11 AUG 84

PLANT	RAW	TREATED
HADNOT POINT	0.17	1.00
TARAWA TERRACE	0.21	0.97
HOLCOMB BLVD.	0.18	0.90

HP TURBIDITY: 1.5 0.7
TT TURBIDITY: 1.1 0.2
HB TURBIDITY: 0.9 0.3

ANALYST: Hernequit

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10 Aug 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.00
TARAWA TERRACE	0.21	0.92
HOLCOMB BLVD.	0.18	0.90

HP TURBIDITY: 1.0 2.7
TT TURBIDITY: 1.0 0.4
HB TURBIDITY: 1.3 0.3

ANALYST: R Lachowski

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 9 Aug 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.07
TARAWA TERRACE	0.22	0.96
HOLCOMB BLVD.	0.20	1.02

HP TURBIDITY:	1.5	2.1
TT TURBIDITY:	1.0	0.3
HB TURBIDITY:	2.5	0.2

ANALYST: L Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 8 Aug 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.08
TARAWA TERRACE	0.22	0.98
HOLCOMB BLVD.	0.19	1.05

HP TURBIDITY:	1.7	0.4
TT TURBIDITY:	0.8	0.3
HB TURBIDITY:	1.9	0.2

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 7 AUG 84

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.97
TARAWA TERRACE	0.22	0.96
HOLCOMB BLVD.	0.21	1.01

HP TURBIDITY:	3.3	0.40
TT TURBIDITY:	1.60	0.50
HB TURBIDITY:	1.2	0.30

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 6 Aug 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.84
TARAWA TERRACE	0.21	0.82
HOLCOMB BLVD.	0.19	0.97

HP TURBIDITY:	0.8	0.4
TT TURBIDITY:	1.0	0.7
HB TURBIDITY:	1.3	0.3

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5 Aug 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.76
TARAWA TERRACE	0.22	0.85
HOLCOMB BLVD.	0.19	0.93

HP TURBIDITY: 0.6 0.2
TT TURBIDITY: 6.0 0.6
HB TURBIDITY: 2.8 0.1

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4 AUG - 84

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.77
TARAWA TERRACE	0.20	0.92
HOLCOMB BLVD.	0.16	0.84

HP TURBIDITY: 2.5 0.80
TT TURBIDITY: 1.2 2.8
HB TURBIDITY: 1.4 0.30

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3 Aug 84

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.90
TARAWA TERRACE	0.20	0.84
HOLCOMB BLVD.	0.17	0.80

HP TURBIDITY: 1.7 1.0
TT TURBIDITY: 0.9 0.5
HB TURBIDITY: 1.7 0.2

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2 Aug 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.08
TARAWA TERRACE	0.22	1.01
HOLCOMB BLVD.	0.19	0.87

HP TURBIDITY: 1.3 0.3
TT TURBIDITY: 0.8 0.7
HB TURBIDITY: 0.9 0.2

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 1 Aug 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.98
TARAWA TERRACE	0.21	1.04
HOLCOMB BLVD.	0.18	0.84

HP TURBIDITY: 1.4 0.5
TT TURBIDITY: 1.0 0.5
HB TURBIDITY: 1.2 0.2

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 31 Jul 1984

PLANT	RAW	TREATED
HADNOT POINT	0.17	1.17
TARAWA TERRACE	0.24	1.24
HOLCOMB BLVD.	0.21	0.81

HP TURBIDITY: 1.8 0.6
TT TURBIDITY: 0.9 0.6
HB TURBIDITY: 1.1 0.2

ANALYST: Hunnycutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 22 Jul 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.02
TARAWA TERRACE	0.24	0.72
HOLCOMB BLVD.	0.17	0.81

TT TURBIDITY: 2.2 2.3
HB TURBIDITY: 1.6 0.7

ANALYST: Hungerford

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 30 July 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.08
TARAWA TERRACE	0.20	1.11
HOLCOMB BLVD.	0.18	0.87

HP TURBIDITY: 1.7 0.6
TT TURBIDITY: 0.5 1.1
HB TURBIDITY: 1.0 0.2

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 29 July 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.07
TARAWA TERRACE	0.21	1.04
HOLCOMB BLVD.	0.18	0.88

HP TURBIDITY:	2.1	0.3
TT TURBIDITY:	0.5	0.4
HB TURBIDITY:	0.7	0.2

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 28 JULY 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.13
TARAWA TERRACE	0.19	0.85
HOLCOMB BLVD.	0.15	0.89

HP TURBIDITY	1.64	0.4
TT TURBIDITY:	4.6	1.1
HB TURBIDITY:	1.2	0.2

ANALYST: Th Barbee

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 26 July 84

PLANT	RAW	TREATED
HADNOT POINT	0.18	0.97
TARAWA TERRACE	0.20	0.85
HOLCOMB BLVD.	0.18	0.76

TT TURBIDITY: 4.5 0.5
HB TURBIDITY: 0.6 0.2

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 24 July 84

PLANT	RAW	TREATED
HADNOT POINT	0.13	1.00
TARAWA TERRACE	0.18	0.97
HOLCOMB BLVD.	0.16	0.78

TT TURBIDITY: 0.8 0.4
HB TURBIDITY: 1.0 0.2

ANALYST: R. Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 23 JULY 84

PLANT	RAW	TREATED
HADNOT POINT	0.14	1.00
TARAWA TERRACE	0.19	0.96
HOLCOMB BLVD.	0.16	0.91

H.P.	1.30	0.60
TT TURBIDITY:	0.60	0.30
HB TURBIDITY:	0.70	0.30

ANALYST: B Irons

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 22 JULY 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.05
TARAWA TERRACE	0.20	0.97
HOLCOMB BLVD.	0.17	0.97

H.P.	2.00	0.50
TT TURBIDITY:	0.60	0.20
HB TURBIDITY:	0.66	0.26

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 7/21/84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.08
TARAWA TERRACE	0.21	0.97
HOLCOMB BLVD.	0.97	1.16

TT TURBIDITY: 0.7 0.3
HB TURBIDITY: 1.3 0.5

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 20 JULY 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.03
TARAWA TERRACE	0.20	1.05
HOLCOMB BLVD.	0.20	1.01

HP TURBIDITY: 3.6 0.7
TT TURBIDITY: 0.5 0.3
HB TURBIDITY: 2.4 1.1

ANALYST: Th Barbee

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 19 July 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.00
TARAWA TERRACE	0.22	1.04
HOLCOMB BLVD.	0.18	0.54

TT TURBIDITY:	0.7	0.5
HB TURBIDITY:	1.8	0.9

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 18 July 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.99
TARAWA TERRACE	0.21	1.03
HOLCOMB BLVD.	0.19	0.93

TT TURBIDITY: 0.8 0.4
HB TURBIDITY: 2.7 0.2

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 17 JULY 84

PLANT	RAW	TREATED
HADNOT POINT	0.17	1.01
TARAWA TERRACE	0.21	0.99
HOLCOMB BLVD.	0.17	1.40

H.P.	1.48	1.50
TT TURBIDITY:	1.20	0.20
HB TURBIDITY:	0.70	0.20

ANALYST: BVANS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 7/16/84

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.94
TARAWA TERRACE	0.20	0.89
HOLCOMB BLVD.	0.17	1.34
H.P	0.60	1.20
TT TURBIDITY:	1.20	0.70
HB TURBIDITY:	1.90	0.30

ANALYST: BVERS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 7/15/84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.97
TARAWA TERRACE	0.20	0.95
HOLCOMB BLVD.	0.17	1.12

H.P	0.60	0.80
TT TURBIDITY:	1.30	0.40
HB TURBIDITY:	1.60	0.30

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 14 JUNE 84

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.90
TARAWA TERRACE	0.21	1.04
HOLCOMB BLVD.	0.19	0.64
H.P	3.00	1.20
TT TURBIDITY:	1.38	0.37
HB TURBIDITY:	9.10	0.63

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 7/13/84

PLANT	RAW	TREATED
HADNOT POINT	0.13	0.86
TARAWA TERRACE	0.20	0.81
HOLCOMB BLVD.	0.17	0.88

TT TURBIDITY: 5.5 0.4
HB TURBIDITY: 1.9 0.6

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 7/12/84

PLANT	RAW	TREATED
HADNOT POINT	0.13	0.86
TARAWA TERRACE	0.19	1.06
HOLCOMB BLVD.	0.18	0.53

TT TURBIDITY: 0.9 0.3
HB TURBIDITY: 3.5 1.5

ANALYST: Hunycutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 7/11/84

PLANT	RAW	TREATED
HADNOT POINT	0.12	0.93
TARAWA TERRACE	0.23	0.91
HOLCOMB BLVD.	0.18	0.56

TT TURBIDITY: 0.9 0.3
HB TURBIDITY: 1.1 3.2

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10 JULY 84

PLANT	RAW	TREATED
HADNOT POINT	0.14	1.17
TARAWA TERRACE	0.20	0.93
HOLCOMB BLVD.	0.17	1.30

HP Turbidity 1.2 3.3
TT TURBIDITY: 1.0 0.2
HB TURBIDITY: 1.6 0.2

ANALYST: TBarber

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 7/9/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.07
TARAWA TERRACE	0.21	0.89
HOLCOMB BLVD.	0.19	1.00

HP TURBIDITY: 0.9 0.4
TT TURBIDITY: 0.7 0.5
HB TURBIDITY: 1.6 0.2

ANALYST: th Barbee

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 7/8/84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.10
TARAWA TERRACE	0.22	0.94
HOLCOMB BLVD.	0.18	0.90

HP TURBIDITY: 1.1 0.5
TT TURBIDITY: 3.3 0.2
HB TURBIDITY: 2.2 0.2

ANALYST: Th Barber

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 7/7/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.10
TARAWA TERRACE	0.22	0.84
HOLCOMB BLVD.	0.17	0.92

TT TURBIDITY: 0.6 0.3
HB TURBIDITY: 1.0 0.2

ANALYST: Hunnycutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 7/6/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.99
TARAWA TERRACE	0.21	0.90
HOLCOMB BLVD.	0.17	0.84

H.P	1.45	0.53
TT TURBIDITY:	0.78	0.44
HB TURBIDITY:	2.20	0.31

ANALYST: BVENS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5 July 84

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.99
TARAWA TERRACE	0.23	1.07
HOLCOMB BLVD.	0.20	0.95

TT TURBIDITY: 0.7 0.4
HB TURBIDITY: 1.6 0.3

ANALYST: K Lachonelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4 July 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.59
TARAWA TERRACE	0.23	0.81
HOLCOMB BLVD.	0.10	0.89

TT TURBIDITY: 0.5 0.2
HB TURBIDITY: 1.9 0.2

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 7/3/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.17
TARAWA TERRACE	0.49	0.79
HOLCOMB BLVD.	0.19	0.90

H.P.	1.53	0.63
TT TURBIDITY:	1.23	0.31
HB TURBIDITY:	1.95	0.28

ANALYST: BVANS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2 JULY 84

PLANT	RAW	TREATED
HADNOT POINT	0.13	0.33
TARAWA TERRACE	0.18	1.02
HOLCOMB BLVD.	0.15	0.89

H.P.	7.6	1.1
TT TURBIDITY:	0.8	0.4
HB TURBIDITY:	1.9	0.3

ANALYST: Th Barbee

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 1 JULY 84

PLANT	RAW	TREATED
HADNOT POINT	0.11	0.91
TARAWA TERRACE	0.17	0.96
HOLCOMB BLVD.	0.16	0.80

H.P.	1.7	0.7
TT TURBIDITY:	0.9	0.2
HB TURBIDITY:	2.4	0.2

ANALYST: th Barbee

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 30 June 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.01
TARAWA TERRACE	0.21	1.08
HOLCOMB BLVD.	0.18	0.96

TT TURBIDITY: 1.5 0.5
HB TURBIDITY: 5.0 0.4

ANALYST: R Zaborelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 6/29/84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.98
TARAWA TERRACE	0.24	0.95
HOLCOMB BLVD.	0.20	0.77

TT TURBIDITY: 0.9 0.3
HB TURBIDITY: 6.6 0.2

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 28 June 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.76
TARAWA TERRACE	0.23	1.05
HOLCOMB BLVD.	0.19	0.47

TT TURBIDITY: 0.8 0.4
HB TURBIDITY: 2.0 0.2

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 27 June 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.13
TARAWA TERRACE	0.21	1.07
HOLCOMB BLVD.	0.17	0.15

TT TURBIDITY: 1.4 0.5
HB TURBIDITY: 1.7 0.2

ANALYST: R Lachelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 6/26/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.12
TARAWA TERRACE	0.22	0.92
HOLCOMB BLVD.	0.19	0.15

TT TURBIDITY: 0.9 0.26
HB TURBIDITY: 0.9 0.1

ANALYST: Hennessett

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 6/25/84

PLANT	RAW	TREATED
HADNOT POINT	0.13	0.12
TARAWA TERRACE	0.20	0.91
HOLCOMB BLVD.	0.19	0.14

TT TURBIDITY: 0.5 0.2
HB TURBIDITY: 1.6 0.2

ANALYST: Hinegardt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY

TO: WATER TREATMENT PLANT FOREMAN

DATE: 6/24/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.14
TARAWA TERRACE	0.20	0.88
HOLCOMB BLVD.	0.19	0.15

TT TURBIDITY: 1.1 0.2

HB TURBIDITY: 0.9 0.2

ANALYST: Heinezcutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 23 JUNE 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.14
TARAWA TERRACE	0.21	0.98
HOLCOMB BLVD.	0.19	0.17

H.P.	1.45	0.60
TT TURBIDITY:	1.00	0.37
HB TURBIDITY:	1.52	0.17

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 6/22/84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.15
TARAWA TERRACE	0.19	0.76
HOLCOMB BLVD.	0.18	0.16

H.P	1.70	0.37
TT TURBIDITY:	1.13	0.20
HB TURBIDITY:	1.13	0.20

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 6/21/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.14
TARAWA TERRACE	0.21	0.84
HOLCOMB BLVD.	0.19	0.17

TT TURBIDITY: 1.7 0.2
HB TURBIDITY: 0.6 0.2

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY

TO: WATER TREATMENT PLANT FOREMAN

DATE: 6/20/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.14
TARAWA TERRACE	0.21	0.19
HOLCOMB BLVD.	0.18	0.17

TT TURBIDITY: 2.4 9.2

HB TURBIDITY: 1.2 0.2

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 19 JUNE 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.15
TARAWA TERRACE	0.21	0.92
HOLCOMB BLVD.	0.19	0.21

HP 2.9 7.3

TT TURBIDITY: 2.1 0.3

HB TURBIDITY: 1.0 0.3

ANALYST: R Tacheville

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 18 JUNE 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.16
TARAWA TERRACE	0.22	0.91
HOLCOMB BLVD.	0.19	0.38

TT TURBIDITY: 0.7 0.3
HB TURBIDITY: 1.4 0.2

ANALYST: R Lachowski

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 17 June 84

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.23
TARAWA TERRACE	0.23	1.10
HOLCOMB BLVD.	0.19	1.09

TT TURBIDITY: 0.6 0.3
HB TURBIDITY: 0.8 0.2

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 16 June 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.40
TARAWA TERRACE	0.22	1.09
HOLCOMB BLVD.	0.19	1.23

TT TURBIDITY: 1.0 0.6
HB TURBIDITY: 0.8 0.3

ANALYST: R. Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 15 June 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.01
TARAWA TERRACE	0.21	0.96
HOLCOMB BLVD.	0.19	1.11

TT TURBIDITY: 1.2 0.4
HB TURBIDITY: 1.4 0.2

ANALYST: K. Lafayette

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 6/14/84

PLANT	RAW	TREATED
HADNOT POINT	0.19	0.87
TARAWA TERRACE	0.25	0.71
HOLCOMB BLVD.	0.21	0.98

TT TURBIDITY: 1.2 0.7
HB TURBIDITY: 1.4 1.3

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 6/13/84

PLANT	RAW	TREATED
HADNOT POINT	0.18	0.68
TARAWA TERRACE	0.23	0.89
HOLCOMB BLVD.	0.20	0.36

TT TURBIDITY: 0.9 0.7
HB TURBIDITY: 0.9 0.3

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 12 June 64

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.93
TARAWA TERRACE	0.22	0.84
HOLCOMB BLVD.	0.19	1.03

TT TURBIDITY: 0.6 0.3
HB TURBIDITY: 1.1 0.3

ANALYST: R Lachonelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 6-11-84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.64
TARAWA TERRACE	0.20	0.81
HOLCOMB BLVD.	0.17	0.89

TT TURBIDITY: 0.85 0.24
HB TURBIDITY: 1.95 0.25

ANALYST: Betz & Barber

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 6-10-84

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.81
TARAWA TERRACE	0.20	0.83
HOLCOMB BLVD.	0.17	0.85

TT TURBIDITY: 7.0 0.27
HB TURBIDITY: 1.4 0.17

ANALYST: BETZ + BARBEE

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 9 JUN 84

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.84
TARAWA TERRACE	0.22	0.96
HOLCOMB BLVD.	0.20	0.81

TT TURBIDITY: 2.5 0.53

HB TURBIDITY: 1.17 0.20

ANALYST: Henneycutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 6-8-84

PLANT	RAW	TREATED
HADNOT POINT	0.19	0.58
TARAWA TERRACE	0.21	0.86
HOLCOMB BLVD.	0.18	0.91
HP	0.90	0.70
TT TURBIDITY:	0.80	0.40
HB TURBIDITY:	1.50	0.30

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 6-7-84

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.71
TARAWA TERRACE	0.21	0.89
HOLCOMB BLVD.	0.18	0.94

H.P	4.5	1.1
TT TURBIDITY:	1.6	0.3
HB TURBIDITY:	1.1	0.2

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 6 June 84

PLANT	RAW	TREATED
HADNOT POINT	0.17	0.83
TARAWA TERRACE	0.18	1.09
HOLCOMB BLVD.	0.18	0.91

TT TURBIDITY: 6.0 0.4
HB TURBIDITY: 1.3 0.2

ANALYST: R Lafayette

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: JUNE 5, 1984

PLANT	RAW	TREATED
HADNOT POINT	0.18	0.90
TARAWA TERRACE	0.22	0.94
HOLCOMB BLVD.	0.17	0.86

HP TURBIDITY 3.0 0.6
TT TURBIDITY: 1.0 0.8
HB TURBIDITY: 1.0 0.3

ANALYST: Barbee

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4 June 84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.90
TARAWA TERRACE	0.20	0.87
HOLCOMB BLVD.	0.17	0.88

HP	2.8	0.2
TT TURBIDITY:	0.6	0.3
HB TURBIDITY:	1.3	0.2

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3 June 84

PLANT	RAW	TREATED
HADNOT POINT	0.18	0.94
TARAWA TERRACE	0.23	1.08
HOLCOMB BLVD.	0.19	0.88

HP	1.5	0.20
TT TURBIDITY:	0.8	0.3
HB TURBIDITY:	1.0	0.2

ANALYST: [signature]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 2 June 84

PLANT	RAW	TREATED
HADNOT POINT	0.18	0.92
TARAWA TERRACE	0.22	0.80
HOLCOMB BLVD.	0.20	0.89

TT TURBIDITY: 0.9 0.3
HB TURBIDITY: 1.4 0.2

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY

TO: WATER TREATMENT PLANT FOREMAN

DATE: 6/1/84

PLANT	RAW	TREATED
HADNOT POINT	0.20	0.94
TARAWA TERRACE	0.23	0.87
HOLCOMB BLVD.	0.18	0.83

H.P. 1.69 0.47

TT TURBIDITY: 0.71 0.27

HB TURBIDITY: 1.90 0.27

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/31/84

PLANT	RAW	TREATED
HADNOT POINT	0.18	0.87
TARAWA TERRACE	0.22	0.86
HOLCOMB BLVD.	0.19	0.76

H.P.	2.7	0.26
TT TURBIDITY:	0.83	0.24
HB TURBIDITY:	1.20	0.14

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 30 May 84

PLANT	RAW	TREATED
HADNOT POINT	0.19	0.78
TARAWA TERRACE	0.23	0.57
HOLCOMB BLVD.	0.19	0.75

TT TURBIDITY: 0.8 0.4
HB TURBIDITY: 0.7 0.1

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/29/84

PLANT	RAW	TREATED
HADNOT POINT	0.21	0.72
TARAWA TERRACE	0.23	0.89
HOLCOMB BLVD.	0.19	0.70
H.P	1.03	0.15
TT TURBIDITY:	0.70	0.22
HB TURBIDITY:	1.80	0.20

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/28/84

PLANT	RAW	TREATED
HADNOT POINT	0.22	0.96
TARAWA TERRACE	0.29	1.04
HOLCOMB BLVD.	0.26	0.95

8.7

TT TURBIDITY: 0.52 0.64

HB TURBIDITY: 1.86 0.18

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/27/84

PLANT	RAW	TREATED
HADNOT POINT	0.21	1.02
TARAWA TERRACE	0.29	1.08
HOLCOMB BLVD.	0.26	0.84

TT TURBIDITY: 0.72 0.19
HB TURBIDITY: 0.88 0.15

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/26/84

PLANT	RAW	TREATED
HADNOT POINT	0.20	0.90
TARAWA TERRACE	0.21	1.06
HOLCOMB BLVD.	0.23	0.82

TT TURBIDITY: 12.3 0.32
HB TURBIDITY: 1.79 0.33

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5-25-84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.80
TARAWA TERRACE	0.20	0.70
HOLCOMB BLVD.	0.18	0.76

TT TURBIDITY: 1.1 0.5
HB TURBIDITY: 1.4 0.2

ANALYST: R Lockhart

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/24/84

PLANT	RAW	TREATED
HADNOT POINT		1.09
TARAWA TERRACE		1.09
HOLCOMB BLVD.		1.02

TT TURBIDITY: 0.75 0.33
HB TURBIDITY: 1.2 0.34

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5-23-84

PLANT	RAW	TREATED
HADNOT POINT		0.91
TARAWA TERRACE		0.95
HOLCOMB BLVD.		0.83

TT TURBIDITY:	1.1	0.4
HB TURBIDITY:	7.7	0.3

ANALYST: P Lachapelle

DAILY FLUORIDE REPORT

If I had done this I would have been informed I did not do my job!
SP

FROM: QUALITY CONTROL LABORATORY

TO: WATER TREATMENT PLANT FOREMAN

DATE: _____

PLANT	RAW	TREATED
HADNOT POINT	—	1.09
TARAWA TERRACE	—	0.99
HOLCOMB BLVD.	—	0.79

TT TURBIDITY:	7.7	0.2
HB TURBIDITY:	2.8	0.3

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/21/84

PLANT	RAW	TREATED
HADNOT POINT	—	0.95
TARAWA TERRACE	—	1.36
HOLCOMB BLVD.	—	0.87

H.P.	3.50	0.37
TT TURBIDITY:	0.96	0.28
HB TURBIDITY:	1.32	0.26

ANALYST: BURNS

1991

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY

TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/20/84

PLANT	RAW	TREATED
HADNOT POINT	—	1.06
TARAWA TERRACE	—	1.33
HOLCOMB BLVD.	—	0.95

HP	1.60	0.30
TT TURBIDITY:	1.70	0.22
HB TURBIDITY:	1.40	0.38

ANALYST: B VENS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5-19-84

PLANT	RAW	TREATED
HADNOT POINT		1.06
TARAWA TERRACE		1.26
HOLCOMB BLVD.		1.02

TT TURBIDITY: 0.96 0.22

HB TURBIDITY: 0.74 0.31

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/18/84

PLANT	RAW	TREATED
HADNOT POINT	—	1.02
TARAWA TERRACE	—	1.74
HOLCOMB BLVD.	—	0.95

H.P	3.50	0.71
TT TURBIDITY:	1.71	0.29
HB TURBIDITY:	1.28	0.17

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY

TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/17/84

PLANT	RAW	TREATED
HADNOT POINT		1.20
TARAWA TERRACE		0.99
HOLCOMB BLVD.		1.33

TT TURBIDITY: 0.80 0.24

HB TURBIDITY: 0.72 0.20

ANALYST: _____

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/16/84

PLANT	RAW	TREATED
HADNOT POINT		1.06
TARAWA TERRACE		1.09
HOLCOMB BLVD.		1.02

TT TURBIDITY: 0.75 0.24

HB TURBIDITY: 0.70 0.25

ANALYST: Henneycutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/15/84

PLANT	RAW	TREATED
HADNOT POINT	—	0.95
TARAWA TERRACE	—	0.91
HOLCOMB BLVD.	—	0.95

H.P	3.60	0.31
TT TURBIDITY:	0.80	0.29
HB TURBIDITY:	0.79	0.20

ANALYST: Byrns

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 14 MAY 84

PLANT	RAW	TREATED
HADNOT POINT		1.06
TARAWA TERRACE		1.09
HOLCOMB BLVD.		0.99

TT TURBIDITY: 0.7 0.2
HB TURBIDITY: 0.8 0.2

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 13 MAY 84

PLANT	RAW	TREATED
HADNOT POINT		1.09
TARAWA TERRACE		0.53
HOLCOMB BLVD.		1.09

TT TURBIDITY:	0.3	1.1
HB TURBIDITY:	0.9	0.2

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/12/84

PLANT	RAW	TREATED
HADNOT POINT	—	0.91
TARAWA TERRACE	—	1.16
HOLCOMB BLVD.	—	1.06

TT TURBIDITY: 0.82 0.21
HB TURBIDITY: 0.77 0.18

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/11/84

PLANT	RAW	TREATED
HADNOT POINT	—	1.13
TARAWA TERRACE	—	1.20
HOLCOMB BLVD.	—	1.09

HP	2.00	0.22
TT TURBIDITY:	0.64	0.29
HB TURBIDITY:	0.72	0.39

ANALYST: Burns

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 10 May 84

PLANT	RAW	TREATED
HADNOT POINT		1.09
TARAWA TERRACE		1.33
HOLCOMB BLVD.		1.02

TT TURBIDITY: 0.7 0.3
HB TURBIDITY: 0.6 0.5

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/9/84

PLANT	RAW	TREATED
HADNOT POINT	—	1.02
TARAWA TERRACE	—	1.23
HOLCOMB BLVD.	—	0.99

H.P.	3.00	0.26
TT TURBIDITY:	0.50	0.30
HB TURBIDITY:	0.63	1.20

ANALYST: BVENS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY

TO: WATER TREATMENT PLANT FOREMAN

DATE: 8 May 84

PLANT	RAW	TREATED
HADNOT POINT		1.06
TARAWA TERRACE		1.09
HOLCOMB BLVD.		0.91

TT TURBIDITY: 0.9 0.5

HB TURBIDITY: 0.8 3.6

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/7/84

PLANT	RAW	TREATED
HADNOT POINT	—	0.95
TARAWA TERRACE	—	0.79
HOLCOMB BLVD.	—	0.91
H.P.	1.64	0.29
TT TURBIDITY:	0.50	0.40
HB TURBIDITY:	0.70	0.20

ANALYST: Byers

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/6/84

PLANT	RAW	TREATED
HADNOT POINT	—	1.02
TARAWA TERRACE	—	0.83
HOLCOMB BLVD.	—	0.83
H.P	1.2	0.31
TT TURBIDITY:	0.61	0.35
HB TURBIDITY:	0.52	0.14

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4 May 84

PLANT	RAW	TREATED
HADNOT POINT		1.13
TARAWA TERRACE		1.23
HOLCOMB BLVD.		0.99

TT TURBIDITY: 0.7 1.5

HB TURBIDITY: 0.9 0.3

ANALYST: P. Lachenelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/3/84

PLANT	RAW	TREATED
HADNOT POINT	—	1.09
TARAWA TERRACE	—	1.13
HOLCOMB BLVD.	—	0.71

H.P.	2.20	0.20
TT TURBIDITY:	0.58	0.35
HB TURBIDITY:	0.59	0.16

ANALYST: Burns

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 5/2/84

PLANT	RAW	TREATED
HADNOT POINT	—	1.16
TARAWA TERRACE	—	1.39
HOLCOMB BLVD.	—	1.02

TT TURBIDITY: 0.95 0.75

HB TURBIDITY: 0.55 0.15

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 1 May 84

PLANT	RAW	TREATED
HADNOT POINT		1.20
TARAWA TERRACE		1.13
HOLCOMB BLVD.		0.99

TT TURBIDITY: 1.0 0.6
HB TURBIDITY: 0.4 0.3

ANALYST: A Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4/30/84

PLANT	RAW	TREATED
HADNOT POINT	—	1.09
TARAWA TERRACE	—	1.09
HOLCOMB BLVD.	—	0.79

H.P.	2.02	0.22
TT TURBIDITY:	0.70	0.30
HB TURBIDITY:	0.80	0.29

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4/29/84

PLANT	RAW	TREATED
HADNOT POINT	—	1.20
TARAWA TERRACE	—	1.13
HOLCOMB BLVD.	—	0.75

H.P	2.9	0.28
TT TURBIDITY:	0.70	0.31
HB TURBIDITY:	0.55	0.37

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 28 APR 84

PLANT	RAW	TREATED
HADNOT POINT	—	1.13
TARAWA TERRACE	—	1.02
HOLCOMB BLVD.	—	0.99

TT TURBIDITY: 0.56 0.31

HB TURBIDITY: 0.41 0.21

ANALYST: Hernquist

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4/27/84

PLANT	RAW	TREATED
HADNOT POINT	—	1.16
TARAWA TERRACE	—	1.13
HOLCOMB BLVD.	—	0.94

TT TURBIDITY: 0.89 0.83

HB TURBIDITY: 0.69 0.25

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4/26/84

PLANT	RAW	TREATED
HADNOT POINT	—	1.09
TARAWA TERRACE	—	1.13
HOLCOMB BLVD.	—	0.91

TT TURBIDITY: 1.0 0.5
HB TURBIDITY: 1.0 0.4

ANALYST: BVENS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4/25/84

PLANT	RAW	TREATED
HADNOT POINT	—	0.99
TARAWA TERRACE	—	1.23
HOLCOMB BLVD.	—	0.99

TT TURBIDITY: 0.68 0.34
HB TURBIDITY: 1.50 0.46

ANALYST: Byers

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY

TO: WATER TREATMENT PLANT FOREMAN

DATE: 4/24/84

PLANT	RAW	TREATED
HADNOT POINT	—	1.30
TARAWA TERRACE	—	1.30
HOLCOMB BLVD.	—	1.13

TT TURBIDITY: 0.84 0.44

HB TURBIDITY: 1.23 0.31

ANALYST [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4/23/84

PLANT	RAW	TREATED
HADNOT POINT	—	1.23
TARAWA TERRACE	—	1.26
HOLCOMB BLVD.	—	1.30

TT TURBIDITY: 2.70 0.42
HB TURBIDITY: 1.42 0.28

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4/22/84

PLANT	RAW	TREATED
HADNOT POINT	—	1.20
TARAWA TERRACE	—	1.16
HOLCOMB BLVD.	—	1.33

TT TURBIDITY: 1.0 0.44
HB TURBIDITY: 1.10 0.31

ANALYST: BVENS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4/21/84

PLANT	RAW	TREATED
HADNOT POINT	0.29	1.09
TARAWA TERRACE	0.24	0.99
HOLCOMB BLVD.	0.34	1.13

TT TURBIDITY: 0.73 0.52

HB TURBIDITY: 0.81 0.25

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4/20/84

PLANT	RAW	TREATED
HADNOT POINT	0.29	1.30
TARAWA TERRACE	0.44	1.02
HOLCOMB BLVD.	0.34	0.99

TT TURBIDITY: 1.43 0.36
HB TURBIDITY: 1.44 1.57

ANALYST: [signature]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4/19/84

PLANT	RAW	TREATED
HADNOT POINT	0.29	1.30
TARAWA TERRACE	0.24	0.95
HOLCOMB BLVD.	0.39	1.06

TT TURBIDITY: 1.09 0.34
HB TURBIDITY: 1.45 0.20

ANALYST: Hunegarth

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4-18-84

PLANT	RAW	TREATED
HADNOT POINT	0.19	1.23
TARAWA TERRACE	0.21	1.07
HOLCOMB BLVD.	0.17	0.83

TT TURBIDITY: 0.7 0.5

HB TURBIDITY: 0.6 0.1

ANALYST: Henrycutt

R RX

4.4 6.2

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 17 Apr 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.15
TARAWA TERRACE	0.21	0.98
HOLCOMB BLVD.	0.16	0.98

TT TURBIDITY: 1.6 0.3
HB TURBIDITY: 0.6 0.2

ANALYST: R Lafayette

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 16 Apr 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.11
TARAWA TERRACE	0.20	0.93
HOLCOMB BLVD.	0.16	1.04

TT TURBIDITY: 0.80 0.21
HB TURBIDITY: 0.55 0.11

ANALYST: R Tackaberry

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 15 Apr 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	1.06
TARAWA TERRACE	0.20	0.93
HOLCOMB BLVD.	0.16	1.19

TT TURBIDITY: 0.60 0.27
HB TURBIDITY: 0.55 0.13

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY

TO: WATER TREATMENT PLANT FOREMAN

DATE: 4/14/84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.00
TARAWA TERRACE	0.20	0.77
HOLCOMB BLVD.	0.16	1.05

TT TURBIDITY: 1.50 0.30

HB TURBIDITY: 0.86 0.14

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4/13/84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.08
TARAWA TERRACE	0.23	1.11
HOLCOMB BLVD.	0.18	1.18

TT TURBIDITY: 0.24 0.29
HB TURBIDITY: 0.55 0.44

ANALYST: Hengcutt

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 12 April 64

PLANT	RAW	TREATED
HADNOT POINT	0.14	1.10
TARAWA TERRACE	0.20	1.12
HOLCOMB BLVD.	0.15	0.98

TT TURBIDITY: 0.93 0.22
HB TURBIDITY: 0.53 0.08

ANALYST: RJ Fachspelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4/11/84

PLANT	RAW	TREATED
HADNOT POINT	0.13	1.03
TARAWA TERRACE	0.17	1.02
HOLCOMB BLVD.	0.13	0.78

TT TURBIDITY: 0.60 0.26
HB TURBIDITY: 0.51 0.12

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4-10-84

PLANT	RAW	TREATED
HADNOT POINT	0.13	0.86
TARAWA TERRACE	0.17	1.05
HOLCOMB BLVD.	0.13	0.76

TT TURBIDITY: 0.49 0.29
HB TURBIDITY: 0.54 0.18

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4/9/84

PLANT	RAW	TREATED
HADNOT POINT	0.13	0.91
TARAWA TERRACE	0.18	1.08
HOLCOMB BLVD.	0.13	0.88

TT TURBIDITY: 0.41 0.18
HB TURBIDITY: 0.44 0.17

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4/8/84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.93
TARAWA TERRACE	0.19	1.06
HOLCOMB BLVD.	0.14	0.97

TT TURBIDITY: 0.60 0.20
HB TURBIDITY: 0.50 0.13

ANALYST: BURNS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY

TO: WATER TREATMENT PLANT FOREMAN

DATE: 4/7/84

PLANT	RAW	TREATED
HADNOT POINT	0.16	1.00
TARAWA TERRACE	0.20	0.81
HOLCOMB BLVD.	0.15	1.09

TT TURBIDITY: 0.68 0.23

HB TURBIDITY: 0.52 0.41

ANALYST: [illegible]

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4/6/84

PLANT	RAW	TREATED
HADNOT POINT	0.16	0.98
TARAWA TERRACE	0.21	0.53
HOLCOMB BLVD.	0.16	0.75

TT TURBIDITY: 0.50 0.22
HB TURBIDITY: 0.63 0.17

ANALYST: [illegible]

4/7/84
H.P. 1.00
T.T. 0.86
H.B. 1.09

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY

TO: WATER TREATMENT PLANT FOREMAN

DATE: 5 April 84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.96
TARAWA TERRACE	0.19	0.68
HOLCOMB BLVD.	0.15	1.00

TT TURBIDITY: 0.5 0.2

HB TURBIDITY: 0.9 0.1

ANALYST: R Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4-4-84

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.94
TARAWA TERRACE	0.19	0.66
HOLCOMB BLVD.	0.19	0.83

TT TURBIDITY: 0.60 0.30
HB TURBIDITY: 4.40 0.30

ANALYST: JBowers

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 3 April 84

PLANT	RAW	TREATED
HADNOT POINT	0.14	1.00
TARAWA TERRACE	0.19	0.89
HOLCOMB BLVD.	0.19	0.98

TT TURBIDITY: 0.4 0.2
HB TURBIDITY: 1.3 0.2

ANALYST: R J Lachapelle

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY
TO: WATER TREATMENT PLANT FOREMAN

DATE: 4-2-84

PLANT	RAW	TREATED
HADNOT POINT	0.14	0.97
TARAWA TERRACE	0.19	0.79
HOLCOMB BLVD.	0.19	1.08

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: BRENS

DAILY FLUORIDE REPORT

FROM: QUALITY CONTROL LABORATORY

TO: WATER TREATMENT PLANT FOREMAN

DATE: 4-1-84

PLANT	RAW	TREATED
HADNOT POINT	0.15	0.96
TARAWA TERRACE	0.20	0.78
HOLCOMB BLVD.	0.19	1.06

TT TURBIDITY: _____ _____

HB TURBIDITY: _____ _____

ANALYST: BYONS