



UNITED STATES MARINE CORPS
Marine Corps Base
Camp Lejeune, North Carolina 28542

T-638PW
DDS

FAC/REA/el
6280

11 JAN 1984

From: Commanding General
To: Commandant of the Marine Corps (Code LFF-2)
Subj: Environmental Management-By-Objectives (MBO) Report
Ref: (a) CMC Washington DC 061426Z Dec 83
(b) PHONECON btwn Mr. Hubbell, CMC LFF-2 and Mr. Alexander,
MCB FAC, on 21 Dec 83
Encl: (1) Defense Environmental Status Report, FY-83, Marine Corps Base,
Camp Lejeune, NC

1. Reference (a) requested submission of subject report. This letter and the enclosure provide hardcopy follow-up to reference (b).
2. The preparation of this year's MBO Report was made much easier by the new report format and the assistance provided by LFF-2 staff during the FY-84 Environmental/Natural Resources Workshop. For additional information in this matter, contact Mr. Bob Alexander, Environmental Engineer, Marine Corps Base, Camp Lejeune, N. C., AV 484-3034.

M. G. LILLEY
By direction

Blind copy to:
NREAD
→

UNITED STATES MARINE CORPS

16 00 0000 Base

16 00 0000 Base



16 00 0000

Faint, illegible text in the middle section of the page, possibly a list or report.

UNITED STATES MARINE CORPS



DEFENSE ENVIRONMENTAL STATUS REPORTPeriod Covered: FY-83Activity: MCB, CAMLEJ, NCAir Compliance Summary:

No. of major permitted sources (A1/A2)	<u>1 /</u>
No. of major permitted sources out of compliance (A1/A2)	<u>0 / 0</u>
No. of minor permitted sources	<u>18</u>
No. of minor permitted sources out of compliance	<u>0</u>
No. of Notices of Violation (NOVs):	
received during period (detail)	<u>1 (See Note 1)</u>
resolved during period	<u>1</u>

Wastewater Compliance Summary:

No. of permitted discharges (major/minor)	<u>0 / 15</u>
No. of permitted discharges out of compliance for:	<u>maj/min</u>
exceeding standards	<u>0 / 0</u>
other (e.g. administrative) reasons	<u>0 / 0</u>
No. of Notices of Violation (NOVs):	
received during period (detail)	<u>0</u>
resolved during period	<u>0</u>
No. of NPDES permits applied for (EPA/State) but not yet received as final	<u>0 / 0</u>

Spill Prevention Control and Countermeasure (SPCC) Compliance Summary:

SPCC plan required by the activity (yes/no)	<u>Yes</u>
Date of last SPCC plan review by professional engineer	<u>1 Aug 83</u>
Construction actions required by SPCC plan (complete/incomplete)	<u>Complete</u>

Hazardous Waste (HW) Compliance Status:

	T	Yes	
		Yes	Yes
Part A permit application filed (yes/no)			
Part B permit requested/filed (yes/no)			
No. of facilities:			
out of compliance as of 30 Sep	<u>0</u>	<u>0</u>	<u>0</u>
No. of facility permits:			
required (Part B)	<u>0</u>	<u>1</u>	<u>0</u>
applied for (Part B)	<u>0</u>	<u>1</u>	<u>0</u>
received (Part B)	<u>0</u>	<u>0</u>	<u>0</u>
No. of Notices of Violation (NOVs):			
received this reporting period (detail)	<u>0</u>	<u>1</u>	<u>0 (See Note 2)</u>
resolved this reporting period	<u>0</u>	<u>1</u>	<u>0</u>



Groundwater monitoring program for TSD facility required (yes/no)	<u>No</u>
Known contamination of TSD facility (yes/no)	<u>No</u>
Requirement for additional HW storage facility (exclusive of DPDO facilities) (yes/no)	<u>No</u>
Requirement for modification of existing HW storage facility (exclusive of DPDO facilities) (yes/no)	<u>No</u>

Polychlorinated Biphenyls (PCB) Summary:

	Accountability (As of Activity/DPDO 30 Sep)
PCB liquid in storage for disposal:	
greater than 500 ppm (gal)	<u>/0</u>
50 less than/equal to [PCB] less than/equal to 500 ppm (gal)	<u>/1005</u>
No. PCB items in storage for disposal	<u>/0</u>
Quantity (cubic ft.) of PCB contaminated solid waste in storage for disposal	<u>/19</u>
	<u>/5</u>

Hazardous Waste (HW) Activity Summary:

Quantity of HW Generated (Tons)	<u>4.1545</u>
Quantity Transferred to DPDO for accountability	<u>4.1545</u>
for accountability and physical custody	<u>4.1545</u>
Quantity Treated by Activity (on-site/off-site)	<u>0/0</u>
Quantity Disposed of by Activity (on-site/off-site)	<u>0/Unknown</u>
Quantity Stored on-site as of 30 Sep (in conforming/non-conforming storage)	<u>4.1545T/0</u>

Solid Waste Compliance Summary:

No. of active landfills/No. of permitted landfills	<u>1/1</u>
No. of landfills out of compliance (detail)	<u>0</u>
No. of Notices of Violation (NOVs):	
received this reporting period (detail)	<u>0</u>
resolved during reporting period	<u>0</u>

Resource Recovery Summary:

Qualifying recycling program in place (yes/no)	<u>No</u>
Materials (paper, metals, used oils*, solvents*, etc.) being recycled (list)	Used oils*, Metals, <u>Paper</u>
Gross revenue from recycling	<u>\$3,100</u>
Net revenue from recycling	<u>- \$88,311</u> LOSS **

*Detail whether recycling consists of rerefining or blending/burning.
*Blending/Burning
**(See Note 3)

Safe Drinking Water Act Compliance Summary:Water Supply
Activity Owned/Purchased

Standards exceeded during period (detail)	<u>0 / 0</u>
Public notification made (yes/no)	<u>/N/A</u>
Problem corrected (yes/no)	<u>0 / N/A</u>
No. of Notices of Violation (NOVs):	
received during period (detail)	<u>/N/A</u>
resolved during period	<u>/N/A</u>

- Note 1. Asbestos violation indicated by N.C. Air Quality Division letter dated 31 May 1983 for inhouse renovation project. Violation was for failure to notify of asbestos removal and for not following proper handling procedures at construction site. Corrective actions were completed.
- Note 2. N. C. Solid and Hazardous Waste Management Branch letter dated 19 October 1982 cited discrepancies for security preparedness and prevention, and use and management of containers. N. C. Solid and Hazardous Waste Management Branch letter dated 15 November 1982 acknowledged corrective action complete.
- Note 3. Net Revenue is \$88,000 loss, according to records of collection cost versus proceeds from Defense Property Disposal Office. The December 1982 sale of approx. 150,000 gallons of used oil was challenged by purchaser as leaving excess water content. Payment of \$36,565 was recently forwarded by DPDS which will be reported in the FY-84 report.

