

TAB PLACEMENT HERE

DESCRIPTION:

B.D. 11090.1B

Tab page did not contain hand written information

Tab page contained hand written information
*Scanned as next image



UNITED STATES MARINE CORPS
MARINE CORPS BASE
CAMP LEJEUNE, NORTH CAROLINA 28542

BO 11090.1B
MAIN/DDS/th
28 May 1981

BASE ORDER 11090.1B

From: Commanding General
To: Distribution List

Subj: Oil Pollution Prevention and Abatement and Oil and Other Hazardous Substances Spill Contingency Plan

Ref: (a) MCO P11000.8A
(b) Resource Conservation and Recovery Act (RCRA) of 1976 (NOTAL)
(c) Clean Water Act (NOTAL)
(d) Oil Spill Prevention Control and Countermeasure Plan of 10 June 1978, Camp Lejeune, NC (NOTAL)

Encl: (1) Oil and Hazardous Material Spill Prevention, Containment, Cleanup and Disposal Guidelines
(2) Oil and Other Hazardous Material Spill Contingency Plan

1. Purpose. To revise existing oil and other hazardous material related pollution abatement and prevention procedures for Marine Corps Base, Camp Lejeune and Marine Corps Air Station (Helicopter) (MCAS(H)), New River and to assist the Commanding General in the implementation of reference (a) with respect to pollution abatement.

2. Cancellation. BO 11090.1A.

3. Policy. It is the continuing policy of the Commanding General to actively participate in environmental pollution abatement, to take positive planning and programming action to abate and correct oil and other hazardous materials, related pollution problems and to incorporate appropriate pollution control and prevention facilities in all new construction aboard this installation. The intent of this policy is to carry out the applicable measures of references (a), (b), (c) and (d) and to prohibit the discharge of oil, oily mixtures and other hazardous substances except in designated areas by authorized personnel.

4. Responsibilities

a. Base Maintenance Officer has overall responsibility for:

(1) Maintenance of water pollution abatement facilities and the central storage and related collection and transportation of waste petroleum products.

(2) Providing personnel required for routine monitoring, surveillance, upchannel reporting and enforcement of unauthorized discharges of oil and other hazardous materials and related significant environmental problems of an ongoing nature involving the handling and disposal of petroleum products and other hazardous materials regulated by references (a), (b) and (c).

b. Commanding Officers/Area Commanders are charged with the responsibility of preventing spillage and other unauthorized discharge of oil and other hazardous materials within their own areas and will develop and implement plans and procedures which are consistent with applicable regulations and enclosures (1) and (2) for preventing, reporting, containing and cleaning up such spillage or unauthorized discharge.

c. Director, Natural Resources and Environmental Affairs Division, Base Maintenance Department or his representative will assume responsibility of On-Scene Coordinator (OSC) upon arrival at the scene of an oil or other hazardous material spill in accordance with procedures outlined in references (a) and (b) and enclosure (2).

d. Base Fire Chief or his senior representative will provide initial response and other assistance with any spill of oil or other hazardous material as outlined in enclosure (2), until a verification is made that the reported spill has occurred in an aircraft operating area aboard MCAS(H), New River. If the latter situation exists, the Base Fire Chief will provide a standby crew to assist, if the crash crew MCAS(H), New River is unable to contain the spill within the aircraft operating area.

e. Crash Crew, MCAS(H), New River will develop and implement a written procedure for the initial response to and containment and cleanup of oil and other hazardous materials spills in aircraft operating areas aboard MCAS(H), New River. Procedures will be consistent with applicable regulations and enclosure (2).

5. Action. Discharge of oils or other hazardous materials on or into the grounds and streams of this installation is prohibited. Cognizant officers will take necessary action to assure compliance. Commanding Officers/Area Commanders shall conform to the standards and criteria set forth in enclosures (1) and (2).



BO 11090.1B

28 MAY 1981

6. Applicability. Having received the concurrence of the Commanding Generals, 2d Marine Division, FMF; 2d Force Service Support Group, (Rein), FMFLANT; and the Commanding Officers of the Marine Corps Air Station (Helicopter), New River and tenant units; Naval Regional Medical Center; and Naval Regional Dental Center, this Order is applicable to those Commands.

J. R. Fridell
J. R. FRIDELL
Chief of Staff

DISTRIBUTION: A
BMAINO (100)



OIL AND HAZARDOUS MATERIAL SPILL PREVENTION, CONTAINMENT, CLEANUP, AND DISPOSAL GUIDELINES

1. The prevention of oil and hazardous-material spills and the resultant environmental damage is the responsibility of all Commanders.
2. All Commanders and Department Heads will publish and prominently post directives setting forth detailed policies and procedures for the control and prevention of oil and hazardous-substance pollution specifically applicable to their organization.
3. All Commanders and Department Heads will take the following actions:
 - a. Take positive measures to prevent spills of oil and hazardous substances to include a review of the Command's maintenance and operational procedures.
 - b. Conduct frequent inspections of areas and facilities assigned to ensure compliance with published procedures.
 - c. Establish immediate action procedures for the amelioration of pollution which may result from oil and hazardous-substance spills, to include the stocking of materials required to carry out the procedures.
 - d. Ensure that all personnel within their Command are thoroughly indoctrinated regarding the environmental impact of oil and hazardous substance spills and proper disposition of oil and hazardous substances.
 - e. Encourage maximum reuse of technically contaminated fuels by multifuel-engine powered tactical vehicles.
4. The following guidelines are generally applicable to garrison operations:
 - a. Contaminated fuels which cannot be burned in tactical vehicles and other used petroleum products, except gasoline, will be collected in a tank of at least 250-gallon capacity equipped with a funnel, strainer and cover to prevent entrance into the tank of trash, water and other foreign matter. When the container requires emptying, the Officer in Charge (OIC) will notify the Base Maintenance Department (Telephone 5909). The Base Maintenance Department will dispatch a vehicle to remove the waste oil. In the event of an emergency 55-gallon drums may be used as a temporary expedient storage container for waste oil.
 - b. Waste lubrication grease will be collected, stored in suitable containers and disposed of in accordance with instructions provided by Base Maintenance Department representative. Send request via Chain of Command to the Base Maintenance Officer.
 - c. Oil-saturated soil in the vicinity of oil and petroleum storage areas should be removed to the sanitary landfill and replaced with fresh earth.
 - d. To dispose of contaminated gasoline contact the Base Fire Department (Telephone 3004).
 - e. Disposal of hazardous waste and other hazardous substances such as acids, poisons and solvents through any drainage system to include sinks, wash racks, storm drains and natural drainage systems is specifically prohibited. These products will be segregated and stored in suitable containers and will be disposed of in accordance with instructions provided by Commanding General, Marine Corps Base, Camp Lejeune.
 - f. Petroleum products containers will be disposed of at the sanitary landfill, or recycled, if appropriate, with the exception of 55-gallon drums and durable metal containers which will be disposed of through the Defense Property Disposal Officer, Building 906.
 - g. Personnel changing private owned vehicle (POV) oil on Base will use established Base Special Service facilities and deposit waste oil in one of the authorized collection tanks on Base and the Air Station.
 - h. Oil and gasoline storage containers larger than 550-gallon capacity will be diked to include a drainage line and valve which will be locked. The latter will be operated only by personnel authorized by the Unit Commander.
5. Field operations will comply with the guidance enumerated in the following subparagraphs:
 - a. All tactical refueling systems installed on Base must first be approved by the Base Maintenance Officer.
 - b. Fuel stored in tactical refueling systems will be properly diked, as required by current regulations. As a general rule, the dike must be capable of containing at least the volume of the container stored within it.
 - c. When using fuel tanker vehicles:
 - (1) Hoses, nozzles and connections will be checked frequently for serviceability to avoid leakage of fuel.
 - (2) Refueler operators will stay with the vehicle during refueling operations.
 - (3) Tanker vehicles containing fuel will be parked in such a manner as to avoid the possibility of spilled fuel entering natural or man-made drainage systems.
 - (4) During refueling operations, nozzles will be secured to the vehicle.
 - (5) All waste petroleum products generated during field exercises will be stored (55-gallon drums, etc.) and disposal instructions obtained from the Director Natural Resources Division, Base Maintenance Department (451-5003).



BO 11090.1B

88 MAY 1981

OIL AND OTHER HAZARDOUS MATERIAL SPILL CONTINGENCY PLAN

FOR

MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
MARINE CORPS AIR STATION (HELICOPTER), NEW RIVER, JACKSONVILLE, NORTH CAROLINA
MARINE CORPS HELICOPTER OUTLYING FIELD, OAK GROVE, JONES COUNTY, NORTH CAROLINA

PREPARED

OCTOBER 1980



28 MAY 1981

Reporting Spills of Oil and Other Hazardous Substances

a. **Materials Classification** - The following products are examples of oil compounds or hazardous substances which must be reported if spilled on the ground or water in any amount:

Lube Oils	JP-4 & JP-5 Fuels	Paint Thinner	No. 6 Fuel Oil
Gasoline	Hydraulic Fluid	Organic Solvents	
Kerosene	Acids	Cleaning Solutions	
Lube Grease	No. 2 Fuel Oil	Poisonous Chemicals	

b. **Reporting Procedures** - All spills of oil or hazardous materials shall be reported immediately to the Base Fire Department Phone 3333 (on base) or 451-3333 (off base). The report shall include location (Building Number) of spill, substance spilled and the approximate amount. All spills occurring at Marine Corps Air Station (Helicopter), New River will also be reported to the Station S-4 (455-6068 - 455-6518) during normal working hours and to the Station Officer of the Day after normal working hours (455-6111).

c. **Posting of Oil Spill Procedure** - Signs shall be posted in every building, tank location and field service location where oil or hazardous materials are used. The sign shall have a yellow background with black lettering indicating the following information:

IN CASE OF AN OIL OR HAZARDOUS MATERIAL SPILL
CALL BASE FIRE DEPARTMENT
ON BASE 3333/OFF BASE 451-3333
NOTIFY YOUR COMMANDER/SUPERVISOR IMMEDIATELY

d. **Initial Containment Procedure** - Remain in area - - - Do Not Wash Down With Water - - - Keep Personnel Out of the Area - - - Block Runoff with Earth Materials to Prevent Spreading, when possible.

2. Response to Spill

a. **Fire Department** - Fire Department shall dispatch a regular fire fighting unit to the scene of a reported spill. The Base Fire Chief or his senior representative shall report to the scene as soon as possible. Dispatcher will immediately notify the Base Fire Chief or his senior representative who will perform the following duties:

- (1) Assume the role of On-Scene Coordinator (OSC).
- (2) Take all necessary immediate steps to contain the spill, eliminate any fire hazards and protect all personnel from exposure and request the assistance of the Base Safety Officer, if required (See page 4, Enclosure (2)).
- (3) Notify the Natural Resources and Environmental Affairs Director (Telephone 5003) of the spill location and the nature and quantity of spilled materials.
- (4) Evaluate the spill situation and request necessary logistical support from the Base Maintenance Officer to contain the spill and facilitate the cleanup and recovery of the spilled materials.
- (5) OSC duties shall transfer to the Director, Natural Resources and Environmental Affairs upon his arrival at the scene. (See page 4, Enclosure (2) for Personnel and Public Safety Coordination).

b. **Base Maintenance Officer**

- (1) Base Maintenance Officer shall maintain the inventory of materials and equipment as established in Appendix A of enclosure (2).
- (2) Base Maintenance personnel shall respond immediately to the request of the OSC with men and equipment requested.

- (a) Direct supervision shall be from the OSC.
- (b) Maintenance personnel shall remain at the spill scene until authorized to depart by the OSC.

c. **Natural Resources and Environmental Affairs Division**

(1) The Director or his authorized representative shall proceed to the scene and assume the duties of the OSC. The duties shall include the following categories:

- (a) Direct all containment and cleanup activities.
- (b) Report oil spills that discharge into the inland waters or coastal waters to the following: Base Maintenance Officer; Assistant Chief of Staff, Facilities, Marine Corps Base; Marine Safety Officer, U. S. Coast Guard, Wilmington, North Carolina and the Environmental Regulatory Agencies, as required.
- (c) Request U. S. Coast Guard assistance for spills into waters that cannot be contained promptly by joint efforts of the Fire Department and Base Maintenance crews.



(2) The Natural Resources and Environmental Affairs Division Director or his representative shall remain at the scene of the spill until all contaminant is properly contained and the danger of oil contamination of waterways is eliminated.

(3) At the conclusion of all cleanup operations, the official report submitted to the Environmental Protection Agency (EPA), Region IV, shall be prepared in accordance with requirements of Federal Water Pollution Control Act and EPA regulations in effect at the time. The report shall be transmitted to EPA through the directives of the Commanding General.

3. Spill Containment and Cleanup

a. Small Spills (less than one gallon)

(1) Cause: Gasoline or fuel oil spills at fueling locations occur by overfilling or blow back from the tank receiving the fuel.

(2) Reporting: This type of spill requires reporting to the Office of Natural Resources and Environmental Affairs (Phone 1-919-451-5003). The fuel spill must be promptly cleaned up by the person at the scene.

(3) Containment Procedures:

(a) DO NOT FLUSH INTO STORM SEWER OR DRAINAGE DITCH.

(b) Cover entire spill with sand or absorbent material from storage bin or container. Add material as liquid appears in the surface of the sand or absorbent material.

(c) Cleanup contaminated sand or absorbent material with broom and shovel placing it in a container (metal) for disposal or possible reuse. The container shall be labeled "Waste Oil Refuse".

(d) If storage bin of sand or absorbent material is less than one-half full after using, call Base Maintenance Department (3001) to inform them of the location needing additional material.

(e) Reapply a second coat of sand or absorbent material in a very light layer to assure all gasoline or fuel oils have been blotted up. Brush material back and forth over the area and then sweep up completely. This material can be replaced in the fresh storage bin rather than depositing it in the "Waste Oil Refuse" container.

b. Spills on Concrete Aprons (more than one gallon)

(1) Reporting: Call Base Fire Department

(2) Containment Procedures:

(a) DO NOT FLUSH INTO STORM SEWER OR DRAINAGE DITCH.

(b) The person on-site shall erect a two-to-three inch high sand or earth dam on the concrete or at the edge of the concrete below (downstream) the direction that the spill is flowing. This is the first step in containment.

(c) Apply sand or absorbent materials that are available around the perimeter of the spill until the Fire Department arrives. Keep other personnel away from the area.

(d) Fire Department shall continue abatement methods using equipment available until the Director of Natural Resources and Environmental Affairs Division or his representative arrives to determine further containment and cleanup requirements.

(e) Base Maintenance personnel shall install dams, straw barriers, pumping equipment and other abatement or cleanup equipment as directed by the OSC.

c. Spills on Ground (more than one gallon)

(1) Reporting: Call Base Fire Department

(2) Containment Procedures:

(a) DO NOT FLUSH INTO STORM SEWER OR DRAINAGE DITCH.

(b) The person on-site shall erect a minimum three-inch high sand or earth dam below (downstream) the direction that the spill is flowing. The dam should be made higher if the liquid pool behind the temporary dam rises to within two inches of the top. A trench or sump may be used in lieu of a dam. This is the first step in containment that must be taken promptly to prevent spreading into surface waters.

(c) Apply sand or absorbent materials that are available around the perimeter of the spill until the Fire Department arrives. Keep other personnel away from the area.

(d) Fire Department shall continue abatement methods using equipment available until the Director of Natural Resources and Environmental Affairs Division or his representative arrives to determine further containment and cleanup requirements.



11090.1B
28 MAY 1981

(e) Base Maintenance personnel shall install dams, straw barriers, absorbents, pumping equipment and other abatement or cleanup equipment as directed by the OSC.

d. Spills Entering Storm Drainage System

(1) Reporting: Call Base Fire Department and emphasize that the liquid has entered a catch basin, manhole, drainage ditch, or any structure (pit) below ground.

(2) Containment Procedures:

(a) DO NOT ADD WATER TO FLUSH OUT STORM SEWER OR STRUCTURE.

(b) The person on-site shall attempt to erect a sand or earth dam around or cover with polyethylene or other plastic materials the manhole or catch basin to prevent further entrance of liquid into the structure. This is the first step in containment that must be taken promptly to minimize the quantity of liquid that will be discharged into surface waters.

(c) The person on-site shall apply sand or absorbent materials that may be available around the perimeter of the spill and at the manhole or catch basin until the Fire Department arrives.

(d) Base Maintenance personnel shall place oil booms across storm drains to prevent further discharge. Public Works Department will develop maps of drainage systems required for siting booms. After spill is contained, cleanup will be initiated. Action may include the following:

1 Inspect downstream manholes for evidence of oil progression toward discharge. If storm system has a very low flow, install straw barrier or absorption dam inside manhole.

2 Where practical, install plug in upstream side of manhole, to contain in the pipe system.

3 If the drainage system has an open ditch, install straw bale dams or absorption dam to collect spilled materials.

4 Isolate streets with contaminated manhole to prevent fires or explosions.

(e) The Director, Natural Resources and Environmental Affairs Division, or his representative shall determine further containment and cleanup requirements after arriving on the scene.

(f) Base Maintenance personnel shall install dams, straw barriers, absorbents, pumping equipment and other abatement and cleanup equipment as directed by the OSC.

e. Spills Entering Surface Waters

(1) Reporting: Call Base Fire Department and emphasize that the liquid was discharged directly into the surface waters.

(2) Containment Procedure:

(a) Person at the site should check the source of discharge to be assured that no further discharge can occur. Close valves, remove hose, or isolate the source from causing any further release of materials.

(b) Do not allow boats or equipment to enter the surface waters where the spill has occurred. If surface type oil absorbents are available, begin spreading this material wherever an oil skim is observed. Do not enter the water to apply this material until the Fire Department arrives.


(c) Fire Department shall continue abatement methods using equipment available until the Director of Natural Resources and Environmental Affairs Division, or his representative arrives to determine further containment and cleanup requirements.

(d) Base Maintenance personnel shall install booms, skimmers, pumps and other abatement or cleanup equipment as directed by the OSC.

4. Responsibilities for Ensuring Personnel and Public Safety


a. Overall responsibility for ensuring the safety of personnel involved in the containment and cleanup of hazardous material spill is assigned to the Base Fire Chief or his senior representative. The Base Fire Chief representative shall continue to monitor the situation and will provide required standby personnel and equipment. The Base Fire Chief representative will request the assistance of the Base Safety Officer as needed. The Base Fire Chief representative shall keep the OSC informed of any safety considerations affecting the containment and cleanup of the spill. In the event of imminent hazard to personnel involved in the spill cleanup or to the public, Base Fire Chief representative shall take appropriate action. The OSC shall assist the Base Fire Chief representative implement safety procedures required.

b. Base Safety shall dispatch a safety representative to the spill scene upon request from the Base Fire Chief representative. The Base Safety representative will remain at the scene until advised by the Base Fire Chief representative that assistance is no longer required. Base Safety representative will monitor all activity at or near the spill and make appropriate recommendations to the Base Fire Chief representative.



MATERIALS AND EQUIPMENT FOR OIL SPILL
CONTAINMENT AND COUNTERMEASURE

<u>Item No.</u>	<u>Description</u>	<u>Quantity</u>
1.	Gasoline engine driven (portable) trailer mounted diaphragm pump with sectional suction and discharge hose - minimum capacity 25 gallons per minute.	2
2.	Sectional aluminum oil boom	
3.	Inflatable oil barrier, Whittaker Expandi self-inflating	300 L. F.
4.	Collapsible bag for field filling of collected oil-250 gallon capacity	2
5.	Oil skimmer (portable) type for water floating oil pick-up	1
6.	Baled hay or straw with wire or nylon baling (located at strategic areas)	200 Bales
7.	Steel fence stakes (6 feet long)	50 each
8.	Woven wire mesh (chicken wire) 3ft. width 4ft. width	200 L.F. 100 L.F.
9.	Sledge hammer - 10 lb. 5 lb. 2½ lb.	3 5 5
10.	Shovels - Long handle round point Long handle flat blade Short handle round point Short handle flat point	5 5 5 5
11.	Oil Absorbent Compound - for water spill clean up	2000 lbs.
12.	Oil Absorbent Compound for ground spill clean up - Randustrial P-218 Oil Absorbent (55-gallon drum)	25 drums
13.	Nylon rope - ½" diameter ½" diameter ¾" diameter	200 L.F. 400 L.F. 400 L.F.
14.	Oil Sorbent Material - 3M, Conwed or Grefco	500 lb.



TAB PLACEMENT HERE

DESCRIPTION:

BO 6240.5 A

Tab page did not contain hand written information

Tab page contained hand written information

*Scanned as next image



UNITED STATES MARINE CORPS
MARINE CORPS BASE
CAMP LEJEUNE, NORTH CAROLINA 28542-5001

BO 6240.5A
NREAD/st
10 Mar 1987

BASE ORDER 6240.5A

From: Commanding General
To: Distribution List

Subj: HAZARDOUS MATERIAL DISPOSAL PROGRAM

Ref: (a) Resource Conservation and Recovery Act (Pub No. 94-580) (42 USC 6901-6987) (NOTAL)
(b) EPA Regulations contained in Code of Federal Regulations, Title: 40 Parts 260-265 (NOTAL)
(c) DOT Regulations contained in Code of Federal Regulations, Title: 49 Parts 100-179 (NOTAL)
(d) BO 11090.1B
(e) BO 11320.1G

Encl: (1) Procedures for Collection, Storage and Turn-In of Hazardous Material and Hazardous Waste for Disposal
(2) Responsibilities for Hazardous Material/Hazardous Waste Disposal
(3) Hazardous Waste Training Requirements and Guidelines

1. **Purpose.** To revise responsibilities, procedures and guidance for hazardous material (HM) and hazardous waste (HW) disposal and related environmental protection for the Camp Lejeune and Marine Corps Air Station, New River complex.

2. **Cancellation.** BO 6240.5.

3. **Background**

a. Congress and the state legislatures have responded to the threats to human life and the environment caused by mismanagement and illegal spilling and dumping of toxic substances by enacting laws which not only attempt to avert future threats but which impose civil and criminal penalties. In enacting many of these environmental laws, Congress waived federal supremacy, requiring federal agencies including the Marine Corps, to comply with federal, state and local environmental laws. Federal officers and employees now face the possibility that they may be personally liable for civil and criminal penalties and fines as well as imprisonment.

b. The Environmental Protection Agency (EPA) has authorized the State of North Carolina to enforce the requirements of references (a) and (b) through a state HW regulatory program. The Solid and Hazardous Waste Management Branch, Division of Health Services (DHS), is the primary enforcing agency within North Carolina. DHS enforcement personnel have authority to investigate HW spills and perform routine inspections of work sites where HW are handled and stored. These investigations and inspections can result in citations being issued to supervisors and/or personnel at the work site for civil and/or criminal violations of HW regulations.

c. State regulations promulgated under reference (a) and EPA regulations contained in reference (b) require both initial and annual refresher training for personnel involved in HW management and handling. The majority of discrepancies identified during EPA and DHS inspections can be directly, or indirectly, attributed to lack of adequate HW training. The relatively rapid rate of personnel turnover within the Camp Lejeune Complex requires that HW training be readily available. Publishing of this revised order is an essential step in strengthening the subject program. In addition to addressing the HW training issues, this revised order provides for the following: (1) better internal controls by organizations generating and handling HW; (2) improved availability of HW related supplies and equipment and; (3) formalizing efforts to reduce the volume and toxicity of HW generated within the Camp Lejeune Complex. Enclosures (1) through (3) outline revised procedures for managing HW and providing compliance with related requirements of references (a), (b) and (c).

d. This order formally establishes two collateral duty positions to coordinate and to assist with the implementation of the subject program. These positions are the Hazardous Material Disposal Coordinator (HMDC) and Hazardous Material Disposal Officer (HMDO). HMDC will be established within each major command and within Marine Aircraft Groups. HMDO's will be appointed at the Battalion, Separate Company and Squadron level (or equivalent). HMDC and HMDO responsibilities are outlined in enclosure (2). The appointment and training of qualified primary and alternate HMDCs and HMDOs are essential to implementation of the complex requirements of the subject program.

4. Action

a. Organizational commanders shall on a continuing basis take action required to implement the following HW management goals and objectives:

(1) HW operations will be supervised by properly trained personnel who have access to equipment and supplies required for handling HW.

(2) Written descriptions of HW duties will be developed for all HW managers and handlers, and appropriate records maintained to document that proper training is being provided to personnel in accordance with enclosure (3).

(3) OIC/NCOIC's will ensure that HW facilities are inspected weekly and timely corrective action is taken and properly documented per this Order and related instructions of HMDO/HMDC.

(4) OIC/NCOIC's will prepare a written HW management Standard Operating Procedure (HWMSOP) in cooperation with HMDO for each facility where HW are routinely handled and stored. SOP will be readily available at HW generation and storage sites.

(5) A system of continuous internal controls will be implemented to ensure that violations of this Order are identified and if appropriate, that disciplinary action is taken to discourage recurring violations.

b. Major commands will take action required to limit HW generation to the minimum number of locations practical, to identify HW handling and storage equipment and facilities requirements and to develop and implement a system of internal controls which provides satisfactory compliance with the requirements of this Order and related regulatory requirements. As a minimum the following action will be taken:

(1) Appoint a primary and alternate HMDC with authority and resources to implement duties outlined in enclosure (2).

(2) Maintain a current listing/directory of facilities where HW are handled and stored. Ensure timely submission of waste identification documents per enclosure (1).

(3) Require OIC/NCOIC's of HW handling and storage facilities to develop and implement a written HW SOP for each facility per enclosures (1) and (3). The SOP will be readily available to personnel routinely handling HW and related emergency response.

(4) Require Commanding Officers of each Aircraft Squadron, Regiment, Battalion and Separate Company (or equivalent) to appoint a primary and alternate HMDO with authority to carry out the duties outlined in enclosure (2).

(5) Establish and promote HW management goals and objectives for supply and maintenance functions which promote the minimization of the volume and toxicity of HW generation.

(6) Within 30 days of the date of this Order, and as requested thereafter, provide a current listing of Primary and Alternate HMDO's. The list shall contain name, rank, unit and phone number. The list will be provided to the Director, Natural Resources and Environmental Affairs Division, Marine Corps Base.

PROCEDURES FOR COLLECTION, STORAGE AND TURN-IN OF HAZARDOUS
WASTE (HW) AND HAZARDOUS MATERIAL (HM) FOR RECYCLING OR DISPOSAL

1. Hazardous Waste Management Standard Operating Procedures (HWMSOP). Each organization routinely generating or handling HW or disposing of HM will develop desk top procedures to be followed. As a minimum, the HWMSOP will provide the following:
 - a. Name and telephone number of cognizant Hazardous Material Disposal Officer (HMDO) and Hazardous Material Disposal Coordinator (HMDC).
 - b. A copy of BO 6240.5A, BO 11090.1B, BO 11090.3, and related local instructions.
 - c. Name, title, HW duties and HW training records for each employee per enclosure (3) of BO 6240.5A.
 - d. Waste Identification Document (WID) for each HW generated or handled. WID will be completed in accordance with attachment (A) of this enclosure.
 - e. Procedures and responsibilities for dealing with HW/HM spills and related emergencies, i.e., HW Spill Contingency Plan.
 - f. Copies of weekly inspections of HW storage areas/containers.
 - g. Guidance provided by HMDO/HMDC's to implement HW/HM disposal program.
 - h. Location sketch for each HW generation, accumulation and storage area.
 - i. Material Safety Data Sheets, or hard copy of Hazardous Material Information Systems Data developed per MCO 5100.25 for all HW generated.
 - j. Sample copies of completed turn-in documents (Form DD-1348-1) and HW labels for each type of HW generated and disposed of.
2. HM/HW Collection and Storage Procedures/Requirements.
 - a. Possession of a properly completed and signed WID constitutes authorization to generate the specifically named HW. Failure to submit a WID to HMDC within 30 days of date HW first generated or handled or 60 days of the date of this Order (whichever is later) will be considered a violation of this Order. HMDC's are responsible for monitoring and enforcement of this requirement.
 - b. Only Department of Transportation (DOT) approved containers labeled per WID or HWMSOP will be used for storage of HW awaiting disposal. HMDO's are responsible for enforcing this standard.
 - c. All personnel routinely handling or responsible for HW management must be properly trained per this Order and references (a) and (b). OIC's are responsible for maintaining training records for personnel within their cognizance. HMDC's are responsible for enforcement of this requirement.
 - d. All HW containers and storage areas will be inspected weekly using format provided by cognizant HMDC/HMDO. A written record of corrective action will be maintained per HMDO/HMDC guidance. Director, Natural Resources and Environmental Affairs Division, (NREAD), MCB will assist HMDC/HMDO develop guidelines.
 - e. Spills of HW/HM will be promptly reported to the Base Fire Department at the Emergency Telephone Number 451-3333. OIC's are responsible for maintaining absorbents, safety equipment, and other supplies and equipment required for dealing with minor spills. HWMSOP's will give specific guidance in this area.
 - f. A Form DD-1348-1 will be completed and submitted to the cognizant HMDO not later than 45 days after the "accumulation start date" on the HW label on the container.

g. HMDC will be notified by telephone, confirmed in writing, of anytime DRMO has not accepted accountability of a HW within 75 days after the "accumulation start date" on any HW container.

3. Hazardous Material (HM) and Hazardous Waste (HW) Turn-in Procedures. The following steps will be taken to initiate final disposal of HM/HW. At any time that a major problem or controversy arises, the organization attempting to turn-in the item will immediately notify the responsible Hazardous Material Disposal Coordinator (HMDC). The HMDC will be responsible for coordinating efforts to resolve the problem/controversy and will utilize the assistance of the Director, Natural Resources and Environmental Affairs Division (NREAD), Facilities Department, Marine Corps Base, telephone extension 2083, 2195. Unresolved problems/controversies will be referred to the Assistant Chief of Staff, Facilities, Marine Corps Base. See Note 1 below.

STEP 1. The Officer in Charge (OIC) of the organization having physical custody of HM/HW is responsible for turn-in of HM/HW unless otherwise specified by HMDC. OIC will properly containerize the HM/HW and submit a Form DD 1348-1 to the cognizant Hazardous Material Disposal Officer (HMDO) per instructions in organization's HWSOP. Questions not addressed by HWSOP will be directed to HMDO.

STEP 2. The HMDO will physically inspect the HM/HW and determine if the Form DD 1348-1 is properly completed and the HM/HW is properly packaged. The HMDO will coordinate correction of any problems. Unresolved problems will be referred to cognizant HMDC for resolution. Once problem's resolved, HMDO will forward (preferably hand deliver) the Form DD 1348-1 to the Defense Reutilization and Marketing Office (DRMO) Headquarters, Bldg. 906. See Note 2 below.

STEP 3. The DRMO will inspect the HM/HW if necessary, and will determine if DRMO is accountable (i.e., responsible) for disposal of the HM/HW. If DRMO determines that the local activity, not DRMO, has responsibility for disposal of the HM/HW, the DRMO will so notify the cognizant HMDC in writing with a copy to the NREAD. The HMDC and NREAD will cooperate in developing case specific procedures for disposal of the item. Assistant Chief of Staff, Logistics, MCB, will provide contracting support.

STEP 4. If DRMO determines that DRMO is accountable for HM/HW, DRMO will determine where the HM/HW will be stored awaiting disposal. HW must be stored at the DRMO facility at TP-451 complex, unless otherwise approved by the Assistant Chief of Staff, Facilities, MCB. DRMO will submit a request to the Assistant Chief of Staff, Logistics to arrange transportation of the HM/HW to DRMO designated facility.

STEP 5. Assistant Chief of Staff, Logistics, in cooperation with HMDO, will determine if generating organization can safely, legally transport the item to DRMO designated facility. Assistant Chief of Staff, Logistics will supervise transportation of HW. Whenever practical, Command turning in a HM will provide transportation. Assistant Chief of Staff, Logistics will cooperate with the HMDC for the generating organization in promoting efficient, safe transportation. Spills or other emergencies will be promptly reported to the Base Fire Department at 451-3333. Drivers will be provided written spill prevention and response guidance.

STEP 6. When the HM/HW arrives at storage facility, DRMO will inspect prior to unloading. DRMO is authorized to refuse the HM/HW if any significant discrepancies exist. DRMO will immediately notify cognizant HMDC and NREAD of DRMO's refusal to accept the HM/HW. The transporting vehicle will be secured and will not be moved outside the immediate vicinity of DRMO facility except for emergency situations involving risk to public safety or to property. DRMO, HMDC and NREAD will cooperate in making an immediate decision on corrective action. If problems cannot be promptly resolved the HM/HW will be returned to the generating organizations facilities. When DRMO accepts physical custody of the HM/HW, turn-in is complete.

NOTE 1: Marine Corps Air Station, New River units will follow turn-in procedures set forth in Air Station Order 6280.1.

NOTE 2: HMDO should maintain a log of documents showing date document accepted by DRMO, accumulation start dates, and the type and quantity of HW.

ENCLOSURE (1)

RESPONSIBILITIES FOR HAZARDOUS MATERIAL (HM)/HAZARDOUS WASTE (HW) DISPOSAL

1. Compliance with hazardous waste management and disposal regulations requires the cooperative effort of many functions within the Camp Lejeune complex. The following outlines the responsibilities of various officers and managers relative to hazardous waste management:

a. Hazardous Material Disposal Officer (HMDO) will:

(1) Provide assistance to HW generators and handlers in the preparation and timely submittal of HW turn-in documents per this Order.

(2) Perform quarterly inspections of HW generation and storage sites and notify OIC's of corrective action required. Inspection format developed per paragraph 1b(2) below will be used.

(3) Keep OIC's and key personnel informed of any changes in regulations affecting HW activities within the HMDO's cognizance and ensure that HW standard operating procedures (SOP) are up-to-date and readily available for review by personnel involved in HW management.

(4) Develop a roster of personnel involved in HW management at each work site within the HMDO's cognizance.

(5) Develop and provide HW training requirements to HMDC for personnel within the HMDO's cognizance.

(6) Actively promote the reduction of volume and toxicity of HW produced by organizations within the HMDO's cognizance.

(7) Conduct surveys required to identify HW generation and storage sites within the HMDO's cognizance and provide periodic updates, as requested, to the HMDC.

b. Hazardous Material Disposal Coordinator (HMDC) will:

(1) Provide assistance to HMDO's in handling HW management problems. Serve as HMDO for organizations not having sufficient HW activity to justify appointment of a HMDO.

(2) Perform annual inspection of HW generation and storage sites and notify HMDO's of corrective action required. Inspection format will be developed in cooperation with the Director, Natural Resources and Environmental Affairs Division, (NREAD), Marine Corps Base.

(3) Inform HMDO's of any changes in regulations affecting HW activities under the HMDO's cognizance.

(4) Serve as point of contact on matters pertaining to HW management and implementation of this order within the HMDC's command.

(5) Develop listings of HW generation and storage facilities.

(6) Be responsible for identifying assistance required to provide HW training. Requests for assistance from MC- will be submitted in writing "Attention Director, NREAD."

c. Assistant Chief of Staff, Facilities will:

(1) Have overall responsibility for implementation of the subject program and maintaining compliance with requirements of references (a) and (b) and related local, state and federal regulations.

(2) Have overall responsibility for management of pollution abatement projects per latest revision of MCO P11000.8.

(3) Have overall responsibility for local implementation of Marine Corps programs to correct environmental discrepancies associated with past HM/HW disposal sites.

(4) Ensure that plans and specifications for new facilities provide adequate facilities and collateral equipment for the handling and storage of HM/HW.

d. Director, Natural Resources and Environmental Affairs Division will:

(1) Provide a staff specialist to serve as HMDC for Marine Corps Base.

(2) Provide a command point of contact with state and federal agencies on matters pertaining to the subject program.

(3) Monitor ongoing activities as required to identify, evaluate and provide up-channel reporting of environmental deficiencies related to the subject program.

(4) Coordinate day-to-day implementation of this Order and provide the following types of technical assistance:

(a) Laboratory support, if required, for HW identification.

(b) Training to HMDC's and HMDO's on state and federal environmental laws, regulations and procedures.

(c) Guidance on HM/HW SOP preparation.

(d) Guidance on HM/HW spill prevention, control, cleanup and related HW disposal.

(e) Coordination of HM/HW recycling/minimization program.

(5) Coordinate development and implementation of HW Training Program required for compliance with references (a) and (b).

e. Base Maintenance Officer will:

(1) Collect and dispose of used POL's and oily wastes from collection tanks and other oil pollution abatement facilities in a manner consistent with this Order and references (a) and (b).

(2) Unless otherwise provided, operate and maintain industrial waste collection, pretreatment and disposal facilities within the Camp Lejeune complex in a manner consistent with this order, references (a) and (b) and related State regulations.

(3) Provide HM/HW spill response services in accordance with reference (d).

f. Base Fire Chief will:

(1) Provide HM/HW spill and related emergency services per references (d) and (e) and related HW/HM Spill Contingency Plans.

(2) Provide routine inspections of facilities where HM/HW are stored and handled, and report all discrepancies to cognizant HMDC. Elimination of the following hazards will be stressed:

(a) HM/HW stored in defective containers or containers which are not properly marked with the chemical name, NSN (if appropriate) and hazard label of the contents.

(b) Incompatible HM/HW are stored in a manner with significant potential threat of fire, explosion, or release of toxic fumes or gases due to chemical reaction during spills or leaks.

(c) HM/HW stored in a manner likely to result in a significant discharge to the environment.

g. Assistant Chief of Staff, Logistics will:

(1) Appoint an officer to serve as HMDO for the Logistics Department.

(2) Ensure that suppliers provide hazardous material safety data sheets for all HM procured through open purchase and will provide one copy to unit ordering HM and one copy to the Base Safety Manager.

(3) Ensure local stocking and availability of the following on a reimbursable basis: empty containers; labels; labeling equipment; absorbents; frequently used minor equipment and HM/HW handling supplies required to implement this Order and reference (d).

(4) Provide contracting services required to dispose of HM or HW for which DRMO is not accountable.

(5) Serve as principal agent for the Commanding General on matters pertaining to HM and HW transportation, and will be responsible for:

(a) Monitoring all HW transportation for compliance with requirements of references (a), (b) and (c) and related state and federal regulations.

(b) Providing transportation services and related record keeping required for implementation of this Order and which are not available from the Defense Reutilization and Marketing Officer or the organization generating the HM/HW.

h. Assistant Chief of Staff, Manpower will:

(1) Coordinate for Marine Corps Base the development of a Hazardous Material Information System, per MCO 5100.25. Assist NREAD in providing safety data and related technical support to HMDC's, HMDO's and other cognizant officials as required to implement this Order.

(2) Provide HM related safety training required to implement HW training plans developed in accordance with paragraph 1d(5) of this enclosure.

i. Officer in Charge, Preservation, Packaging (PP&P) Section, 2dFSSG will provide PP&P support (in accordance with established regulations and procedures) to HMDO's, HMDC's, and other HW managers required to accomplish the following:

(1) Identification of type of containers and labeling required for compliance with reference (c) and this Order.

(2) Packaging of HM/HW required for safe storage and transportation during disposal per this Order.

(3) HM transportation certification required for compliance with reference (c).

j. Defense Reutilization and Marketing Officer (DRMO) will:

(1) Operate the base Long-Term Hazardous Waste Storage Facility at the TP-451 complex in accordance with state permit issued under regulations promulgated under references (a) and (b).

(2) Provide HM and HW disposal services to organizations within the Camp Lejeune/MCAS, New River complex in accordance with DOD regulations, references (a) and (b), and related state and federal regulations.

ENCLOSURE (2)

BO 6240.5A
10 Mar 1987

(3) Receive and process HM/HW turn-in documents in a timely manner and provide prompt notification to HMDO's of any document not satisfying applicable turn in criteria or which contain HM/HW for which DRMO is not accountable.

(4) Maintain records of DRMO HM/HW storage and disposal activity in a manner which provides information required for preparation and timely submittal of required reports to state and federal regulatory agencies.

(5) Keeps HMDC's, HMDO's and other cognizant officers informed of changes in DRMO policies and procedures which affect local implementation of the subject program.

k. Commanding Officers of the following Base Commands/Organizations will designate a Primary and Alternate HMDO to carry out duties outlined in 1a and 1b above: Marine Corps Engineer School; Rifle Range Detachment; Field Medical Service Support School; Marine Corps Service Support School; Reserve Support Unit; Infantry Training School; Support Battalion; Headquarters Battalion; Assistant Chief of Staff, Morale, Welfare and Recreation; Assistant Chief of Staff, Logistics, and Base Maintenance Officer within their respective commands/organizations.

HAZARDOUS WASTE TRAINING REQUIREMENTS AND GUIDELINES

1. Hazardous waste (HW) training is a specific requirement of state and federal regulations promulgated under the Resource Conservation and Recovery Act (RCRA). A review of RCRA requirements and the actual HW activity aboard the Camp Lejeune/Marine Corps Air Station, New River complex indicates that a relatively small percentage of personnel require highly specialized HW training. Generally, the requirements for the remaining personnel involved in HW management are satisfied by routine on-the-job training and related safety and fire-prevention training readily available locally. Providing this training will have minor impact on organizational commanders, in that training required is directly job related. Appendix (A) Part II identifies the minimum HW training required, for personnel identified in Section 2d below.

2. Initial and annual refresher HW training is required for all personnel in this Section. For the purpose of these guidelines, only those personnel directly involved in HW handling, storage and disposal will be subject to the HW training documentation requirements of RCRA. A special HW training record, i.e., Appendix (A) Part I will be developed for the following personnel:

a. All Hazardous Material Disposal Officers (HMDO), Hazardous Material Disposal Coordinators (HMDC), and alternate HMDO's and HMDC's.

b. Defense Reutilization and Marketing Officer (DRMO) and subordinate personnel routinely involved in HW handling, storage, turn-in and disposal.

c. Activity personnel involved in transportation of HW required for the implementation of this Order.

d. Personnel assigned to work places meeting the definition of HW generators, HW accumulation areas or satellite HW accumulation areas and involved in one or more of the following:

- (1) Collection, handling, storage and transportation of HW.
- (2) Inspection, and related follow-up, of HW handling/storage areas.
- (3) Response to HW spills and related emergencies.
- (4) Preparation and submittal of HW turn-in documents.

3. Other activity personnel providing professional and technical support to HW management include the following:

- a. Fire Protection personnel
- b. Safety specialists
- c. Environmental staff
- d. Industrial hygienists

Preparation of Appendix A for these staff specialists and emergency personnel is not required. Duties and training provided to these individuals will consist of standard position descriptions and civilian personnel records.

4. Responsibility for providing specialized HW training required for compliance with RCRA is assigned to Assistant Chief of Staff, Facilities. The following officials are responsible for notifying Assistant Chief of Staff, Facilities of specialized training requirements of their subordinates and other personnel as shown.

- a. The DRMO for self and subordinates
- b. The Assistant Chief of Staff, Logistics for subordinates.

c. HMDC's for personnel shown in 2d above within HMDC's cognizance

d. Director, Natural Resources and Environmental Affairs Division (NREAD) for subordinates and primary and alternate HMDC's and HMDO's.

5. Organizational commanders are responsible for developing and implementing plans and procedures to provide RCRA required training and maintain records outlined in Appendix A. Organizational commanders will ensure that all new/newly assigned personnel are provided appropriate HW training and close supervision required to comply with RCRA and applicable personnel safety fire prevention and occupational health standards. Organizational commanders will notify HMDC's of HW training requirements. Notification will include names and addresses of persons to be trained and an accurate description of the training required. HMDC and Assistant Chief of Staff, Facilities representative will coordinate the scheduling and funding of specialized HW training.

6. Records of HW training must be maintained for each employee for three years after employee transferred or terminated, except as follows: if an employee is transferred to a HW related position within the Camp Lejeune/Marine Corps Air Station, New River complex, the HW training records will be transferred to the new organization. Responsibility for maintaining official files of HW training records are as follows:

a. HMDC's will maintain records of HW training for HMDC's, HMDO's and alternate HMDC's and HMDO's within their cognizance.

b. DRMO will maintain HW training records for all employees identified in paragraph 2b above.

c. Assistant Chief of Staff, Logistics will maintain HW training records for all subordinates involved in activities identified in paragraph 2c above.


d. HW training records for all employees identified in paragraphs 2(a) - 2(d) will be maintained on Appendix A, Part I. HMDO will maintain HW training records for personnel identified in paragraph 2(d) above. A copy of training records for personnel identified in paragraph 2(d) above will be maintained in HWMSOP.

c. Director, Natural Resources and Environmental Affairs Division, will inspect all points of HW generation on an annual basis, or more frequently as required, to monitor and evaluate compliance with the order and related state/federal regulations. The results of the annual inspections will be provided in writing to the inspected activity via the chain of command.

d. The Assistant Chief of Staff, Logistics and Assistant Chief of Staff, Facilities will cooperate with the local Defense Reutilization and Marketing Officer in improving HW disposal services to organizations generating HW subject to this Order.

e. Officials responsible for the preparation, awarding and implementation of various types of contracts, shall ensure that all contractor activities are carried out in accordance with the requirements of this Order and related State and Federal regulations.

5. Concurrence. This Order has been coordinated and concurred in by the Commanding Generals, II Marine Amphibious Force, 2d Marine Division, FMF, 2d Force Service Support Group (Rein), FMF, 6th Marine Amphibious Brigade, FMF, and the Commanding Officers, Marine Corps Air Station, New River, Naval Hospital and the Naval Dental Clinic.


M. C. HARRINGTON
Chief of Staff

DISTRIBUTION: A
NREAD 300

