EXISTING 4-#2 ASCR ON SITE TO MAIN LINE

24"

48"

SOUTH ELEV.

ILS - POLE (D) NO SCALE

Instead Pole & Area Light 400 watt

LIMIT OF PLANTING

8" TO AVIATION GASOLINE TANK

CONNECT TO EXISTING POLE (D)

1-#2 ASCR NEUTRAL

NEW CO. INV. 9.00

35-0 CLS

CONNECT TO EXISTING STATE CO.'S WATER LINE AT PROPERTY LINE.

16" C.I. @ 1%

3-#2 ACSR PRIMARY

1-#4 ASCR NEUTRAL

8" C.I. COLD WATER MAIN

TRANSFORMER BANK SEE DETAIL

OVERHEAD SERVICE DROP - 3-250 MCM WP #4, COPPER, TRWP.

M.H.

GRADE AND GRAVEL

Instead Pole & Area Light 400 watt

Instead Pole & Area Light 400 watt

2-12" C.I. VALVED LINES FOR FUTURE EXTENSION

500,000 GAL. WATER RESERVOIR

8" C.I. PASS LINE

ELEV. FIN. FL: 14.0

8" C.I. COLD WATER

LIMIT OF PLANTING

GRADE AND GRAVEL ACCESS DRIVE

Instead Pole & Area Light 400 watt

TOP 8" MAIN

LEGEND

—— UE ——	NEW UNDERGROUND CONDUIT ENCASED FIBRE DUCT LINE AND PRIMARY CABLE
————	PRIMARY LINE (SIZE AS NOTED)
- - - -	SECONDARY LINE & NEUTRAL (SIZE AS NOTED)
	NEW POLE WITH GUY
	HANDHOLE - SEE ABOVE NOTES
—+—	FORCE MAIN

SHEET 9 13

B 3590 31 AUG 1958

10' 0 40' 80' 120' 160' 200'

SCALE: 1" = 40'-0" (GENERAL PLAN)

1' 0 1' 2' 3' 4' 5'

SCALE: 1" = 1'-0"

1' 0' 1' 2' 3' 4' 5' 6' 7' 8' 9' 10' 11'

SCALE: 3" = 1'-0"

SYMBOL	DESCRIPTION	DATE	APPROVAL
A	REVISED AS BUILT BY R.B.J.	15 AUG 58	E.R.M.

REVISIONS

DEPARTMENT OF THE NAVY — BUREAU OF YARDS & DOCKS

DISTRICT PUBLIC WORKS OFFICE 5TH ND NORFOLK, VA.

LEIF VALAND, ARCHITECT

RALEIGH, N.C.

D P W DRAWING NO. 48312

DRWN JCB & HSG

CHK RCB & L.V.

D P W O & R O IN C C

REV. ... RTK

SUPV. ERM

IN CH Chamber

MARINE CORPS AIR FACILITY

NEW RIVER - MERRIFIELD POINT, NORTH CAROLINA

OFFICERS CADET QUARTERS

SEWER · WATER · ELECTRIC

APPROVED — DATE

OFFICER IN CHARGE

SATISFACTORY TO:

SUBMITTED BY: LEIF VALAND, ARCHITECT

SIGNATURE AND TITLE

DATE

APPROVED FOR BUREAU OF YARDS & DOCKS

D P W O FOR CHIEF OF BUREAU

SCALE AS NOTED SPEC. 3590.54

SHEET 9 OF 13 NBY 3590

Y & D DRAWING NO. 739512