

IF FOUND PLEASE RETURN TO NREAD
BLDG 1103 CAMP LEJEUNE, NC
PHONE 2083/2195



UNITED STATES MARINE CORPS
2d Tank Battalion, 2d Marine Division, FMF
Camp Lejeune, North Carolina 28542-5523

IN REPLY REFER TO
5100
S-4
2 Dec 86

From: MGySgt SLOAN
To: S-4 Officer

Subj: HAZARDOUS WASTE/MATERIAL INSPECTION BY TANK BATTALION S-4

1. On 1 Dec 86 an inspection was held at Buildings # 1854, 1855 and 1819. Building #1854 has (3) Hazardous waste sites. Two sites outside the Building and one inside. The sites outside are controlled by Battalion Motor Transport and Battalion Maintenance respectively. The sites are controlled by, site 1 Battalion Motor Transport, site 2 Battalion Maintenance. Site 3 is inside the Building and is controlled by Battalion Comm.

2. The Three sites are holding Areas for these listed Hazardous waste.

(a) SITE NUMBER ONE

Paint thinner
Spent Solvents
Used Electrolyte

(b) SITE NUMBER TWO

Used electrolyte

(c) SITE NUMBER THREE

Lithium Batteries

3. All the above listed sites were checked for proper storage, containment and record keeping. All personnel assigned as Hazardous Waste handlers were questioned. They were found to be knowledgeable on the control of their respective site. All sites were found to be in-acord with the Base Order.

4. In addition Tank Battalion has Two locations where chemicals are stored that could present a hazard if spilled.


(a) Building #1855 Battalion Supply

Super tropical bleach

(b) Building #1819 Battalion S-3 (Turret Trainer)

DS-2 Decontaminating Agent

5. Both the above listed Building were checked for proper Storage, Containment and found to be in-acord with the Base Order.




2D TANK ISN

SECURITY CHECK LIST


COMPLETED BY: _____
 DATE: _____
 TIME: _____

* Main Door
 ☒ Bay Door
 □ Door



#	SEC.	UNSEC.	#	SEC.	UNSEC.
1			16		
2			17		
3			18		
4			19		
5			20		
6			21		
7			22		
8			23		
9			24		
10			25		
11			26		
12			27		
13			28		
14			29		
15			30		
			31		

NOTE: REASON THAT DOOR IS UNSECURED / INDIVIDUALS WORKING LATE/BROKEN DOOR LOCKS



2ND TANK Bn Pals

Bn S-4 - MAJOR Cook

MSGT SLOAN

TRUCK Co - MSGT HILDT (3417) [CAPT. NOXON]

SGT Williams

Comm. Plt. LCPL QUINONES (3406) [CAPT. POOLE] COMM. OFFICER

TANK MAINT. SSGT JOHNSON (1948/3168)

CPL SNODGRASS [USD PAYNE] MAINT. OFFICER




A series of horizontal lines spanning the width of the page, typical of lined paper.

LAST INSPECTION

30 JAN 86

BECKER / KAUP

STORAGE LOCATIONS Bldg. 1854





USE OF THE



1950

1950

ORGANIZATION:


2d MARDIV
2d Tank BN

INSPECTION DATE: 9 December 1986

INSPECTOR'S NAME Sammy Gwynn

NO.	SPECIFIC LOCATION	DISCREPANCY	REF	RECOMMENDED CORRECTIVE ACTION
1.		<u>TANK FACILITY/MOTOR TRANSPORT/MAINTENANCE SHOP</u>		

COMMENT: FOR THE PURPOSE OF THIS INSPECTION, THE FACILITY WILL BE CONSIDERED IN COMPLIANCE WITH HAZARDOUS WASTE REGULATIONS.



2d MARDIV

AUTHORIZED HW GENERATION AND STORAGE SITES FOR 2d TANK BN

SITE NO. 1
GENERATION/ACCUMULATION


Bldg. 1854, Motor Transport
SOLVENT, WASTE OIL

SITE NO. 2
GENERATION/ACCUMULATION

Bldg. 1854, Motor Transport,
Battery Room
ELECTROLYTE

SITE NO. 3
GENERATION/ACCUMULATION

Bldg. 1854, Tank Facility
ELECTROLYTE & WASTE OIL



Memorandum

DATE:

FROM:

TO:

Rough

SUBJ: Hazardous Waste Inspection, 2nd. Tank Bn., 30 January 1986

Ref 'A) BO 62405

B) State Regulations for the implimentation of the
Resource Conservation and Recovery Act

Encl 1) Findings of Hazardous Waste Inspection 30 January 1986

1. In accordance with Ref (a) para 4 g (2), subject inspection was carried out to determine compliance with Ref (b). Results of subject inspection are provided in Encl (1). There were no violations noted.


DANGEROUS WASTE MANAGEMENT INSPECTION

1. Organization Inspected: 2nd Tank Bn Bldg 1854
2. Name and title of persons conducting inspection:
- a. NREAD Representative: BECKER / MARTIN
- b. Organizational Commander Representative: MSGT SLOAN
- c. Other (Specify): MSGT KAUF HNDX, Division [Major Cook, S-4]
Cpl. SNODGRASS, SSGT Johnson 2nd TANK BN
LCPL Quinones, Bn Comm, TOP HILDT, motor T.
Sgt. Williams
3. Brief Description of HW Activity: WASTE lithium BATTs., WASTE
SOLVENT USED FOR DEGREASING

4. Summary of Findings (See Attachment A- C)

a. Assignment of HW management responsibilities and related personnel training and record keeping: EXCELLENT - NO VIOLATIONS NOTED

b. Adequacy of HW handling, storage and related internal controls and inspection: EXCELLENT - NO VIOLATIONS NOTED




INSPECTION FOR HAZARDOUS WASTE HANDLING AND STORAGE AREAS


Name of Facility: Bn Motor Transport

Name/Title OIC: Capt. Noxon

AREA OF CONCERN	YES	NO	CORRECTIVE ACTION NEEDED (use back of page to log action taken)				
<p><u>A. CONDITION OF CONTAINERS</u></p> <p>1. Are containers closed</p> <p>2. Are containers leaking</p> <p>3. Are containers bulging</p> <p>4. Are containers collapsed</p> <p>5. Are containers corroded</p> <p>6. Are containers over-filled</p> <p>7. Other problems present</p>	/		<p>NOTE: 1 NO SOLVENT STORED AT THIS TIME</p>				
<p><u>B. LABELING AND MARKING</u></p> <p>1. Are HW labels in place</p> <p>2. Are HW labels filled out</p> <p>3. Are hazards (i.e., flammable, corrosive, etc.) labels or markings adequate</p>			/		<p>SEE NOTE ONE</p>		
<p><u>C. Are HWs being disposed of by deadlines</u></p>					/		<p>3. HAVE NOT HAD ANY TO DISPOSE OF SINCE ASSUMING CONTROL OF HW MGT.</p>
<p><u>D. SECURITY AND EMERGENCIES</u></p> <p>1. Is access limited to authorized personnel only</p> <p>2. Is emergency response information posted</p> <p>3. Supplies and equipment readily available</p>							<p>✓</p>

DATE: 30 JAN 86


SIGNATURE: 




e. Corrective Action Recommended:

1. POST EMERGENCY RESPONSE SIGN AT DRUM STORAGE (HW) AREA PER BO 11090.1B

f. Sketch showing location of Facility:





INSPECTION FOR HAZARDOUS WASTE HANDLING AND STORAGE AREAS


Name of Facility: Comm Pft.

Name/Title OIC: Capt. Pablos (CPL. QUINONES - BAH. NCO)
Comm. O.

AREA OF CONCERN	YES	NO	CORRECTIVE ACTION NEEDED (use back of page to log action taken)
<p><u>A. CONDITION OF CONTAINERS</u></p> <p>1. Are containers closed <input checked="" type="checkbox"/></p> <p>2. Are containers leaking <input type="checkbox"/></p> <p>3. Are containers bulging <input type="checkbox"/></p> <p>4. Are containers collapsed <input type="checkbox"/></p> <p>5. Are containers corroded <input type="checkbox"/></p> <p>6. Are containers over-filled <input checked="" type="checkbox"/></p> <p>7. Other problems present <input type="checkbox"/></p>			
<p><u>B. LABELING AND MARKING</u></p> <p>1. Are HW labels in place <input type="checkbox"/></p> <p>2. Are HW labels filled out <input type="checkbox"/></p> <p>3. Are hazards (i.e., flammable, corrosive, etc.) labels or markings adequate <input checked="" type="checkbox"/></p>	<p>NOTE #1</p> <p>NOTE #1</p>		<p>1. NO BATHS READY FOR Disposal AT THIS TIME</p>
<p><u>C. Are HWs being disposed of by deadlines</u></p>	<p><input checked="" type="checkbox"/></p>		
<p><u>D. SECURITY AND EMERGENCIES</u></p> <p>1. Is access limited to authorized personnel only <input checked="" type="checkbox"/></p> <p>2. Is emergency response information posted <input type="checkbox"/></p> <p>3. Supplies and equipment readily available <input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p> <p><input type="checkbox"/></p> <p><input checked="" type="checkbox"/></p>	<p><input type="checkbox"/></p> <p><input checked="" type="checkbox"/></p> <p><input type="checkbox"/></p>	

DATE: 30 JAN 86


SIGNATURE: R. J. Quinones




e. Corrective Action Recommended:

1. POST EMERGENCY RESPONSE on BATT. ROOM DOOR
PER BO 11090.1B

f. Sketch showing location of Facility:





INSPECTION FOR HAZARDOUS WASTE HANDLING AND STORAGE AREAS


Name of Facility: TANK MAINT.

Name/Title OIC: WO PAYNE MAINT. OFFICER

AREA OF CONCERN	YES	NO	CORRECTIVE ACTION NEEDED (use back of page to list action taken)				
<p><u>A. CONDITION OF CONTAINERS</u></p> <p>1. Are containers closed</p> <p>2. Are containers leaking</p> <p>3. Are containers bulging</p> <p>4. Are containers collapsed</p> <p>5. Are containers corroded</p> <p>6. Are containers over-filled</p> <p>7. Other problems present</p>	/	/	<p><u>NOTE: NO HAZ. WASTE</u> <u>CURRENTLY BEING GENERATED</u> <u>OR STORED.</u> <u>(TANK MAINT. DOES NOT</u> <u>USE SOLVENTS)</u></p>				
<p><u>B. LABELING AND MARKING</u></p> <p>1. Are HW labels in place</p> <p>2. Are HW labels filled out</p> <p>3. Are hazards (i.e., flammable, corrosive, etc.) labels or markings adequate</p>			/	/			
<p><u>C. Are HWs being disposed of by deadlines</u></p>					/	/	
<p><u>D. SECURITY AND EMERGENCIES</u></p> <p>1. Is access limited to authorized personnel only</p> <p>2. Is emergency response information posted</p> <p>3. Supplies and equipment readily available</p>							/


DATE: 30 JAN 86


SIGNATURE: [Signature]



e. Corrective Action Recommended: *NA*

f. Sketch showing location of Facility:






INSPECTION FORM FOR HAZARDOUS WASTE HANDLING AND STORAGE AREAS

AREA OF CONCERN	YES		NO	CORRECTIVE ACTION NEEDED (use back of page to log action taken)
<p>A. <u>CONDITION OF CONTAINERS</u></p> <p>1. Are containers closed</p> <p>2. Are containers leaking</p> <p>3. Are containers bulging</p> <p>4. Are containers collapsed</p> <p>5. Are containers corroded</p> <p>6. Are containers over-filled</p> <p>7. Other problems present</p>				
<p>B. <u>LABELING AND MARKING</u></p> <p>1. Are HW labels in place</p> <p>2. Are HW labels filled out</p> <p>3. Are hazards (i.e., flammable, corrosive, etc.) labels or markings adequate</p>				
<p>C. Are HWs being disposed of by deadlines</p>				
<p>D. <u>SECURITY AND EMERGENCIES</u></p> <p>1. Is access limited to authorized personnel only</p> <p>2. Is emergency response information posted</p> <p>3. Supplies and equipment readily available</p>				

DATE: _____

SIGNATURE: _____



INSPECTION FORM FOR HAZARDOUS WASTE HANDLING AND STORAGE AREAS

AREA OF CONCERN	YES	NO	CORRECTIVE ACTION NEEDED (use back of page to log action taken)
<p>A. <u>CONDITION OF CONTAINERS</u></p> <ol style="list-style-type: none"> 1. Are containers closed 2. Are containers leaking 3. Are containers bulging 4. Are containers collapsed 5. Are containers corroded 6. Are containers over-filled 7. Other problems present 			
<p>B. <u>LABELING AND MARKING</u></p> <ol style="list-style-type: none"> 1. Are HW labels in place 2. Are HW labels filled out 3. Are hazards (i.e., flammable, corrosive, etc.) labels or markings adequate 			
<p>C. Are HWs being disposed of by deadlines</p>			
<p>D. <u>SECURITY AND EMERGENCIES</u></p> <ol style="list-style-type: none"> 1. Is access limited to authorized personnel only 2. Is emergency response information posted 3. Supplies and equipment readily available 			

DATE: _____


SIGNATURE: _____

INSPECTION FORM FOR HAZARDOUS WASTE HANDLING AND STORAGE AREAS

AREA OF CONCERN	YES		NO	CORRECTIVE ACTION NEEDED (use back of page to log action taken)
<p>A. <u>CONDITION OF CONTAINERS</u></p> <p>1. Are containers closed</p> <p>2. Are containers leaking</p> <p>3. Are containers bulging</p> <p>4. Are containers collapsed</p> <p>5. Are containers corroded</p> <p>6. Are containers over-filled</p> <p>7. Other problems present</p>				
<p>B. <u>LABELING AND MARKING</u></p> <p>1. Are HW labels in place</p> <p>2. Are HW labels filled out</p> <p>3. Are hazards (i.e., flammable, corrosive, etc.) labels or markings adequate</p>				
<p>C. Are HWs being disposed of by deadlines</p>				
<p>D. <u>SECURITY AND EMERGENCIES</u></p> <p>1. Is access limited to authorized personnel only</p> <p>2. Is emergency response information posted</p> <p>3. Supplies and equipment readily available</p>				

DATE: _____

SIGNATURE: _____



INSPECTION FORM FOR HAZARDOUS WASTE HANDLING AND STORAGE AREAS

AREA OF CONCERN	YES	NO	CORRECTIVE ACTION NEEDED (use back of page to log action taken)
<p>A. <u>CONDITION OF CONTAINERS</u></p> <p>1. Are containers closed</p> <p>2. Are containers leaking</p> <p>3. Are containers bulging</p> <p>4. Are containers collapsed</p> <p>5. Are containers corroded</p> <p>6. Are containers over-filled</p> <p>7. Other problems present</p>			
<p>B. <u>LABELING AND MARKING</u></p> <p>1. Are HW labels in place</p> <p>2. Are HW labels filled out</p> <p>3. Are hazards (i.e., flammable, corrosive, etc.) labels or markings adequate</p>			
<p>C. Are HWs being disposed of by deadlines</p>			
<p>D. <u>SECURITY AND EMERGENCIES</u></p> <p>1. Is access limited to authorized personnel only</p> <p>2. Is emergency response information posted</p> <p>3. Supplies and equipment readily available</p>			

DATE: _____

SIGNATURE: _____



1. PURPOSE AND SCOPE

2. REFERENCES

3. DEFINITIONS

4. PROCEDURES

5. RESPONSIBILITIES

6. RECORDS

7. APPENDICES

8. HISTORY

9. APPROVALS

10. CONTACT

11. SECURITY AND CONFIDENTIALITY

12. DISTRIBUTION

13. REVISIONS

14. OTHER INFORMATION

INSPECTION FORM FOR HAZARDOUS WASTE HANDLING AND STORAGE AREAS

AREA OF CONCERN	YES		NO	CORRECTIVE ACTION NEEDED (use back of page to log action taken)
A. <u>CONDITION OF CONTAINERS</u> 1. Are containers closed 2. Are containers leaking 3. Are containers bulging 4. Are containers collapsed 5. Are containers corroded 6. Are containers over-filled 7. Other problems present				
B. <u>LABELING AND MARKING</u> 1. Are HW labels in place 2. Are HW labels filled out 3. Are hazards (i.e., flammable, corrosive, etc.) labels or markings adequate				
C. Are HWs being disposed of by deadlines				
D. <u>SECURITY AND EMERGENCIES</u> 1. Is access limited to authorized personnel only 2. Is emergency response information posted 3. Supplies and equipment readily available				

DATE: _____

SIGNATURE: _____



INSPECTION FORM FOR HAZARDOUS WASTE HANDLING AND STORAGE AREAS

AREA OF CONCERN	YES		NO	CORRECTIVE ACTION NEEDED (use back of page to log action taken)
<p><u>A. CONDITION OF CONTAINERS</u></p> <p>1. Are containers closed</p> <p>2. Are containers leaking</p> <p>3. Are containers bulging</p> <p>4. Are containers collapsed</p> <p>5. Are containers corroded</p> <p>6. Are containers over-filled</p> <p>7. Other problems present</p>				
<p><u>B. LABELING AND MARKING</u></p> <p>1. Are HW labels in place</p> <p>2. Are HW labels filled out</p> <p>3. Are hazards (i.e., flammable, corrosive, etc.) labels or markings adequate</p>				
<p><u>C. Are HWs being disposed of by deadlines</u></p>				
<p><u>D. SECURITY AND EMERGENCIES</u></p> <p>1. Is access limited to authorized personnel only</p> <p>2. Is emergency response information posted</p> <p>3. Supplies and equipment readily available</p>				

DATE: _____

SIGNATURE: _____

