

file

Type  
File

PURCHASE DESCRIPTION WORKSHEET  
MCBCL 4225/2

SPECIFICATIONS

STOCK NO. 7930-01-145-5797

Compound, absorbent, anti-slip, for immediate pick-up/clean-up control and disposal of common and toxic/hazardous waste spills; use on any type flooring/deck and concrete surface. 25 pounds per bag.

P/N  
SS1-25

Mfg  
Andesite Co., Inc.

LOADED TO WANG 2/13/89 HJ


U/I BG U/P 10.40

NEW ITEM  
 DESCRIPTION CHANGE

SHOP STORES  
 SELF SERVICE CENTER

DATE 13 March 1985

INITIALS SKW



NEW ITEM NOTICE

MCBCL 4400 (REV 2-80)

Section I

Date: 26 Feb. 85

FROM: Work Management Section 71  
TO: Officer in Charge, DSSC Division  
(Attn: Systems Management and Development Branch)

1. NSN/MFR PART NR 7930-01-154-7001 <b>145-5797</b>	2. REFERENCE PUBLICATION Contract # GS-00F-71416	3. MFR MAKE AND MODEL OR EQUIPT NR Safe Step/Andesit of Ca. Inc. 1260 South Goodrich Blvd. Los Angeles, Ca. 90022	4. UNIT PRICE \$ 10.40	5. UNIT OF ISSUE BG <b>(25 lb bag)</b>	6. 30 DAY USAGE 20	7. DATE REQUIRED ASAP	8. ISSUE PT MLV 65
---	--	--	---------------------------	--	-----------------------	--------------------------	-----------------------

9. DESCRIPTION Special Item #NIS G-4979 Safe Step Absorbent/Anti-slip compound

SIGNATURE: Richard E. Brown  
Richard E. Brown

Section II

Date: 7 March 85

CONTROL NO: SMAD #191

FROM: Officer in Charge, Systems Management and Development Branch  
TO: JFR

APPROVED  DISAPPROVED  CATALOG  DELETE  RESEARCH

SIGNATURE: 2/2/85 [Signature]

Section III

Date 13 Mar 1985

FROM: Officer in Charge, Support Division, Technical and Research Branch  
TO: Officer in Charge, DSSC Division  
(Attn: Systems Management and Development Branch)

U/I	U/P	MEC	SAC	SSRIC	DEMIL
BG	10.40	04	1	GSA	A

REMARKS:

Commodity Cd. to PIC  
Adoption sheet  
E04's attached

**RESEARCHED BY**

SIGNATURE: Sonya K Wolfe

1902-01

(1880)

SEARCHED BY

UNITED STATES MARINE CORPS  
2D Marine Division, Fleet Marine Force  
Camp Lejeune, North Carolina 28542


4400  
DSO  
9 May 85

FIRST ENDORSEMENT on CO, Second Combat Engineer Battalion ltr  
4400 SUPO dtd 8 May 85

From: Commanding General, Second Marine Division, FMF  
To: Commanding General, Marine Corps Base, FMF, Camp Lejeune  
NC (Attn: DSSC)

Subj: NEW ITEM STOCKAGE; REQUEST FOR DSSC SELF-SERVICE

1. Forwarded.

  
V. E. TOMPKINS  
By direction

Copy to:  
2D CbtEngrBn

---


4400  
DS-SSC  
13 May 85


FIRST ENDORSEMENT

From: Officer in Charge, Self Service Branch  
To: Officer in Charge, SMAD

Subj: NEW ITEM STOCKAGE

1. Forwarded for review and consideration of stockage.

  
F. A. JONES, JR.





UNITED STATES MARINE CORPS  
2d Combat Engineer Battalion  
2d Marine Division, FMF  
Camp Lejeune, North Carolina 28542-5522

A 3870

IN REPLY REFER TO:

4400  
SUPO  
8MAY85

From: Commanding Officer  
To: Commanding General, MCB Camp Lejeune, (Attn: DSSC)  
Via: Commanding General, 2nd MarDiv, FMF, (Attn: G-4/DSO)

Subj: NEW ITEM STOCKAGE REQUEST FOR DSSC SELF-SERVICE

Ref: (a) Phonecon between Bn Supply Officer and DSSC Manager

Encl: (1) Copy of literature on item requested to be stocked


1. In compliance with the reference, it is requested that this brand of oil-dry be stocked at the self service center.


2. Heavy Equipment and Motor transport personel have approached the unit supply officer requesting the "Safestep" oil-dry because the current brand stocked does not adequately neutralize some of the fluids commonly used by these commodities. These personel also state that they became familiar with this product through its utilization at the DSSC, MCB, Camp Pendelton, California.

3. In the interest of improved safety and DSSC product quality, it is recommended that stockage of this item be carefully considered. The following information is provided to assist the respective Item Managers:

<u>NOMENCLATURE</u>	<u>NSN</u>	<u>U/I</u>	<u>GSA/Spec. ItemNo.</u>
Dry Sweep/Oil-Dry	7930 01 154 7001	bg SK	GS-00S-40100/ NIS-G-4979
	7930 01-145-5797	bg	"SAFESTEP"

4. Your consideration is greatly appreciated.


  
A.E. WATTAY JR.  
By Direction



# Maintenance


## SAFESTEP FOLLOW-UP: A NEW NSN

1.




Encircle spill with SAFESTEP, especially if spill is spreading or of a continuous nature. Cover spill with SAFESTEP.

2.




Without waiting, sweep SAFESTEP through the spill. Use a stiff broom or a shovel for a large or for very viscous spills.

3.




Lightly reapply SAFESTEP and sweep/swirl to remove any remaining spill residue. Even residues from old spills and stains can be lifted from porous surfaces.

4.



Sweep up all remaining SAFESTEP and dispose. Surface is completely dry, safe, and immediately usable because SAFESTEP leaves no spill residue to become a source for slip accidents or be tracked all over (necessitating more extensive clean up).



Our goal: a clean, safe work area.

Photos courtesy of  
US Marine Corps

In the last issue, we introduced a new sorbent material, SAFESTEP. Since that time, we have had several calls asking for a stock number. The new NSN is 7930-01-145-5797. — Editor

# 1982 TATHOM

SURFACE SHIP & SUBMARINE SAFETY REVIEW

25 lb. 6g  
NSN 7930-01-145-5797  
Unit of Issue: 'Bag'

\* \* \* \* \*

NSN 7930-01-154-7001  
Unit of Issue: Double-wing,  
4-Way Entry 'Skid', 40 Bags.



## Safestep

wo Jerry's  
3975

## makes a clean sweep

FASTER, safer, and more effective are among the adjectives being used to describe a new sorbent material, *Safestep*.

Manufactured by Andesite of California, *Safestep* outperforms other sorbents in picking up and retaining oils, petrochemicals, acids, caustic solutions, organic compounds, inorganic chemicals, PCBs, and other toxic and hazardous waste.

It is the only sorbent with the ability to soak up and hold on to a spill on contact. *Safestep* is a natural adsorbent, fundamentally different from other absorbents which slowly soak up but do not retain liquids. *Safestep* even draws a portion of the spill from a porous surface through capillary action, thereby leaving a clean, dry, non-slick surface on any type of interior or exterior floor or deck.

This compound cleans up a spill in one-tenth of the time it takes for other kitty litter-type sorbents. There is no need to let the compound sit and soak. You put the *Safestep* over the spill and immediately sweep it up. This fast action prevents the spill from spreading or penetrating and makes the spill area immediately reusable. It also minimizes the danger of flammability or exposure to toxic fumes.

*Safestep* is an inert, inorganic blend of siliceous and other minerals, insoluble in practically all solvents and strong min-

eral acids, except hydrofluoric acid. Since it is nonsoluble in water, it's not to be used on water spills. Its small particle size presents a much larger total surface area than would a larger particle size. Thus, more particles and surface area are available to encapsulate and hold on to a spill.

*Safestep* has been especially effective in dealing with hazardous waste spills. Tests have shown that it picks up more PCB-contaminated oil than other sorbents and retains more than five times the PCB compared to other sorbents. The PCBs held by *Safestep* will not migrate. This makes it an excellent compound for storage and disposal purposes.

Although *Safestep* costs more per bag, it is less expensive in the long run since only a small quantity is needed for a spill. And since it cleans so thoroughly, additional cleanup may not be required.

Andesite is currently working to get a NSN designation for *Safestep*. In the meantime, it can be ordered through GSA. It is listed as contract GS-00S-40100, special item no. NIS-G-4979.

For further information, contact Andesite at 1260 S. Goodrich Blvd., Los Angeles, CA 90022, telephone (213) 726-7602.

# Make Your Next Step a Safestep

By R.J. Mason  
Materials and Processes  
COMNAVAIRPAC  
NAS North Island, CA

ARE you looking for a fast pickup? Are you willing to pay a little more for fast action and complete satisfaction? If your problem happens to be a fluid spill, you may want to consider a new product recently introduced into the Navy supply system called *Safestep*. The new material (manufactured by Andesite of California, Inc.) reportedly out performs other sorbent materials in picking up and retaining oils, petro-chemicals, acids, caustic solutions, organic compounds, inorganic chemicals and other toxic/hazardous materials.

What's the difference between *Safestep* and the dry sorbent material you are now using to clean up spills? The answer lies in the definition of *absorption* and *adsorption*. Chances are the product you are now using works by absorption. Old Dan Webster defines *absorption* as "to take in and make part of an existing whole; to suck up or take up like a sponge." In this case it simply means that the sorbent is full of holes and the liquid you want to pick up becomes entrapped in those holes. The effectiveness of the material depends on how porous it is and how much is used. On the other hand, old Dan Webster defines *adsorption* (the method by which *Safestep* works) as "the adhesion in an extremely thin layer of molecules to the surfaces of solid bodies or liquids with which they come in contact." Simply stated, this means that the liquid you are trying to contain and/or pick up will immediately attach itself to all exposed surfaces of the sorbent material and cling there.

*Safestep* is a natural adsorbent comprised of an inert, inorganic blend of siliceous and other minerals and is insoluble in just about all solvents or strong mineral acids except hydrofluoric acid. According to the manufacturer, the retentive property of *Safestep* is what separates it from the dry sorbents most of us are familiar with. This ability to hold on contact has positive and far-reaching ramifications for the general maintenance, environmental and safety communities. It means that spills can be picked up both faster and more completely than in the past, thereby reducing cleanup time (cost) while limiting human exposure to spilled chemicals and environmental contamination. Significantly, when adsorbed by *Safestep*, the hazardous and contaminated wastes being stored, transported and disposed of will be less likely to cause problems again due to accidents, container deterioration or leaching.

The directions for using *Safestep* are simple and straight-

forward. The following sequence of operation is suggested by the manufacturer (illustrated instructions for use are on each bag):


1. Encircle spill with *Safestep*, especially if the spill is spreading or of a continuous nature. Cover spill completely with *Safestep*.
2. No need to wait. Simply sweep *Safestep* back and forth through the spill until the spill is completely picked up. Sweep up and dispose. Use a stiff broom or shovel for large or very viscous spills.



2

3

4







## MANAGEMENT SAFETY REVIEW

1. Lightly reapply Safestep and sweep/swirl to remove any remaining spill residue. Even some residue from old spills and stains will be lifted from porous surfaces.
  2. Sweep up all remaining Safestep and dispose. Surface will be completely dry, safe and immediately usable.
- Safestep is available in the Navy supply system and can be procured in two units of issue. Using NSN 7930-01-145-5797 it can be procured by the bag.

Although Safestep costs more per bag than some of the better known dry sorbents, it may be less expensive in the long run since a smaller quantity is needed for any given spill. Because it cleans so thoroughly during its first application, additional cleanup efforts may not be required. All time saved from the use of Safestep can be applied to more useful and productive purposes.

While we cannot recommend Safestep above all others, it should be considered when evaluating your sorbent material requirements. ★





Naval Safety Center  
Shore Safety Programs  
Norfolk, VA 23511  
AV 690-1188  
FTS 954-1188  
Comm (804) 444-1188

VOL II  
Issue 4  
15 Nov 1982

## SHORE SAFETY BULLETIN

### 12. "SAFESTEP" - Contract #GS-OOS-40100

A new product is now available for spill adsorption which immediately picks up and retains with minimal leaching - oils, petrochemicals, acids, caustic solutions, organic compounds, inorganic chemicals, PCB's, and other toxic and hazardous waste. This product, called "Safestep", leaves a clean, dry, non-stick surface on any type of interior or exterior flooring or deck (asphalt, wood, concrete, etc.) reducing slip/fall injuries.

Safestep is claimed by the manufacturer to:

- Be insoluble in practically all solvents and strong mineral acids
- Be less dusty than other adsorbents
- Work immediately on contact
- Make the spill area immediately reusable and non-slippery

For details, contact Andesite of California, Inc., 1260 South Goodrich Blvd., Los Angeles, CA 90022. Tel: (213) 726-7602.

(Editor's Note: We don't usually discuss commercial products, but "Safestep" has been demonstrated at NAVSAFECEN and really does its intended job).



09 May 1984

MEMORANDUM

From: Force Aircraft Maintenance Officer  
To: Distribution

Subj: Safestep Utilization Report

Encl: (1) Fathom Magazine Article  
(2) Air Force Maintenance Magazine Article (JAN/MAR 83)  
(3) The Air Force Safety Journal Article  
(4) Unique Sorbent Material  
(5) Naval Safety Center Shore Safety Bulletin  
(6) Information for Ordering Activities


1. We cannot, for obvious reasons, endorse a commercial product; however, believe that fleet units should be aware of a product that displays the potential to aid in the daily maintenance functions. The product is Safestep, manufactured by Andesite of California Inc. Enclosures (1) through (5) discuss merits of the material. Enclosure (6) depicts the NSN and address for ordering material.

2. For information purposes, approximately one year ago a demonstration was conducted at NAS North Island Fuel Farm and in a CV concerning Safestep. The material performed all functions of quickly absorbing liquid petroleum spills and did not leave a dusty or abrasive residue. Deck surfaces were left clean, safe and dry, and rapidly useable. It appears to go further and effects a noticeably greater clean up than sorbent material presently utilized.

3. The material has been used this past year by numerous activities, including aircraft carriers, and has proved to be a versatile and effective material as stated by the user. Other units, as supported by enclosures one through five, support the use of Safestep. If you have comments con-

cerning the use or problems with the material, please inform the Force Aircraft Maintenance Officer.

Respectfully,



EUGENE H. WEST

Distribution:

COMASWINGPAC (Maintenance Officer)  
COMFAIRWESTPAC (Maintenance Officer)  
COMFAIRWESTPAC DET CUBI PT RP (Maintenance Officer)  
COMFITAEWINGPAC (Maintenance Officer)  
COMLATWINGPAC (Maintenance Officer)  
COMMATVAQWINGPAC (Maintenance Officer)  
COMPATWINGSPAC (Maintenance Officer)  
Carrier Air Wing - 2 (Maintenance Officer)  
Carrier Air Wing - 5 (Maintenance Officer)  
Carrier Air Wing - 9 (Maintenance Officer)  
Carrier Air Wing - 11 (Maintenance Officer)  
Carrier Air Wing - 15 (Maintenance Officer)  
29B2 Aircraft Carrier PAC (Attn: AIMD Officer)  
31H2 Amphibious Assault Ship PAC (Attn: AIMD Officer)  
CG First MAW, Third MAW (Maintenance Officer)  
MCAS YUMA (AIMD Officer)

REQUEST FOR ASSIGNMENT/ADOPTION OF NSN

From: Commanding General{MLD} Marine Corps Base Camp Lejeune, North Carolina 28542	To: Commanding General{P841} MCLSBLANT Albany, Georgia 31702
--	--

PART I

1. Request No. MLD-00073-85	2. Local Stock No{if applicable}	3. NSN{if known} 7930-01-145-5797
--------------------------------	----------------------------------	--------------------------------------

4. Item Name: <i>Compound Absorbent</i>	5. Equipment Application/Use{if known}: <i>Post and station</i>
--	--

6a. MFR/Non-MFR Name{s} & Address(es) or Code{s}: a. <i>Andesit &amp; Co. Inc.</i> a. <i>1260 South Goodrich Blvd</i> a. <i>Los Angeles, Ca.</i> a. <i>90022</i>	6b. Part/Drawing No. {s}: b. <i>SS1-25</i> b. _____ b. _____ b. _____
--	---

7. Unit Of Issue: <i>BG</i>	8. Unit Of Measure: <i>25 lbs per Bag</i>	9. Unit Price: <i>10.40</i>
--------------------------------	--	--------------------------------

10. Item Identification: *Compound absorbent, anti-slip, for immediate pick-up/clean-up control and disposal of common and toxic/hazardous waste spills; use on any type flooring deck and concrete surface.*

11. Source of NSN:

CMCRL	OTHER	If other indicate Source <i>IL BA C7900</i>
-------	-------	---

12. Annual EST Usage: <i>360</i>	Requestor's Name: <i>Danya K Wolfe</i>	Code/Phone No. Date: <i>21P/ 5172</i>
-------------------------------------	---	--

PART II

16. From: Commanding General{P841} MCLSBLANT Albany, Georgia 31702	17. To: Commanding General{MLD} Marine Corps Base Camp Lejeune, North Carolina 28542
--	--

18. Action Taken:

NSN _____	Assigned by MCSA _____
NSN _____	Applies _____
NSN _____	Phrase Code _____ To _____

NSN \_\_\_\_\_ : Returned for following Reason *Action taken to register M.C. as user*

19. Management Data:

<i>SOS</i>	<i>U/I</i>	<i>U/P</i>	<i>MEC</i>	<i>SAC</i>
<i>AAC "L"</i>	<i>JGG BG</i>	<i>10.40</i>	<i>02</i>	<i>1</i>

20. Assignor's Name: <i>Myrtle Booth</i>	21. Released By:	22. Date:
---	------------------	-----------

1-86

MEB-54

10-10 BAG

25-lb bag

Q01-16-24-AA

65-33-10-AA

1980-01-142-2001

Component, Abductor, ...

2-1-28

Component, ...

10-40

B+

22 RA 6000

2175

Component

800

# Andesite of California Inc.

1260 South Goodrich Boulevard  
Los Angeles, California 90022

January 1984

RE: Customer Assistance, SAFESTEP sorbent

Dear Sir:

We take the liberty of sending you literature and some support materials for SAFESTEP sorbent. Yes, SAFESTEP has gotten a lot of attention, and it is because everywhere it has been properly presented and utilized, SAFESTEP has significantly improved Base safety, environmental, and general maintenance programs.

Used properly, SAFESTEP goes further than conventional sorbents and does a significantly better job in a fraction of the time. To ensure everyone obtains these results, we have begun a concerted Customer Assistance Program, including


- 1) Sending Customer Assistance Cards with every SAFESTEP order order which elicit feedback and announce our toll-free telephone numbers to facilitate communication.
- 2) Improving the face of the SAFESTEP bag to include illustrated instructions for proper use (reproduction enclosed).
- 3) Establishing a network of ex-military, maintenance background 'reps' to service the Bases and ensure SAFESTEP is as enthusiastically accepted and widely used everywhere as it is at those Bases where we are represented.

**\*\*Attached are copies of 1983 orders for SAFESTEP from your Base. Would you please forward these materials to those who requisitioned and use SAFESTEP, so that we might establish our relationship with Base personnel and assist them in obtaining the greatest benefit from SAFESTEP.**

Thank you.

Yours sincerely,

ANDESITE OF CALIFORNIA, INC.

  
Michael A. Taylor  
Military Programs Coordinator







CONTINUATION SHEET


3K

M67001-85-F-4112


2 2

NAME OF OFFEROR OR CONTRACTOR  
ANDESITE OF CALIFORNIA

ITEM NO.	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001 0002	M93058-5031-W009 (38 BG) — <i>S.W.</i> M93058-5028-W002 (38 BG) 7930-01-145-5797 ABSORBENT ANTI SLIP COMPOUND FOR OIL SPILL PICK UP	76	BG	10.10	\$767.60
<p><u>F.O.B. LOS ANGELES, CA.</u> Transportation charges estimated not to exceed \$75.00. All transportation charges shall be prepaid and listed on dealers invoice as a separate item. In the event transportation charges exceed the estimated amount, invoices must be substantiated by paid receipts or certified true copies of freight bills.</p>					
<p><del>7930-00-269-1272</del> 7930-00-269-1272 P i</p>					







CONTINUATION SHEET

3K

REF. NO. OF DOC. BEING CONT'D.


M67001-85-F-3936

PAGE OF

2 2

NAME OF OFFEROR OR CONTRACTOR  
ANDESITE OF CALIFORNIA INC.

ITEM NO.	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	M93058-5021-W020/MML999/7930-01-145-5797 ABSORBENT ANTI SLIP COMPOUND FOR OIL SPILL PICK UP  <i>25-lb</i> <i>gal</i>  <u>F.O.B. LOS ANGELES, CA.</u> Transportation charges estimated not to exceed \$75.00. All transportation charges shall be prepaid and listed on dealers invoice as a separate item. In the event transportation charges exceed the estimated amount, invoices must be substantiated by paid receipts or certified true copies of freight bills.	38	BG	10.40	\$395.20



ORDER FOR SUPPLIES OR SERVICES

REQUEST FOR QUOTATIONS NO.

RETURN COPY(IES) OF THIS QUOTE BY  
(THIS IS NOT AN ORDER. See DD Form 1155r)

MAR 21 1982

PAGE 1 OF 2

1. CONTRACT/PURCH ORDER NO.  
GS-00S-40100

2. DELIVERY ORDER NO.  
M67001-83-F-7519

3. DATE OF ORDER  
83 MAR 10

4. REQUISITION/PURCH REQUEST NO.  
M93058-3059-W026

5. CERTIFIED FOR NATIONAL DEFENSE UNDER DMS REG 1 DO

6. ISSUED TO:  
CONTRACTING DIVISION  
P. O. Box 8368, Marine Corps Base  
Camp Lejeune, North Carolina 28542  
83-F-7519

7. ADMINISTERED BY: (If other than 6)

CODE

8. DELIVERY FOB

DEST

OTHER

(See Schedule if other)

9. CONTRACTOR/QUOTER  
NAME AND ADDRESS  
ANDESITE OF CALIFORNIA, INC.  
1260 SOUTH GOODRICH BLVD.  
LOS ANGELES, CA 90022

FACILITY CODE

10. DELIVER TO FOB POINT BY:

83 MAR 14

11. CHECK IF

SMALL BUSINESS

MINORITY BUSINESS

12. DISCOUNT TERMS

2% - 20, NET 30

13. MAIL INVOICES (In Quadruplicate)  
SAME AS BLOCK #6

14. SHIP TO:  
FREIGHT TRAFFIC BRANCH  
Bldg. 1011, MCB.  
Camp Lejeune, N.C. 28542  
83-F-7519

15. PAYMENT WILL BE MADE BY:

CODE M67001

Base Disbursing Officer  
MCB, Camp Lejeune, North Carolina 28542

MARK ALL PACKAGES AND PAPERS WITH CONTRACT OR ORDER NUMBER

16. TYPE OF ORDER  
DELIVERY   
PURCHASE

This delivery order is subject to instructions contained on this side of form only and is issued on another Government agency or in accordance with and subject to terms and conditions of above numbered contract.

NC

Reference your \_\_\_\_\_, furnish the following on terms specified herein, including, for U.S. purchases, General Provision of Purchase Order on DD Form 1155r (EXCEPT CLAUSE NO. 13 APPLIES ONLY IF THIS BOX  IS CHECKED, AND NO. 15 IF THIS BOX

15 CHECKED; special provisions

; and delivery as indicated. This purchase is negotiated under authority of

10 USC 2304 (a)(3) or as specified in the schedule if within the U. S., its possessions or Puerto Rico; if otherwise, under 2304(a) (6).

If checked, Additional General Provisions apply; Supplier shall sign "Acceptance" on DD Form 1155r and return \_\_\_\_\_ copies.

17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE

1. 1731106.2720 000 67001 0 067001 2D 000000 323E0312371T PLUS TRANS \$414.00

18. ITEM NO. 19. PRIORITY: 07 SCHEDULE OF SUPPLIES/SERVICES

20. QUANTITY ORDERED/ACCEPTED  
21. UNIT  
22. UNIT PRICE  
23. AMOUNT

THIS IS A CONFIRMING ORDER.....Confirms telephonic order of same number and date given to your MRS. GABRIELE by our P. BRYDOS. **DO NOT DUPLICATE SHIPMENT.**

**CONFIRMATION ORDER**  
**DEALERS PHONE COPY**

INQUIRIES REGARDING THIS ORDER SHOULD BE MADE TO ORDER CONTROL DESK /919-451-5861

SEE PAGE #2 (PLUS ANY ADDITIONAL PAGES), for listing of items.

\* If quantity accepted by the Government is same as quantity ordered, indicate by  mark. If different, enter actual quantity accepted below quantity ordered and encircle.

24. UNITED STATES OF AMERICA

*Ken Silence*  
KEN SILENCE

PURCHASING OFFICER

CONTRACTING/ORDERING OFFICER

25. TOTAL \$414.00

29. DIFFERENCES

30. INITIALS

33. AMOUNT VERIFIED CORRECT FOR

34. CHECK NUMBER

35. BILL OF LADING NO.

42. S/R VOUCHER NO.

28. QUANTITY IN COLUMN 20 HAS BEEN:  
 INSPECTED  RECEIVED  ACCEPTED, AND CONFORMS TO THE CONTRACT EXCEPT AS NOTED

27. SHIP NO.

28. D.O. VOUCHER NO.

PARTIAL  
 FINAL

32. PAID BY  
67001-  
SYM #.5190  
MCB CLNC

31. PAYMENT  
 COMPLETE  
 PARTIAL  
 FINAL

36. I certify this account is correct and proper for payment.


T. R. DEDMOND Fiscal Acctg. Supv.

37. RECEIVED AT 38. RECEIVED BY

39. DATE RECEIVED

40. TOTAL CONTAINERS

41. S/R ACCOUNT NUMBER



RECEIVED  
 BC  
 PLIES

ORDER FOR SUPPLIES OR SERVICES

REQUEST FOR QUOTATIONS NO. *W*  
 return COPY(ies) OF THIS QUOTE BY  
 (THIS IS NOT AN ORDER. See DD Form 1155r)

Page 1 of 02

5. This contract is a rated order under DPAS (15 CFR 350) DO

1. CONTRACT/PURCH ORDER NO. 2. DELIVERY ORDER NO. 3. DATE OF ORDER 4. REQUISITION/PURCH REQUEST NO.

6700186A0015 0004 85 NOV 07 SEE SCHEDULE

6. ISSUED BY CONTRACTING DIVISION  
 P O BOX 8368 MCB  
 CAMP LEJEUNE NC  
 SUSAN BALDWIN

code 28542-8368  
 BRANCH 1 919 451-3011

7. ADMINISTERED BY CONTRACTING DIVISION  
 P O BOX 8368 MCB  
 CAMP LEJEUNE NC

code 28542-8368

8. DELIVERY FOB  
 DEST  
 OTHER see schedule if other

9. CONTRACTOR/QUOTER code 00KAB15 Facility Code 9193530550

Name and \* KITTRELL AUTO PARTS  
 Address \* 211 F WESTERN BLVD PO BOX 640  
 \* JACKSONVILLE NC 28540

10 DELIVER TO FOB POINT BY: 85 NOV 13

11. Check if business is  
 small  
 small/disadv  
 women-owned

12. DISCOUNT TERMS NET 30 DAYS

13. MAIL INVOICES TO: SEE BLOCK 15

4. Ship To: code FREIGHT TRAFFIC BRANCH  
 MRK FOR: M67001 86A00150004  
 BLDG 1011 MCB  
 CAMP LEJEUNE NC 28542-5400

15. PAYMENT WILL BE MADE BY: code  
 BASE DISBURSING OFFICER  
 \*\*\*MAIL INVOICES TO ADDRESS\*\*\*  
 IN BLOCK 7 ABOVE 28542-5000

MARK ALL PACKAGES AND PAPERS WITH CONTRACT OR ORDER NUMBER

6. DLVY - This delivery order is subject to instructions contained on this side of form only and is issued on another Government agency or in accordance with and subject to terms and conditions of above numbered contract.

PURCH  Reference your 86T1646 furnish the following on terms specified herein, including for U.S. purchases, GENERAL PROVISIONS OF PURCHASE ORDER ON DD Form 1155r(Except Clause No. 12 applies only if this box  is checked AND NO 14 IF THIS BOX  IS CHECKED); special provisions ;and delivery as indicated.

If Checked, Additional General Provisions apply: Supplier shall sign "Acceptance" on DD Form 1155r and return copies.

7. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE

17X4913.0000 000 6D476 0 067001 1C 067004 53000

8. ITEM NO	19. SCHEDULE OF SUPPLIES/SERVICES	20. QUANTITY ORDERED/ACCEPTED*	21. UNIT	22. UNIT PRICE	23. AMOUNT
------------	-----------------------------------	--------------------------------	----------	----------------	------------

SEE ATTACHED SCHEDULE(S)  
 DO NOT DUPLICATE SHIPMENT  
 CONFIRMATION ORDER PLACED WITH MR. WILLIAMS ON 85 NOV 07

ITEMS: 1

IF QUANTITY ACCEPTED BY THE GOVERNMENT IS SAME AS QUANTITY ORDERED, INDICATE BY / MARK. IF DIFFERENT, ENTER ACTUAL QUANTITY ACCEPTED BELOW QUANTITY ORDERED & ENCIRCLE

24. UNITED STATES OF AMERICA BY: E. T. COLE, JR. CONTRACTING/ORDERING OFFICER

25. TOTAL 154.00

29. DIFFERENCES

26. QUANTITY IN COLUMN 20 HAS BEEN: 10

INSPECTED  RECEIVED  ACCEPTED AND CONFORMS TO THE CONTRACT EXCEPT AS NOTED

DATE 11/9/85 SIGNATURE OF AUTHORIZED GOVERNMENT REP. *Approvals*

27. SHIP NO. 28. D.O. VOUCHER NO.

30. INITIALS

32. PAID BY  PARTIAL  FINAL

33. AMT VERIFIED CORRECT FOR

36. I CERTIFY THIS ACCOUNT CORRECT & PROPER FOR PAYMENT

DATE SIGNATURE AND TITLE OF CERTIFYING OFFICER

31. PAYMENT  COMPLETE  PARTIAL  FINAL


34. CHECK NUMBER

35. BILL OF LADING NO.

37. REC'D BY 38. REC'D BY 20811-5 39. DATE REC'D Nov 13 40. TOTAL CONT: 44 41. S.R. ACCOUNT NUMBER 42. S.R. VOUCHER No.

DD1155

MASTER COPY



-----  
 ITEM NO                      SUPPLIES/SERVICES                      QUANTITY UNIT      UNIT PRICE      AMOUNT  
 -----

0001 793001145797      M6700153041100      44 BG      3.50      154.00

PRI: 14

COMPOUND, ABSORBENT, ANTI-SLIP, FOR IMMEDIATE PICK-UP/CLEAN-UP CONTROL AND DISPOSAL OF COMMON AND TOXIC/HAZARDOUS WASTE SPILLS; USE ON ANY TYPE FLOORING/DECK AND CONCRETE SURFACE. 40 POUNDS PER BAG. OIL-DRI

*wrong item*

MARK FOR: MMLU65

(11)

(11)

1. CONTRACT/PURCH ORDER NO. 2. DELIVERY ORDER NO. 3. DATE OF ORDER 4. REQUISITION/PURCH REQUEST NO.  
 16700186A0015 0001 85 OCT 24 SEE SCHEDULE

5. ISSUED BY CONTRACTING DIVISION P O BOX 8368 MCB CAMP LEJEUNE NC MARY P BARRETT 28542-8368 BRANCH I 919 451-3011  
 7. ADMINISTERED BY CONTRACTING DIVISION P O BOX 8368 MCB CAMP LEJEUNE NC 28542-8368  
 8. DELIVERY FOR  DEST  OTHER see schedule if other

9. CONTRACTOR/QUOTER code 00KAB15 Facility Code 9193530550  
 10. DELIVER TO FOB POINT BY: 85 OCT 29  
 11. CHECK IF  Business is small  small/disabled  women-owned  
 12. DISCOUNT TERMS NET  
 13. MAIL INVOICES TO: SEE BLOCK 15

14. Ship To: FREIGHT TRAFFIC BRANCH MRK FOR: M67001 86A00150001 BLDG 1011 MCB CAMP LEJEUNE NC 28542-5400  
 15. PAYMENT WILL BE MADE BY: code 28542-5000  
 BASE DISBURSING OFFICER  
 \*\*\*MAIL INVOICES TO ADDRESS\*\*\*  
 IN BLOCK 7 ABOVE  
 MARK ALL PACKAGES AND PAPERS WITH CONTRACT OR ORDER NUMBER

16. DELVY - This delivery order is subject to instructions contained on this side of form only and is issued on another Government agency or in accordance with and subject to terms and conditions of above numbered contract.  
 PURCH X Reference your 86T0689 furnish the following on terms specified herein, including for U.S. purchases GENERAL PROVISIONS OF PURCHASE ORDER ON DD Form 1155r (Except Clause No. 12 applies only if this box  is checked AND NO 14 IF THIS BOX  IS CHECKED); special provisions ; and delivery as indicated

if Checked, Additional General Provisions apply: Supplier shall sign "Acceptance" on DD Form 1155r and return copies

17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE  
 17X4913.0000 000 6D476 0 067001 1C 067004 53000

18. ITEM NO	19. SCHEDULE OF SUPPLIES/SERVICES	20. QUANTITY ORDERED/ACCEPTED*	21. UNIT	22. UNIT PRICE	23. AMOUNT
-------------	-----------------------------------	--------------------------------	----------	----------------	------------

SEE ATTACHED SCHEDULE(S)  
 DO NOT DUPLICATE SHIPMENT  
 CONFIRMATION ORDER PLACED WITH L.J. WILLIAM ON 85 OCT 24


ITEMS: 1

\*IF QUANTITY ACCEPTED BY THE GOVERNMENT IS SAME AS QUANTITY ORDERED, INDICATE BY ./ MARK. IF DIFFERENT, ENTER ACTUAL QUANTITY ACCEPTED BELOW QUANTITY ORDERED & ENCIRCLE  
 24. UNITED STATES OF AMERICA BY: E. T. COLE, JR. CONTRACTING/ORDERING OFFICER  
 25. TOTAL 136.50  
 29. DIFFERENCES

26. QUANTITY IN COLUMN 20 HAS BEEN: 27. SHIP. NO. 28. D.O. VOUCHER NO.  
 INSPECTED  RECEIVED  ACCEPTED AND CONFORMS TO THE CONTRACT EXCEPT AS NOTED  
 DATE SIGNATURE OF AUTHORIZED GOVERNMENT REP.

36. I CERTIFY THIS ACCOUNT CORRECT & PROPER FOR PAYMENT 31. PAYMENT  COMPLETE  PARTIAL  FINAL  
 DATE SIGNATURE AND TITLE OF CERTIFYING OFFICER  
 32. PAID BY 33. AMT VERIFIED CORRECT FOR  
 34. CHECK NUMBER  
 35. BILL OF LADING NO.

37. REC'D BY 38. REC'D BY 39. DATE REC'D 40. TOTAL CONT. 41. S.R. ACCOUNT NUMBER 42. S.R. VOUCHER No.  
 199835 28OCT 39 OCT 29 1985  
 DD1155 MASTER COPY



-----  
ITEM NO                    SUPPLIES/SERVICES                    QUANTITY UNIT    UNIT PRICE    AMOUNT  
-----


0001 7930011455797    M6700152893178                    39 BG            3.50            136.50

PRI: 14

COMPOUND, ABSORBENT, ANTI-SLIP, FOR IMMEDIATE PICK-UP/CLEAN-UP CONTROL AND DISPOSAL OF COMMON AND TOXIC/HAZARDOUS WASTE SPILLS; USE ON ANY TYPE FLOORING/DECK AND CONCRETE SURFACE. 40 POUNDS PER BAG. OIL-DRI

*Wrong item*

MARK FOR: MMLR01



NSN: 7930-01-145-5797

Display of Technical Characteristics

ITEM NAME: COMPOUND, ADSORBENT

DA: ISC: 1 INC: TIIC: 4

1 of 2

\*\*\*\*\* TECHNICAL CHARACTERISTICS \*\*\*\*\*

\*ITEM NAME CODE: 00000 \*

\*GENERAL CHARACTERISTICS ITEM DESCRIPTION: ADSORBENT, ANTI-SLIP, FOR IMMEDIATE \*  
\* PICK-UP/CLEAN-UP, CONTROL, AND DISPOSAL OF COMMON AND TOXIC/HAZARDOUS WASTE \*  
\* SPILLS (PETROCHEMICALS, ACIDS, EMULSIONS OILS, PCBs); USE ON ANY TYPE \*  
\* FLOORING/DECK AND CONCRETE SURFACE; NO SLIPPERY AFTER FILM; 25 LB BAG \*

ADDED TO WANG  
HJ  
10/19/90

\*\*\*\*\*

Display of Technical Chart (top left)  
Item Name: Common Assignment  
Date: Feb 19 1967

\*\*\*\*\*  
ITEM NAME CODE: 00000  
GENERAL CHARACTERISTICS: (1) SUTURA IMPLANT  
\* HIGHLY TOXIC TO CONTROLLED DISPOSE OF COMMON AND TOXIC/HAZARDOUS WASTE  
\* SPECIAL PRECAUTIONS: (1) USE OF PPE  
\* FLUORINATED AND COPPER SURFACE; NO SURFACE WATER FILLS AS BE

\*\*\*\*\*

PGM ID: B41R2171

DATE: 05/05/95

LOCAL PROCUREMENT REQUISITIONS (STOCKFUND)

ZBR 7930011455797 BG 23 M6700151252097 MMLV65J8D1 14 65A 0000980

ABSORBENT, ANTI-SLIP, F/PICKUP OF TOXIC/HAZARDOUS WASTE SPILLS, F/DECK/CONCRETE, 25 LB BAG

EXT-PRICE: 225.40

RNL: SS1-25 ANDESITE 61475

CIC: D

SOC: GSA

SSC:

MEC: 04

PSC: U

SLF: 0

SAC: 1

40

*Bill Collins*


451-1-3925  
9  
1  
1

45M 4125  
4481  
4442  
95 ACS01  
0040

40  
9.0

POC=

EXT=



CHEMPACE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
***** THIS CONFIRMS ORDER PLACED WITH TAMI ON 95 MAR 13 *****					
DO NOT DUPLICATE SHIPMENT DO NOT DUPLICATE SHIPMENT DO NOT DUPLICATE SHIPMENT DO NOT DUPLICATE SHIPMENT					
*****					

IMPORTANT NOTICE: INQUIRIES RELATING TO THIS ORDER SHALL BE ADDRESSED TO THE CONTRACT ADMINISTRATOR/CERTIFIER. IF YOUR COMPANY NAME BEGINS WITH:

- A, F, H, S, AND X CONTACT SARAH SWALES
- B, G, K, L, AND O CONTACT DOREEN ROOK
- C, R, U, V, AND W CONTACT CLARETHA W. DANCY
- D, E, I, T, AND Y CONTACT CHARLYNN SCHULTZ
- J, M, N, P, Q, AND Z CONTACT SGT FLORY OR SGT MOORE

INVOICES FOR THIS ORDER MUST CITE BUYING BRANCH 1, AND THE APPLICABLE PURCHASE/DELIVERY ORDER NUMBER.

"NOTE": INVOICE WILL BE RETURNED IF THE BUYING BRANCH AND ORDER NUMBER ARE NOT CITED ON THE INVOICE. TELEPHONE: (910) 451-3011

FAR 52.247-34 F.O.B. DESTINATION NOV 1991

FAR 52.223-3 HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA AUG 1987

"NOTE:" MATERIAL SAFETY DATA SHEET MUST BE FURNISHED AT TIME OF SHIPMENT. IF MATERIAL SAFETY DATA SHEET IS NOT RECEIVED WITH SHIPMENT, ITEMS ARE SUBJECT TO REJECTION.

8881	7930011455797	M6700150672059	14	BG	9.8000 <i>CL</i>	137.20
		PRI: 14				

ABSORBENT, ANTI-SLIP, FOR IMMEDIATE CLEANUP, CONTROL & DISPOSAL OF TOXIC/HAZARDOUS WASTE SPILLS, USE ON ANY TYPE


FLOORING/DECK & CONCRETE SURFACE, ZORBIT MFG;CHEMPACE 40 LB PER BAG

QTY: 14 DATE: 5081  
UI: BG PSPC: U

NSN: 7930011455797

PROPOSED WAREHOUSE LOCATIONS

T651511AA



CHANGE

ITEM RECORD


ITEMC01

STOCK NUMBER 7930011455797 DATE OF LAST TRANSACTION 95 MAY 10  
SUFFIX 01  
UNIT OF ISSUE BG  
BRANCH-SECTION-PERSON S1P  
PRIMARY CUSTOMER 1  
VARIATION IN QUANTITY  
AUTOMATIC PURCHASE ORDER  
BRAND NAME/SOLE SOURCE  
COMMODITY ASSIGNMENT  
MANUFACTURER'S NAME  
MANUFACTURER'S CODE & P/N  
DESCRIPTION

ABSORBENT, ANTI-SLIP, FOR IMMEDIATE  
CLEANUP, CONTROL & DISPOSAL OF TOXIC/  
HAZARDOUS WASTE SPILLS, USE ON ANY TYPE  
FLOORING/DECK & CONCRETE SURFACE, 40 LB  
PER BG/CHEMPACE

PRESS <ENTER> TO CHANGE OR PF KEY FOR OTHER ACTION

(1)EXIT W/O (5)ADDITIONAL DESCRIPTION (6)CONTRACT (8)DELETE  
(9)ROLL NOMEN DOWN (10)RESTORE RECORD (13)TEXT HELP (15)PRINT SCREEN



STK NBR 7930011455797 ITEM FILE INQUIRY QITEM2  
 SUP NOMEN  
 CONTR IND SUFFIX 01  
 UNIT OF ISSUE BG BSP S1P  
 CSTMR ID 1 VARTN IN QTY  
 APO BNSS

**WANG**  
**11 MAY 95**

REC DT 95131 AWD DT 95096 CMDTY ASGN  
 MFG NAME  
 MFG PRT NBR POTENTIALLY HAZARDOUS MATERIAL  
 NOMENCLATURE: ABSORBENT, ANTI-SLIP, FOR IMMEDIATE  
 CLEANUP, CONTROL & DISPOSAL OF TOXIC/  
 HAZARDOUS WASTE SPILLS, USE ON ANY TYPE  
 FLOORING/DECK & CONCRETE SURFACE, 40 LB  
 PER BG/CHEMPACE (DO NOT SUBSTITUTE  
 WEIGHT SIZE OF 40 LBS)

<ENTER> TO KEYIN ANOTHER (1) TO PAGE THRU FILE (3) VIEW CONTRACT ITEM  
 (4) VIEW ADDTL NOMEN (15) PRINT SCREEN (16) TO SELECT MENU  
 B MY JOB LU #4

A4102240 TECHNICAL STOCK NUMBER 95-05-11

**DSSC - 11 MAY 95**

STOCK NUMBER 7930-01-145-5797  
 DEMIL CODE A  
 PMIC A  
 ADPE CODE  
 UNIT OF ISSUE BG  
 UNIT PRICE 9.80  
 SECURITY CODE U  
 MEC 04  
 SOURCE OF SUPPLY CODE GSA  
 SAC 1  
 REF NBR LOG SS1-25 ANDESITE 61475  
 NOMENCLATURE ABSORBENT, ANTI-SLIP, F/PICKUP OF TOXIC/  
 HAZARD WASTE SPILLS, F/DECK/CONCRETE, 40 LB BAG.

PF11 FOR HELP PF12 TO EXIT  
 B MY JOB NUM LU #4

STK NO. 00112075  
CONT. NO.  
UNIT OF ISSUE  
CSTG ID

REC DT 2511  
AND DT 2508  
CHDT ACEN

POTENTIALLY HAZARDOUS MATERIAL  
ABSORBENT, ANTI-STATIC, IMMEDIATE  
CLAMP, CONTROL & DISPOSAL OF TOXIC  
HAZARDOUS WASTE TRILLIUM USE ON ANY  
FLOOR, WAREHOUSE, CONCRET, SUBA, ALL  
PER. BE REMOVED TO PROTECT  
WE TEST AT 100%  
ITEM NO. 00112075  
TECHNICAL STOCK NUMBER  
BY JOB

AVOZAD  
DISC - MAY 92

STOCK NUMBER  
DEPT CODE  
PLT  
APPE CODE  
UNIT OF ISSUE  
UNIT PRICE  
STOCK CODE  
ME  
SOURCE OF SUPPLY CODE

REF. NO. 100  
HOMOCULATURE, ABSORBENT WITH SLIP-EXTROR DE TOXIC  
ALL ORD. TESTS SHIP IN PROTECTIVE CONTAINERS

PLT FOR BILF  
BY JOB



Doc nbr 89T5360

m67001-9040-3329

21.84 BG

3. **Packaging.**

3.1 **Packing.** When procured by the Government, 25 pounds of adsorbent material shall be packed in a multi-wall bag with an inner polyethylene liner.

3.2 **Palletization.** When specified (see 5.2), the adsorbent material, packed as specified, shall be palletized on a 4-way entry pallet in accordance with load type XV of MIL-STD-147. Each prepared load shall be bonded by film bonding means O or P. Interlocking of loads shall be effected by reversing the pattern of each course.

4. **Marking.** For Government procurements only, and in addition to any special marking required by the contract or purchase order, bags and unitized pallet loads shall be marked in accordance with MIL-STD-129.

5. NOTES

5.1 **Intended use.** The adsorbent material is intended to immediately adsorb spills on contact without leaving an after-film on the surface.

5.2 **Ordering data.**

a. Title, number and date of this document.

b. When palletization is required (see 3.2).

5.3 **Sources of information for nongovernment associated documents.**

ASTM D 891 - Hydrocarbon and Related Materials, Trial Aromatic, Specific Gravity F

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)  
FSC 7930

**DISTRIBUTION STATEMENT A.** Approved for public release; distribution is unlimited.

MILITARY INTERESTS:

Custodian  
Army - GL

CIVIL AGENCY COORDINATION ACTIVITY:

GSA-FSS  
PREPARING ACTIVITY:  
Army - GL  
Project No. 7930-0387

## SORBENTS FOR ACIDS, CAUSTICS, OILS, SOLVENTS & TOXICS

- Particulate
- Socks/Tubes
- Pillows
- Pads/Rolls

- Quick Acting
- Totally Drying
- Non Dusting

IMMEDIATE  
DELIVERY



## ANTI-SLIP COMPOUND FOR TRACTION ON ANY SLIPPERY SURFACE

- Authorized by USDA
- Accepted by OSHA

- Meets SPCC Requirements for RCRA
- Meets GSA Specification CID A-A-50086

**CALL TODAY! 314-961-3711**  
**UPRIGHT INC.** • 2640 Creve Coeur Dr. • St. Louis, MO 63144



CHANGE

ITEM RECORD

ITEMC01

STOCK NUMBER

7930011455797

DATE OF LAST TRANSACTION 94 MAY 11

SUFFIX

01

UNIT OF ISSUE

BG

BRANCH-SECTION-PERSON

S1P

PRIMARY CUSTOMER

1

VARIATION IN QUANTITY

AUTOMATIC PURCHASE ORDER

BRAND NAME/SOLE SOURCE

COMMODITY ASSIGNMENT

MANUFACTURER'S NAME

MANUFACTURER'S CODE & P/N

DESCRIPTION

ABSORBENT, ANTI-SLIP, FOR IMMEDIATE  
CLEANUP, CONTROL & DISPOSAL OF TOXIC/  
HAZARDOUS WASTE SPILLS, USE ON ANY TYPE  
FLOORING/DECK & CONCRETE SURFACE, 25 LB  
PER BG/ZORBIT MFG;CHEMPACE 40 LB PER BAG

5884

17

PRESS <ENTER> TO CHANGE OR PF KEY FOR OTHER ACTION

(1)EXIT W/O

(5)ADDITIONAL DESCRIPTION

(6)CONTRACT


(8)DELETE

(9)ROLL NOMEN DOWN

(10)RESTORE RECORD

(13)TEXT HELP

(15)PRINT SCREEN




E09

## IDENTIFICATION LIST - DESCRIPTIVE METHOD

A C T	I N	USN 7930	DESCRIPTIVE DATA
-------------	--------	-------------	------------------

- |    |             |  |
|----|-------------|--|
| 01 | 00-412-1663 | CLEANING COMPOUND, ULTRASONIC; 1 GAL TARTAR AND STAIN REMOVER; RN DIFFERENCE AS DIFFERENTIATED BY 1 GAL SIZE   |
| 02 | 00-412-1666 | CLEANING COMPOUND, ULTRASONIC; 1 GAL NON-AMMONIATED GENERAL PURPOSE CLEANER; RN DIFFERENCE AS DIFFERENTIATED BY 1 GAL SIZE   |
| 03 | 00-433-0928 | CLEANING COMPOUND, ULTRASONIC MACHINE; 1 QT, UNIT QTY, KIND OF PKG, A/A; RN DIFFERENCE AS DIFFERENTIATED BY PKG DATA   |
| 04 | 01-021-3880 | CLEANING COMPOUND, ULTRASONIC MACHINE; LIQUID, HIGH SUDSING, 1 GAL.; FSCN 21763, P/N 1812  |
| 05 | 01-139-5487 | CLEANING COMPOUND, URINAL; SOLID; 5 OZ.; SELF-CONTAINING SCREEN FITS OVER DRAIN; LONG-LASTING SOLID BLOCK CONTAINS DETERGENTS, DEODORANTS, AND WATER CONDITIONERS; CASE OF 12; FSCN 53798, P/N 54035   |
| 06 | 00-766-9034 | CLEANING DETERGENT; 5 LB, UNIT QTY, CAN; RN DIFFERENCE TEXT  |
| 07 | 01-101-2101 | CLEANING POWDER, RECORDER; END ITEM GIESFAX DATALOG RECORDER; FSCN 25549, P/N 3441426  |
| 08 | 01-077-3488 | CLEANING SOLUTION, FONT AND FILM; LIQUID SOLUTION; 16 OZ CANS; 6 CANS PER CASE; FSCN 51540, P/N 29360-501  |
| 09 | 01-098-0744 | CLEANING SOLUTION, GENERAL PURPOSE; LIQUID; CONCENTRATED; 1 GAL. PLASTIC JUG; CLEANS, DEODORIZES, AND BRIGHTENS ALL CERAMICS, CHROME, METAL, PORCELAIN, AND TILE; FSCN 55238, P/N CSS-128  |
| 10 | 01-150-0372 | CLEANING SOLUTION, PORCELAIN; CREAM FORM; USE REMOVES SCUFFS, STAINS, GREASE, SOAP SCUM, DIRT AND GRIME ON PORCELAIN; 32 OZ PER PKG; BTL UNIT PKG  |
| 11 | 01-150-9906 | CLEANING SOLUTION, PORCELAIN; CREAM FORM; USE REMOVES SCUFFS, STAINS, GREASE, SOAP SCUM, DIRT AND GRIME ON PORCELAIN; 32 OZ PER PKG; BTL UNIT PKG  |
| 12 | 01-073-9870 | CLEANING SOLUTION, PORCELAIN; LIQ AEROSOL FORM; USE TO CLEAN PORCELAIN, CERAMIC TILE AND RELATED SURFACES; 12 PER PKG; CAN UNIT PKG  |
| 13 | 01-073-0775 | CLEANING SOLUTION, PORCELAIN; LIQ FORM; USE TO CLEAN PORCELAIN, CERAMIC TILE AND RELATED SURFACES; 1 QT PER PKG; PLASTIC BTL UNIT PKG  |
| 14 | 00-664-7483 | CLEANING SOLUTION, PORCELAIN; LIQ FORM; USE TO REMOVE DIFFICULT ORGANIC AND INORGANIC SOILS FROM PORCELAIN SURFACES; 1 QT PER PKG; PLASTIC BTL UNIT PKG  |
| 15 | 01-055-6135 | CLEANING SOLUTION, PORCELAIN; LIQ FORM; USE TO REMOVE DIFFICULT ORGANIC AND INORGANIC SOILS FROM PORCELAIN SURFACES; 1 QT PER PKG; PLASTIC BTL UNIT PKG; SPCL FEAT. WATERPROOF PACKAGING, PACKING AND UTILIZATION  |
| 16 | 01-062-7061 | CLEANING SOLUTION, PORCELAIN; LIQ FORM; 1 QT PER PKG; CAN UNIT PKG; FSCN 51535, P/N 433-001  |
| 17 | 01-065-3678 | CLEANING SOLUTION, PORCELAIN; PASTE FORM; USE REMOVES RUST AND CORROSION STAINS FROM TILE, PORCELAIN, WHITE SIDEWALL TIRES AND OTHER SURFACES; 1 GAL PER PKG; CAN UNIT PKG; FSCN 27674, P/N ZEP X-12876  |
| 18 | 01-145-5797 | COMPOUND, ADSORBENT; ADSORBENT, ANTI-SLIP, FOR IMMEDIATE PICK-UP/CLEAN-UP, CONTROL, AND DISPOSAL OF COMMON AND TOXIC/HAZARDOUS WASTE SPILLS (PETROCHEMICALS, ACIDS, EMULSIONS OILS, PCBS); USE ON ANY TYPE FLOORING/DECK AND CONCRETE SURFACE; NO SLIPPERY AFTER FILM; 25 LB BAG; FSCN 61473, P/N SS1-25                                   |
| 19 | 01-154-7001 | COMPOUND, ADSORBENT; ADSORBENT, ANTI-SLIP, FOR IMMEDIATE PICK-UP/CLEAN-UP, CONTROL, AND DISPOSAL OF COMMON AND TOXIC/HAZARDOUS WASTE SPILLS (PETROCHEMICALS, ACIDS, EMULSIONS OILS, PCBS); USE ON ANY TYPE FLOORING/DECK AND CONCRETE SURFACE; NO SLIPPERY AFTER FILM; 1000 LB-40 TWENTY FIVE LB BAGS PER SKID; FSCN 61473, P/N SS-40-1000 |
| 20 | 01-088-0690 | COMPOUND, METAL FINISHING; ALKALINE POWDER, USED TO BURNISH BRASS, BRASS PLATE, PRECIOUS METALS AND SOFT STEELS, USED WITH MEDIA TO DEBURR STEEL, MAY BE USED WITH ALL TYPES OF MEDIA AS WELL AS WITH SELF-TUMBLING WORK   |



# SAFESTEP

*Adsorbent For The Fastest, Safest, Most  
Complete Clean-Up And Control Of Common  
And Toxic/Hazardous Material Spills*


**FOR BEST RESULTS, FOLLOW DIRECTIONS:**



1 Encircle spill with SAFESTEP, especially if spill is spreading or of a continuous nature. Cover spill completely with SAFESTEP.



2 No need to wait. Simply sweep SAFESTEP back and forth through spill until spill is completely picked up. Sweep up and dispose. Use a stiff broom, or a shovel for large or very viscous spills.



3 Lightly re-apply SAFESTEP and sweep/swirl to remove any remaining spill residue. Even residues from old spills and stains can be lifted from porous surfaces.



4 Sweep up all remaining SAFESTEP and dispose. Surface is completely dry, safe, and immediately usable. SAFESTEP leaves no spill residue to become a source for slip accidents or be tracked all over (necessitating more extensive clean up).

**DO NOT USE FOR WATER SPILLS.  
TO KEEP PRODUCT MOIST, CLOSE INNER BAG WHEN NOT IN USE.**

## 7930-01-145-5797

UNIT OF ISSUE: BAG

## 9Q7930-01-154-7001

U.S. NAVY UNIT OF ISSUE: DOUBLE-WINGED SKID (40 BAGS)

*68-008-40100 Nov. 1982*  
GSA CONTRACT #GS-00S-56212 (6-2-83 Through 6-3-84)

*GS-00F-71416 Aug. 15-84 thru Aug. 14-85*  
LIMITED WARRANTY

Andesite of California, Inc., Contractor, guarantees SAFESTEP for a period of One Year from date of acceptance by the Government provided the packages of SAFESTEP are warehoused in protected storage, provided the packages are kept within a temperature range of 10°C. to 50°C., and provided the packages are not broken. During the guarantee period, the Contractor will replace any defective material at his expense, including transportation cost, if any. Warranty will be identified on all bags shipped under Government contract.

Andesite of California Inc., 1260 S. Goodrich Blvd., L.A., Ca. 90022

PATENT PENDING

(213) 726-7602

25 LBS. NET WT.

