

BAILEY LABORATORY INC.
ANALYTICAL AND CONSULTING CHEMISTS

0168

709 West Johnson Street • Raleigh, North Carolina 27603

(919) 828-3360

LABORATORY

Chemicals
Unknowns

Hazardous Waste

CONSULTATION

Metallurgical Services
Pollution Abatement
Process Development
Quality Control
Methods Development
Special Investigation
Pesticides
RCRA

September 16, 1983
83-8370

Quality Control Lab, NREAD
Facilities, MCB
Camp Lejeune, NC 28542

Attention: Cpl. Indina General

Subject: Analyses of Samples Received 8/29/83

Purchase Order: M93170-3136-1481

RESULTS

Sample	Chloroform	Bromodichloro-methane	Chlorodibromo-methane	Bromoform	Total Trihalo-methane
403*	1	3	4	3	11
404*	2	6	8	6	22
405*	1	2	3	5	11
406*	1	3	4	4	12
407*	1	2	3	4	10
408	2	3	3	<1	8
409	1	<1	<1	<1	1
410	3	3	4	<1	10
411	3	3	3	<1	.9
412	2	3	3	<1	8
413	4	9	22	27	62
414	5	15	42	63	125
415	5	15	44	69	133
416	4	12	26	51	93
417	4	14	41	70	129
418	12	7	3	<1	22
419	15	9	5	<1	29
420	16	9	5	<1	30
421	16	9	5	<1	30
422	17	10	5	<1	32

CLW
30
32

0000000952

-8370
ember 16, 1983

e 2

RESULTS
(Continued)

<u>Sample</u>	<u>Chloroform</u>	<u>Bromodichloro- methane</u>	<u>Chlorodibromo- methane</u>	<u>Bromoform</u>	<u>Total Trihalo- methane</u>
423	29	9	3	<1	41
424	33	11	3	<1	47
425	33	11	3	<1	47
426	40	13	4	<1	57
427	33	12	4	<1	52
428	16	9	5	<1	30
429	17	9	5	<1	31
430	15	8	4	<1	27
431	16	9	5	<1	30
432	29	15	8	<1	52
433	12	2	<1	<1	14
435	40	5	2	<1	47
436	41	10	2	<1	53
437	20	<1	<1	<1	20
438**	21	<u><15</u>	2	<1	<u><38</u>
439**	27	<u><15</u>	2	<1	<u><44</u>
440**	22	<u><15</u>	2	<1	<u><39</u>
441**	22	<u><15</u>	2	<1	<u><39</u>
442**	23	<u><15</u>	3	<1	<u><41</u>

* All samples from this site exhibit contamination from Tetrachloroethylene.

** All samples from this site exhibit contamination from both Trichloroethylene and Tetrachloroethylene. The reported values for Bromodichloromethane and Total Trihalomethane are probable upper limits on the concentrations for these parameters.

NOTE: All results reported in micrograms per liter.
Analysis completed 9/8/83.

Bruce A. Babson
Laboratory Supervisor

CLW

BAB/at

cc: Elizabeth Betz

000000953

THM Info

Samples Listed Below were Collected on 25 August 1983

#23-427 RR System Collected from 1441-1457
#428-432 CHB System Collected from 1340-1405
#433-437 OB System Collected from 1106-1140
434 was not collected

All Samples Listed Below were Collected on 26 August 1983

#093-407 TT System Collected from 0836-0900
#408-412 MP System Collected from 0909-0931
#413-417 NR System Collected From 1254-1330
#418-422 HB System Collected from 1405-1437
#438-442 HPPSystem Collected from 1450-1520

Samples Shipped to: Grainger Laboratories
709 W. Johnson Street
Raleigh, NC 27603

Point of Contact on Sampling: Elizabeth A. Bett
Quality Control Lab, NREAD
Facilities, MBB
Camp Lejeune, NC 28542

CLW

0000000954