

NATURAL RESOURCES AND ENVIRONMENTAL AFFAIRS DIVISION
BASE MAINTENANCE DEPARTMENT
MARINE CORPS BASE
CAMP LEJEUNE, NORTH CAROLINA 28542

13 Aug 80

From: Director, NREA Division

To: *Danny*

Subj:

1. What does attached require of the Lab

Jehan

Belsey - Prepare
a Brief for

Tulian
CLW

0000006454

ORAL

Danny



DEPARTMENT OF THE NAVY
ATLANTIC DIVISION
NAVAL FACILITIES ENGINEERING COMMAND
NORFOLK, VIRGINIA 23511

TELEPHONE NO.
444-4903
AUTOVON 690-4903
IN REPLY REFER TO:

114:WLC
6280


07 AUG 1980

From: Commander, Atlantic Division, Naval Facilities Engineering Command
To: Distribution

Subj: Sampling/monitoring program for Trihalomethanes in drinking water;
initiation of

Ref: (a) 40 CFR Part 141, Federal Register, Vol. 44 of 29 Nov 1979
(b) MEETING U.S. AEHA, Aberdeen Proving Ground (CAPT P. Thiess)/
LANTNAVFACENGCOM (Mr. A. Talts) of 14 Jul 1980
(c) LANTNAVFACENGCOM ltr 114:WLC of 18 Jul 1980

1. As an amendment to the National Primary Drinking Water Standards, reference (a) establishes a maximum contaminant level (MCL) of 0.10 mg/l for total Trihalomethanes (TTHM), including chloroform, that are introduced into drinking water by the reaction of naturally occurring substances with chlorine in the course of water treatment.
2. Plans to initiate monitoring programs at various naval activities for development of a TTHM data base prior to the scheduled compliance dates were discussed during reference (b). As a result, the U.S. Army Environmental Health Agency (RD-S) Laboratory, Fort McPherson, Georgia, has agreed to perform the TTHM analyses.
3. Reference (c) forwarded information concerning regulation of the subject contaminant. It also indicated that guidance pertaining to the sampling/monitoring program initiation would be provided by this Command. Accordingly, sampling bottles, return address labels, directions on how to take the samples, scheduled sampling frequencies and other pertinent data necessary for program implementation should be received at the activity in September 1980.
4. Questions regarding implementation of the above program may be directed to Mr. W. Carter of this Command at commercial (804) 444-4903 or AUTOVON 690-4903.


ANDRES TALTS
By direction

Distribution: (See page 2)

CLW
0000006455

II-S-6

1148002
6200

Distribution:

- NSC NORFOLK CHEATHAM ANNEX
- NSC NORFOLK (Craney Island)
- NAVWPNSA YORKTOWN
- FLECOMBATRACENLANT DAM NECK
- PWC NORFOLK
- NORFOLKNAVSHIPYD
- NAVSECGRUACT NORTHWEST
- NAS OCEANA
- NAVRADSTA R SUGAR GROVE
- NAVPHIBASE LITTLE CREEK
- MCAS CHERRY POINT
- MARCORB CAMP LEJEUNE 
- NAVSTA ROOSEVELT ROADS
- CNTT DETACHMENT
- NAS BERMUDA
- NAVFAC ARGENTIA
- NAVSTA KEFLAVIK
- NAVSTA ROTA
- NAVSUPPO LA MADDALENA
- NAVACTDET HOLY LOCH

Copy to:

- LANTNAVFACENGCAMBRO ROOSEVELT ROADS
- COMNAVFORCARIB ROOSEVELT ROADS

Chief, U.S. AEHA (RD-S)
 ATTN: Lab Services
 Bldg. 180
 Fort McPherson, GA 30330

CLW
 0000006456